

Ref. No.: 239-09301609





## **Description:**

# Two IMA COMBIMA / K /II / R75 - 5:1 /1820 / V / R3 - Edge processing machine

Combima to format / profiling, for edge gluing and edge reworking of plate-shaped workpieces.

#### Technical data:

- Edge materials: plastic strips, in rolls
- min. Length of strip material in roll = 300 mm
- min. Length of strip material in roll = 14 mm
- Strip thickness for roll materials = 0.4 3 mm
- Damping profile = approximately 1.9 mm
- min. Workpiece length = 200mm
- min. Workpiece thickness = 8 mm
- max. Workpiece thickness = 45 mm
- min. Workpiece overhang from the chain conveyor, each side = 45 mm
- one. Workpiece overhang from the chain conveyor, each side = 85 mm
- min. Passage width at 45 mm Workpiece overhang on the edit page and 15 mm on the opposite page without editing
  - Processing along with counter-mounted support rollers, lifting rails and flat-belt drive chain between the tracks about 235 mm =
  - Longitudinal working with movable counter-pressure rolls on 50 mm = 200 mm short pieces in place with a cam.
  - Profiling = 230 mm
  - Profiling: only applicable for short parts of a machine with cams cam feed = 320 mm
- max. Working width 2600 mm
- Cam 540/450 mm spacing
- Air conditioner, cooling capacity 1000 W
- IMATRONIC-control computer

For more details request again

Generated on 16.05.2024 Page 2



# Technical Data:

#### **Technical Data:**

Control: CNC

## **Buyer Information:**

Condition: Very good condition

Available: On Request

Sold as:

Free Loaded on Truck (LOT)

VAT: 19 %

Buyers Premium: 15 % Location: Germany



# **Images:**














































































QR Code for htt	ps://www.asset-trade.c	de/en/print/pdf/node/1177

#### **Asset-Trade**

**Assessment and Sale of Used Assets world wide** 

**Am Sonnenhof 16** 

47800 Krefeld

**Germany** 

Tel.: +49 2151 32500 33