Ref. No.: 620-05111755





Description:

Used GLEASON NO 515 - Hypoid Tester - Bevel Gear Tester

with new Swing Pinion Cone Adjustment for more precise testing of truck, bus and tractor main drive spiral bevel and hypoid gears operating at 90° shaft angle.

Capacity

- Max gera diameter 609 mm (24").
- Max Pinio Diameter 304 mm (12")
- Offset of gear Spindle above or below centre of pinion spndle 152 mm (6")
- Range of Shaft Angles 0 180

PINION SPINDLE

- Diameter of taper hole at large end 329/32"
- Taper per foot 39/64 "
- Depth of taper 3"
- Diameter of hole through spindle 3.740"

GEAR SPINDLE

- Diameter of taper hole at large end 219/64"
- Taper per foot 1/2"
- Depth of ta per 3"
- Diameter of hole through spindle 2.167"

MISCELLANEOUS

- Floor space 203cm x 190cm (80"x75")
- Height 182cm (72")
- With Automatic preset backlash
- Hydraulic Chucking to Both Heads
- · Ammeter for Checking Brake Load

The No. 515 Hypoid Tester handles gears up to 24" in diameter and is invaluable for testing gears and pinions

Generated on 12.05.2024 Page 2



together under power, simulating actual operating conditions at all stages of bevel and hypoid gear manufacture.

Generated on 12.05.2024 Page 3



Technical Data:

Technical Data:

Control: NC

Dimensions and Weight:

Weight: 4.536 kg

Buyer Information:

Condition: Normal wear Available: Immediately

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 15 %

Location: India



Images:











Page 5



Generated on 12.05.2024 Page 6



OR	Code for	https://www	accet-trade	delen/	nrint/n	df/node/1804
GIV	Code Ioi	1111D2-// W W W	.assci-ii aut	5.UC/CII/	PHILLAP	MI/IIUUG/ IUU4

Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33