



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 133-081812010



Overview and Technical Data:

AMADA - FaB 80D

AMADA



Year of Build: Jan 1986



Description:

Used AMADA Fine Alpha Bender 80D - (F?B 80D) - press brake

- Power: bending with 800 KN compression force
- Bending length: 2505mm
- between columns: 2000 mm
- Control: NC9-EX
- Dimensions (LWH) 2930 x 1465 x 2270mm
- Last DEKRA inspection in 2009
- Regularly maintained



Technical Data:

Technical Data:

Control: CNC

Dimensions and Weight:

Weight: 5.400 kg

Buyer Information:

Condition: Normal wear

Available: Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 15 %


Location: Germany



Asset-Trade

Assessment & Sale of Used Assets

Images:





Asset-Trade

Assets



6



7



8



9



10




11



As

e

sssets



12



13




14



15



16



17



Technical drawing and data table for a machine component.

Technische Daten

	FED-3000	FED-3004	FED-3008	FED-3012	FED-3016	FED-3020	FED-3024	FED-3028	FED-3032	FED-3036	FED-3040	FED-3044	FED-3048	FED-3052
Leistung kW	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Leistungsfähigkeit mm	3100	4100	5100	6100	7100	8100	9100	10100	11100	12100	13100	14100	15100	16100
Leistungsfähigkeit mm	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Leistungsfähigkeit mm	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Leistungsfähigkeit mm	78	78	78	78	78	78	78	78	78	78	78	78	78	78
Leistungsfähigkeit mm	8	8	8	8	8	8	8	8	8	8	8	8	8	8
Leistungsfähigkeit mm	74	74	74	74	74	74	74	74	74	74	74	74	74	74
Leistungsfähigkeit mm	11	11	11	11	11	11	11	11	11	11	11	11	11	11
Leistungsfähigkeit mm	150	150	150	150	150	150	150	150	150	150	150	150	150	150
Leistungsfähigkeit mm	9500	12000	15000	18000	21000	24000	27000	30000	33000	36000	39000	42000	45000	48000

Abmessungen mm

	FED-3000	FED-3004	FED-3008	FED-3012	FED-3016	FED-3020	FED-3024	FED-3028	FED-3032	FED-3036	FED-3040	FED-3044	FED-3048	FED-3052
Leistungsfähigkeit mm	3000	4000	5000	6000	7000	8000	9000	10000	11000	12000	13000	14000	15000	16000
Leistungsfähigkeit mm	2640	3360	4080	4800	5520	6240	6960	7680	8400	9120	9840	10560	11280	12000
Leistungsfähigkeit mm	250	250	250	250	250	250	250	250	250	250	250	250	250	250
Leistungsfähigkeit mm	120	120	120	120	120	120	120	120	120	120	120	120	120	120
Leistungsfähigkeit mm	800	800	800	800	800	800	800	800	800	800	800	800	800	800
Leistungsfähigkeit mm	2540	3000	3460	3920	4380	4840	5300	5760	6220	6680	7140	7600	8060	8520
Leistungsfähigkeit mm	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575
Leistungsfähigkeit mm	3430	4430	5430	6430	7430	8430	9430	10430	11430	12430	13430	14430	15430	16430
Leistungsfähigkeit mm	720	1030	1340	1650	1960	2270	2580	2890	3200	3510	3820	4130	4440	4750
Leistungsfähigkeit mm	150	150	150	150	150	150	150	150	150	150	150	150	150	150
Leistungsfähigkeit mm	150	150	150	150	150	150	150	150	150	150	150	150	150	150

18

Technical drawing and data table for a machine component.

Technische Daten

	FED-3000	FED-3004	FED-3008	FED-3012	FED-3016	FED-3020	FED-3024	FED-3028	FED-3032	FED-3036	FED-3040	FED-3044	FED-3048	FED-3052
Leistung kW	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000	3000
Leistungsfähigkeit mm	3100	4100	5100	6100	7100	8100	9100	10100	11100	12100	13100	14100	15100	16100
Leistungsfähigkeit mm	100	100	100	100	100	100	100	100	100	100	100	100	100	100
Leistungsfähigkeit mm	2	2	2	2	2	2	2	2	2	2	2	2	2	2
Leistungsfähigkeit mm	75	75	75	75	75	75	75	75	75	75	75	75	75	75
Leistungsfähigkeit mm	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5	7.5
Leistungsfähigkeit mm	2.2	3.7	5.5	7.5	11	15	22	30	37	45	55	65	75	85
Leistungsfähigkeit mm	30	35	40	45	50	55	60	65	70	75	80	85	90	95
Leistungsfähigkeit mm	1700	2000	2300	2600	2900	3200	3500	3800	4100	4400	4700	5000	5300	5600

Abmessungen mm

	FED-3000	FED-3004	FED-3008	FED-3012	FED-3016	FED-3020	FED-3024	FED-3028	FED-3032	FED-3036	FED-3040	FED-3044	FED-3048	FED-3052
Leistungsfähigkeit mm	3000	4000	5000	6000	7000	8000	9000	10000	11000	12000	13000	14000	15000	16000
Leistungsfähigkeit mm	2640	3360	4080	4800	5520	6240	6960	7680	8400	9120	9840	10560	11280	12000
Leistungsfähigkeit mm	250	250	250	250	250	250	250	250	250	250	250	250	250	250
Leistungsfähigkeit mm	120	120	120	120	120	120	120	120	120	120	120	120	120	120
Leistungsfähigkeit mm	800	800	800	800	800	800	800	800	800	800	800	800	800	800
Leistungsfähigkeit mm	2540	3000	3460	3920	4380	4840	5300	5760	6220	6680	7140	7600	8060	8520
Leistungsfähigkeit mm	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575	1575
Leistungsfähigkeit mm	3430	4430	5430	6430	7430	8430	9430	10430	11430	12430	13430	14430	15430	16430
Leistungsfähigkeit mm	720	1030	1340	1650	1960	2270	2580	2890	3200	3510	3820	4130	4440	4750
Leistungsfähigkeit mm	150	150	150	150	150	150	150	150	150	150	150	150	150	150
Leistungsfähigkeit mm	150	150	150	150	150	150	150	150	150	150	150	150	150	150

19



Asset-Trade

Assessment & Sale of Used Assets

Video:





Asset-Trade

Assessment & Sale of Used Assets

QR Code for <https://www.asset-trade.de/en/print/pdf/node/708>

Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33