

Image not found or type unknown



Ref. No.:

444-01301450

## **Overview and Technical Data:**

# **VOUMARD - 202 Internal Grinding Machine**

**VOUMARD**



Year of Build:

Jan 1978

## **Description:**

### **Used VOUMARD Type 202 - Internal Grinding Machine**

Internal Grinding Machine with Precise high frequency spindle with 10,000 rpm converter / min - 50.000 U / min

Well-preserved perception grinder with grinder with Coolant plan-band filter with plenty of accessories and internal grinding wheels + shots.

- Sandable maximum bore size 100mm
- Largest grinding depth 120mm

- the largest passageway w / o water protection 220mm
- greatest distance from the front edge to the workpiece spindle grinding spindle (500mm)
- Spindle Bohrg. 170mm
- min. / max. Longitudinal 2/300mm
- min. / max. Transverse movement of 1/300

Plenty of accessories: 2 grinding spindle with 50,000 to 120,000 U / min and grinding wheels and recordings.

### **Technical Data:**

### **Technical Data:**

Control:

[NC](#)

### **Dimensions and Weight:**

Weight:

3.000 kg

### **Buyer Information:**

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

### **Images:**



1











5



6











11



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

444-01301450

## **Overview and Technical Data:**

# **VOUMARD - 202 Internal Grinding Machine**

**VOUMARD**



Year of Build:  
Jan 1978

## **Description:**

### **Used VOUMARD Type 202 - Internal Grinding Machine**

Internal Grinding Machine with Precise high frequency spindle with 10,000 rpm converter / min - 50.000 U / min

Well-preserved perception grinder with grinder with Coolant plan-band filter with plenty of accessories and internal grinding wheels + shots.

- Sandable maximum bore size 100mm
- Largest grinding depth 120mm
- the largest passageway w / o water protection 220mm
- greatest distance from the front edge to the workpiece spindle grinding spindle (500mm)
- Spindle Bohrg. 170mm
- min. / max. Longitudinal 2/300mm
- min. / max. Transverse movement of 1/300

Plenty of accessories: 2 grinding spindle with 50,000 to 120,000 U / min and grinding wheels and recordings.

## **Technical Data:**

### **Technical Data:**

Control:  
[NC](#)

### **Dimensions and Weight:**

Weight:  
3.000 kg

### **Buyer Information:**

Condition:  
[Normal wear](#)

Available:  
[Sold](#)

Sold as:  
[EXW \(Ex Works - Incoterm\)](#)

VAT:  
[19 %](#)

Location:  
Germany

### **Images:**



1






3






5



6











11



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 05.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page