

Image not found or type unknown



Ref. No.:

522-05231308

Overview and Technical Data:

DECKEL - DMU 50 evo linear 5 Axis fully equipped

DMG DECKEL



Year of Build:

Jan 2008

Description:

Used DMG DMU 50 Evo linear - 5 axis simultaneous in full equipment

- Control: Heidenhain iTNC 530 HSCI
- Travels X / Y / Z 500x 450 x 400 mm
- Rapid traverse X / Y / Z 24 m / min
- B- axis swivel unit , simultaneously controllable
- C- axis rotary table 0.001 ° , simultaneously controllable
- Tool changer: 120x chain magazine
- Tool: HSK 63 DIN 69871
- Main Spindle : 18.000 1/min
- Coolant system : yes , 40bar IKZ with belt filter system

Further details

- documentation
- Clamping hydraulic
- Robotic preparation
- 3D QuickSet
- 3D probe TS649
- BLUM laser
- Rotating Lens
- DMG Netservice

The DMU 50 opened a new era in workshop, training, laboratory and machine tools, jigs and fixtures .

These CNC universal milling machine is characterized by innovative engineering technology. Highlights such as digital drives in all axes , rapid traverse up to 24 m / min and motor spindles up to 18,000 min⁻¹ put the DMU 50 increased dynamism . In addition to the standard fixed table are more table options in the form of a manual , a motorized swivel rotary table with hydraulic clamping and a simultaneous table are available. The modern cross-slide design with inherently rigid , ribbed cast frame provides a base which provides noticeably more precision. Modern control technology with DMG Ergoline ® Control , 19 " screen and 3D - software guarantees highest processing speed , precision and reliability . DMG MORI offers the DMU 50 is the ideal and affordable entry into the world of 5 pages - to 5 - axis simultaneous machining .

Highlights DMU 50

- Maximum flexibility - Variable table options from rigid to swivel rotary table for 5 - axis simultaneous machining
- High workpiece weights and maximum accuracy by integrated swivel rotary table with large bearing diameters in both rotary axes
- Optimum use of space - Excellent accessibility to the work space , free chip flow and steep wall slopes , large work space with small machine dimensions
- Powerful motor spindle with up to 18,000 min⁻¹ (option), 130 Nm and 35 kW (40 % DC)

Technical Data:

Technical Data:

Control:

[TNC 530](#)

Spindle Speed:

18.000 rpm

Tool Capacity:

120 x

Travels:

X-Axis:

500 mm

Y-Axis:

450mm

Z-Axis:

400 mm

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:


Germany

















No.

10915566324

a

2008

Deckel Maho



10

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
522-05231308

Overview and Technical Data:

DECKEL - DMU 50 evo linear 5 Axis fully equipped



Year of Build:
Jan 2008

Description:

Used DMG DMU 50 Evo linear - 5 axis simultaneous in full equipment

- Control: Heidenhain iTNC 530 HSCI
- Travels X / Y / Z 500x 450 x 400 mm
- Rapid traverse X / Y / Z 24 m / min
- B- axis swivel unit , simultaneously controllable
- C- axis rotary table 0.001 ° , simultaneously controllable
- Tool changer: 120x chain magazine
- Tool: HSK 63 DIN 69871
- Main Spindle : 18.000 1/min
- Coolant system : yes , 40bar IKZ with belt filter system

Further details

- documentation
- Clamping hydraulic
- Robotic preparation
- 3D QuickSet
- 3D probe TS649
- BLUM laser
- Rotating Lens
- DMG Netservice

The DMU 50 opened a new era in workshop, training, laboratory and machine tools, jigs and fixtures .

These CNC universal milling machine is characterized by innovative engineering technology. Highlights such as digital drives in all axes , rapid traverse up to 24 m / min and motor spindles up to 18,000 min-1 put the DMU 50 increased dynamism . In addition to the standard fixed table are more table options in the form of a manual , a motorized swivel rotary table with hydraulic clamping and a simultaneous table are available. The modern cross-slide design with inherently rigid , ribbed cast frame provides a base which provides noticeably more precision. Modern control technology with DMG Ergoline ® Control , 19 " screen and 3D - software guarantees highest processing speed , precision and reliability . DMG MORI offers the DMU 50 is the ideal and affordable entry into the world of 5 pages - to 5 - axis simultaneous machining .

Highlights DMU 50

- Maximum flexibility - Variable table options from rigid to swivel rotary table for 5 - axis simultaneous machining
- High workpiece weights and maximum accuracy by integrated swivel rotary table with large bearing diameters in both rotary axes
- Optimum use of space - Excellent accessibility to the work space , free chip flow and steep wall slopes , large work space with small machine dimensions
- Powerful motor spindle with up to 18,000 min -1 (option) , 130 Nm and 35 kW (40 % DC)

Technical Data:

Technical Data:

Control:

[TNC 530](#)

Spindle Speed:

18.000 rpm

Tool Capacity:

120 x

Travels:

X-Axis:

500 mm

Y-Axis:

450mm

Z-Axis:

400 mm

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

19 %

Buyers Premium:

15 %

Location:


Germany

















No.

10915566324

a

2008

Deckel Maho



10

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 16.12.2025

© Copyright 2025 - [Asset-Trade](#)

Page