

Image not found or type unknown



Ref. No.:

701-01260903

Overview and Technical Data:

ZAYER - KP 5000 bridge milling machine

ZAYER



Year of Build:

Jan 1997

Description:

Used ZAYER KP5000 bridge milling machine

Used 2 Shifts only

Control FIDIA M2

Technical specifications

- traverse
 - X-axis 4700 mm (185 in)
 - Y-axis 2550 mm (100.4 in)
 - Z-axis 1115 mm (43.9 in)
 - Working feeds 6-5000 mm / min
 - Rapid traverse XYZ 15,000 mm / min
 - Positioning accuracy +/- 0.010 / 4000

- spindle data
 - Main spindle 35 -6.000 U / Min
 - Spindle motor power 37 kW (37 HP)
 - Tool holder SK50
- Table
 - Tischaufspanfläche 5.000x1.800 mm
 - Table load 10000 kg (22040 lb)
 - Distance between columns 2.300 mm
 - Distance table - spindle 960 mm bottom
- total power 130 kW
- Length x Width x Height 11000 mm × 5000 mm × 6000 mm
- Others
 - 5 axis simultaneous milling head
 - New ballscrew X axis in 2016
 - New ballscrew X axis in 2015
 - with SK50 recordings
 - HMS Software for probe yet on Controller

Technical Data:

Technical Data:

Control:

[M-2](#)

Spindle Speed:

6.000 rpm

Tool Holder:

[SK50](#)

Travels:

X-Axis:

4.700 mm

Y-Axis:

2.550mm

Z-Axis:

1.115 mm

Dimensions and Weight:

Height:

6.000 mm

Width:

5.000 mm

Length:

11.000 mm

Weight:

44.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:







3



4





6



7





9

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

701-01260903

Overview and Technical Data:

ZAYER - KP 5000 bridge milling machine



Year of Build:
Jan 1997

Description:

Used ZAYER KP5000 bridge milling machine

Used 2 Shifts only

Control FIDIA M2

Technical specifications

- traverse
 - X-axis 4700 mm (185 in)
 - Y-axis 2550 mm (100.4 in)
 - Z-axis 1115 mm (43.9 in)
 - Working feeds 6-5000 mm / min
 - Rapid traverse XYZ 15,000 mm / min
 - Positioning accuracy +/- 0.010 / 4000
- spindle data
 - Main spindle 35 -6.000 U / Min
 - Spindle motor power 37 kW (37 HP)
 - Tool holder SK50
- Table
 - Tischaufspanfläche 5.000x1.800 mm
 - Table load 10000 kg (22040 lb)
 - Distance between columns 2.300 mm
 - Distance table - spindle 960 mm bottom
- total power 130 kW
- Length x Width x Height 11000 mm × 5000 mm × 6000 mm
- Others
 - 5 axis simultaneous milling head

- New ballscrew X axis in 2016
- New ballscrew X axis in 2015
- with SK50 recordings
- HMS Software for probe yet on Controller

Technical Data:

Technical Data:

Control:

[M-2](#)

Spindle Speed:

6.000 rpm

Tool Holder:

[SK50](#)

Travels:

X-Axis:

4.700 mm

Y-Axis:

2.550mm

Z-Axis:

1.115 mm

Dimensions and Weight:

Height:

6.000 mm

Width:

5.000 mm

Length:

11.000 mm

Weight:

44.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



1











6



7





9

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 26.03.2026

© Copyright 2026 - [Asset-Trade](#)

Page