

Image not found or type unknown



Ref. No.:

710-03091156

Overview and Technical Data:

TRAUB - TND 400 with TX8f Control

TRAUB

INN

TR

Year of Build:
Jan 1991

Description:

Used TRAUB TND 400 CNC - controlled feeding - Lathe

37090 under power / 16850 spindle hours

The drive unit has just overtaken consuming.

The machine is running with no errors.

- Turning diameter 250 mm
- Turning length 800 mm
- Control TRAUB TX 8 F
- Total power requirement 38 kW

Technically data:

- Turning Ø normal ca.250mm
- Circulation over bed guides max.480mm
- Circulation over cross slide max.240mm
- Carriage way along / plan 220 / 850mm
- Lining Dia. Max. 200 / 250mm
- Turning length / Schlittenweg max. 800 / 850mm
- Spindle hollow approx 65mm
- Turret 1 with 12 tool mounting bores Jeo 40 x 63mm
- Spindle speeds programmierbar40 - 4.000U / min.
- Feed / rapid traverse max. plan / längs10.000 / 20,000 mm / min.
- Feed force about 5 / 10kN
- Spindle drive (Baumüller) max.30kW
- Total drive approximately 38 kW - 400 V - 50Hz

Accessories / Special Features

- TRAUB 2 axis CNC Path Control, Model TX 8 F with color monitor
- and all standard options, graphics, cycles, subroutines, electronic
- Handwheel, etc. (WOP programming)
- 12 stations turret for 12 tool holders VDI 40
- hydraulic hollow clamping device in conjunction with a hydraulic
- 3-jaw chuck Ø 200 mm Brand Röhme
- Hydraulic tailstock adjustable in inclined bed
- Coolant system, chip conveyor, lockable sliding door, footswitch
- and Spindelinnenendanschlag, optical presetting device, various spare parts
- C axis, driven tools

Technical Data:

Technical Data:

Control:

[TX8F](#)

Machine Hours:

37090.00 hrs.

Spindle Hours:

16850.00 hrs.

Turning length:

800.00 mm

Turning diameter:

250.00 mm

Spindle Speed:

4000.00 rpm

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Weight:

5000 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



1













6











TRAULOX

Baujahr
Year of production
Année de construction
Anno di costruzione
Año de construcción

1991

Betriebsspannung
Operation voltage
Tension de service
Tensione di esercizio
Tensión de servicio

380

Steuerspannung
Control voltage
Tension de commande
Tensione valvola
Tensión de mando

220

Ventilspannung
Valve voltage
Tension valve
Tensione valvola
Tensión válvula

24

Kupplungsspannung
Clutch voltage
Tension embrayage
Tensione frizione
Tensión embrague

24

Gesamtleistung
Total rating
Puissance totale
Potenza totale
Potencia total

48

Gesamtnennstrom
Total nominal current
Tension nominale totale
Tensione nominale totale
Corriente nominal total

102

Schaltplan-Nr.
Wiring diagram no.
Schéma électrique
Schema di avviamento N°
Esquema de conexiones núm.

642317

Made in Western Germany

b 3708694 h



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

710-03091156

Overview and Technical Data:

[TRAUB - TND 400 with TX8f Control](#)

TRAUB

INN

TR

Year of Build:
Jan 1991

Description:

Used TRAUB TND 400 CNC - controlled feeding - Lathe

37090 under power / 16850 spindle hours

The drive unit has just overtaken consuming.

The machine is running with no errors.

- Turning diameter 250 mm
- Turning length 800 mm
- Control TRAUB TX 8 F
- Total power requirement 38 kW

Technically data:

- Turning Ø normal ca.250mm
- Circulation over bed guides max.480mm
- Circulation over cross slide max.240mm
- Carriage way along / plan 220 / 850mm
- Lining Dia. Max. 200 / 250mm
- Turning length / Schlittenweg max. 800 / 850mm
- Spindle hollow approx 65mm
- Turret 1 with 12 tool mounting bores Jeo 40 x 63mm
- Spindle speeds programmierbar40 - 4.000U / min.
- Feed / rapid traverse max. plan / längs10.000 / 20,000 mm / min.
- Feed force about 5 / 10kN
- Spindle drive (Baumüller) max.30kW
- Total drive approximately 38 kW - 400 V - 50Hz

Accessories / Special Features

- TRAUB 2 axis CNC Path Control, Model TX 8 F with color monitor
- and all standard options, graphics, cycles, subroutines, electronic
- Handwheel, etc. (WOP programming)
- 12 stations turret for 12 tool holders VDI 40
- hydraulic hollow clamping device in conjunction with a hydraulic
- 3-jaw chuck Ø 200 mm Brand Röhms
- Hydraulic tailstock adjustable in inclined bed
- Coolant system, chip conveyor, lockable sliding door, footswitch
- and Spindelinnenendanschlag, optical presetting device, various spare parts
- C axis, driven tools

Technical Data:

Technical Data:

Control:

[TX8F](#)

Machine Hours:

37090.00 hrs.

Spindle Hours:

16850.00 hrs.

Turning length:

800.00 mm

Turning diameter:

250.00 mm

Spindle Speed:

4000.00 rpm

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Weight:

5000 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



1













6











Baujahr
Year of production
Année de construction
Anno di costruzione
Año de construcción

1991

Betriebsspannung
Operation voltage
Tension de service
Tensione di esercizio
Tensión de servicio

380

Steuerspannung
Control voltage
Tension de commande
Tensione valvola
Tensión de mando

220

Ventilspannung
Valve voltage
Tension valve
Tensione valvola
Tensión válvula

24

Kupplungsspannung
Clutch voltage
Tension embrayage
Tensione frizione
Tensión embrague

24

Gesamtleistung
Total rating
Puissance totale
Potenza totale
Potencia total

48


Gesamtnennstrom
Total nominal current
Tension nominale totale
Tensione nominale totale
Corriente nominal total

102

Schaltplan-Nr.
Wiring diagram no.
Schéma électrique
Schema di avviamento N°
Esquema de conexiones núm.

642317

Made in Western Germany





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 04.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page