

Image not found or type unknown



Ref. No.:

719-05111717

Overview and Technical Data:

DECKEL - DMS 35 Ultrasonic

DMG DECKEL



DMG

Year of Build:

Jan 2002

Description:

Used DMG Sauer - DMS 35 Ultrasonic

Control Fagor NC 8055

- traverse
 - x-travel 350mm
 - y-travel 240mm
 - z-travel 340mm
- Speed range 20 - 6.000U / min
- Drive power 40% = 1,8kW
- Motor power 100% = 1,3kW
- Feed speed max. 5.000mm / min
- Rapid 5m / min
- roundtable
- Rotary table tiltable -15 / + 105 °
- Clamping surface Ø 400 x 290mm
- T-slots - distance 50mm

- T-slots - Width 12 H7mm
- Centering 30 H6mm
- Tabletop 360 ° rotatable
- Max. Table load 100kg
- Toolholder SAUER "K"
- For tool shank: Ø 0,1 - 5,0mm
- Tool diameter Ø 0,3 - 3,0mm
- Collet diameter Ø 0,1 - 5,0mm
- Total power requirement 15kVA
- Machine weight 1.6t
- Space needs about . 2,1 x 2,1 x 2,31m

Technical Data:

Technical Data:

Control:

[CNC](#)

Spindle Speed:

6.000 rpm

Travels:

X-Axis:

350 mm

Y-Axis:

240mm

Z-Axis:

340 mm

Dimensions and Weight:

Height:

2.310 mm

Width:

2.100 mm

Length:

2.100 mm

Weight:

1.600 kg

Buyer Information:

Condition:

[Like New](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

16 %

Location:

Germany

Images:



1





3







Fabrik Nr.
serial number
N° de fabrication
numero di serie
N° de serie
ЗАВОДСКОЙ НОМЕР

Baujahr/Manufactured

SAUER GmbH
D-55758 Stipshausen



Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

719-05111717

Overview and Technical Data:

DECKEL - DMS 35 Ultrasonic

[DMG DECKEL](#)

The logo for DMG, featuring the letters 'DMG' in a large, bold, white sans-serif font. The letters are set against a dark teal background that has rounded corners on the left side. The 'D' is the largest, followed by 'M' and 'G'.

Year of Build:

Jan 2002

Description:

Used DMG Sauer - DMS 35 Ultrasonic

Control Fagor NC 8055

- traverse
 - x-travel 350mm
 - y-travel 240mm
 - z-travel 340mm
- Speed range 20 - 6.000U / min
- Drive power 40% = 1,8kW
- Motor power 100% = 1,3kW
- Feed speed max. 5.000mm / min
- Rapid 5m / min
- roundtable
- Rotary table tiltable -15 / + 105 °
- Clamping surface Ø 400 x 290mm
- T-slots - distance 50mm
- T-slots - Width 12 H7mm
- Centering 30 H6mm
- Tabletop 360 ° rotatable
- Max. Table load 100kg
- Toolholder SAUER "K"
- For tool shank: Ø 0,1 - 5,0mm
- Tool diameter Ø 0,3 - 3,0mm
- Collet diameter Ø 0,1 - 5,0mm
- Total power requirement 15kVA
- Machine weight 1.6t
- Space needs about . 2,1 x 2,1 x 2,31m

Technical Data:

Technical Data:

Control:

[CNC](#)

Spindle Speed:

6.000 rpm

Travels:

X-Axis:

350 mm

Y-Axis:

240mm

Z-Axis:

340 mm

Dimensions and Weight:

Height:
2.310 mm
Width:
2.100 mm
Length:
2.100 mm
Weight:
1.600 kg

Buyer Information:

Condition:
[Like New](#)
Availability:
[Immediately](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Germany

Images:



1




2



3





5



Fabrik Nr.
serial number
N° de fabrication
numero di serie
N° de serie
зАВОДСКОЙ НОМЕР

Baujahr/Manufactured

SAUER GmbH
D-55758 Stipshausen



Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 04.06.2026

© Copyright 2026 - [Asset-Trade](#)

Page