

Image not found or type unknown



Ref. No.:

725-06230844

Overview and Technical Data:

HURCO - VMS 50 S with Kitagawa 4th Axis

HURCO

HU

minc

Year of Build:

Jan 2004

Description:

Used HURCO VMS 50 S Vertical Machining Center with Kitagawa 4th Axis

Exchanged 15,000 rpm Spindle in 8/2015

Operating Hours: 20,435 hours

Travels:

- x-travel 1270 mm
- y-travel 660 mm
- z-travel 610 mm
- Feed range X / Y / Z = 30/30/20 mm / min
- Rapid traverse X / Y / Z = 30/30/20 m / min

Pallet table size 1500 x 660 mm

Spindle:

- bounded on spindle 8000 rpm - speed range 10 - 15,000 rpm / min
- Up SK-A 40
- Number of tool stations 24

Chips Feeder

Dimensions (LxWxH) approx 3.25 x 2.35 x 2.95 mm

Without POS clamping means

Technical Data:

Technical Data:

Control:

[Ultimax 4](#)

Machine Hours:

20.435 hrs.

Spindle Speed:

15.000 rpm

Tool Capacity:

24 x

Travels:

X-Axis:

1.270 mm

Y-Axis:

660mm

Z-Axis:

610 mm

Dimensions and Weight:

Height:
2.950 mm
Width:
2.350 mm
Length:
3.250 mm
Weight:
9.000 kg

Buyer Information:

Condition:
[Normal wear](#)
Availability:
[On Request](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Location:
Germany

Images:



1









--MACHINENKONFIGURATION--

MASCHINEN KLASSE	VERTIKAL
VERTIKAL/HORIZONTAL	VERTIKAL
NUMBER OF AXES PRESENT	3
MASCHINENSTUNDENZÄHLER	20435.4
ENDSCHALTER MINUS - X	0.000 MM
PLUS DIRECTION TRAVEL LIMIT - X	1269.000 MM
ENDSCHALTER MINUS - Y	0.000 MM
PLUS DIRECTION TRAVEL LIMIT - Y	661.000 MM
ENDSCHALTER MINUS - Z	-610.000 MM
PLUS DIRECTION TRAVEL LIMIT - Z	0.000 MM
MAXIMUM SPINDLE MOTOR SPEED	8000 UPM
MAXIMUM SPINDLE TOOL SPEED	8000 UPM
MAXIMALER EILGANG	30000 MMPM
MAXIMALER KONTURVORSCHUB	15240 MMPM

Softkey wählen

Prog.Einh.: MM Frei: 120169040 10:24:16



7










11





13



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

725-06230844

Overview and Technical Data:

HURCO - VMS 50 S with Kitagawa 4th Axis

[HURCO](#)

HU

mino

Year of Build:
Jan 2004

Description:

**Used HURCO VMS 50 S Vertical Machining Center with Kitagawa
4th Axis**

Exchanged 15,000 rpm Spindle in 8/2015

Operating Hours: 20,435 hours

Travels:

- x-travel 1270 mm
- y-travel 660 mm
- z-travel 610 mm
- Feed range X / Y / Z = 30/30/20 mm / min
- Rapid traverse X / Y / Z = 30/30/20 m / min

Pallet table size 1500 x 660 mm

Spindle:

- bounded on spindle 8000 rpm - speed range 10 - 15,000 rpm / min
- Up SK-A 40
- Number of tool stations 24

Chips Feeder

Dimensions (LxWxH) approx 3.25 x 2.35 x 2.95 mm

Without POS clamping means

Technical Data:

Technical Data:

Control:

[Ultimax 4](#)

Machine Hours:

20.435 hrs.

Spindle Speed:

15.000 rpm

Tool Capacity:

24 x

Travels:

X-Axis:

1.270 mm

Y-Axis:

660mm

Z-Axis:

610 mm

Dimensions and Weight:

Height:

2.950 mm

Width:

2.350 mm

Length:

3.250 mm

Weight:

9.000 kg

Buyer Information:

Condition:

[Normal wear](#)

Availability:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:




1



2







--MASCHINENKONFIGURATION--

MASCHINEN KLASSE	VERTIKAL
VERTIKAL/HORIZONTAL	VERTIKAL
NUMBER OF AXES PRESENT	3
MASCHINENSTUNDENZÄHLER	20435.4
ENDSCHALTER MINUS - X	0.000 MM
PLUS DIRECTION TRAVEL LIMIT - X	1269.000 MM
ENDSCHALTER MINUS - Y	0.000 MM
PLUS DIRECTION TRAVEL LIMIT - Y	661.000 MM
ENDSCHALTER MINUS - Z	-610.000 MM
PLUS DIRECTION TRAVEL LIMIT - Z	0.000 MM
MAXIMUM SPINDLE MOTOR SPEED	8000 UPM
MAXIMUM SPINDLE TOOL SPEED	8000 UPM
MAXIMALER EILGANG	30000 MMPM
MAXIMALER KONTURVORSCHUB	15240 MMPM

Softkey wählen

Prog.Einh.: MM Frei: 120169040 10:24:16



7














13



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 10.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page