



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 730-072911558

Overview and Technical Data:

**GILDEMEISTER - GM 35-6 Multispindle
automatic lathe**

DMG GILDEMEISTER

DMG / MORI SEIKI



Asset-Trade

Assessment & Sale of Used Assets



Description:

Reference Specification Sheet: The **DMG GILDEMEISTER GM 35-6** by **DMG GILDEMEISTER** is widely recognized as a high-precision **Multi Spindle Automatic Lathe** for demanding manufacturing applications. Typical for this series is the proven **SINUMERIK 840C** CNC control. This unit was successfully brokered via Asset-Trade. The verified technical specifications and photo documentation serve as a reliable market and valuation benchmark for buyers and sellers.

Technical Key Facts & Specifications

Manufacturer	DMG GILDEMEISTER
Model	GM 35-6
Category	Multi Spindle Automatic Lathe
CNC Control	SINUMERIK 840C
Year of Build	1997

Machine Weight approx. 9.800 kg

Status: Brokered & Sold (Archive Reference)

Used GLIDEMEISTER GM 35-6 Multi Spindle Lathe

Control: Siemens Sinumerik 840C

- Number of spindle 6
- Number of Pages ski tten (Cross ski tten) 6 (4)
- Number of tool spindles 6
- Max. Bar diameter for round tube 35 mm
- Max. Bar Spanner Opening for Hexagon 30mm Material
- Max. Bar Spanner Opening for square material 24 mm
- Max. Bar feed in a workstation 130 mm
- Max. Bar feed in two Statione 260 mm
- Max. Stroke radial slides 52 mm
- Adjustment of the radial slide forward and backward ± 20 mm
- Max. Stroke 70 mm axial slide
- Max. Stroke radial slide CN (option) 50 mm
- Max. Stroke axial carriage CN (option) mm100 mm
- Max. Fast speed (option) 12 m / min



- Max.Hub tool spindles 120 mm
- Adjustment of the tool locker. forward and rearward ± 10 mm
- Max. Stroke guide block (option) 100 mm
- Axial adjustment of the guide block ± 25 mm
- Speed ??main spindles 250 - 4000 U / min.
- Piece time 2-100 sec.
- Piece time in rapid 2 (2,48 option) sec
- Rapid traverse time (rotating camshaft 180 °) 1 (1.24 option) sec
- Number of tool positions 12
- Capacity coolant sump oil 500 L
- Rated power main engine 15 KW.
- Max.speed main engine 1500 - 8000 U / min.
- Lubrication system oil

dimensions

- Length x width x height (without rod guide) 550 x 1680 x 2350 mm
- Length x width x height (with rod guide) 6035 x 1680 x 2350 mm
- Net weight of machine without rod guide about 9800 Kg
- Gross weight of the machine without rod guide ca.10400 Kg
- Net weight of the machine with rod guide about 10000 Kg
- Gross weight of the machine with rod guide ca.10600 Kg

Looking to sell a used DMG GILDEMEISTER machine?

Asset-Trade provides free, expert machinery valuation for your used DMG GILDEMEISTER. We market your equipment directly to our global network of over 100,000 verified industrial buyers.

[Request Valuation & Sell Now »](#)



Technical Data:

Technical Data:

Control: SINUMERIK 840C

Tailstock: No

Bezel: No

Dimensions and Weight:

Weight: 9800 kg

Buyer Information:

Condition: Normal wear

Available: Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT: 19 %

Buyers Premium: 15 %

Location: Germany



Asset-Trade

Assessment & Sale of Used Assets


Images:




1



2




3




4

5



6



7



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets

QR Code for <https://www.asset-trade.de/en/print/pdf/node/2123>

Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>