

Image not found or type unknown






Ref. No.:
739-08251443

Overview and Technical Data:

OKUMA - LB 15-II CNC Lathe under Power

OKUMA



Year of Build:
Jan 1995

Description:

Used OKUMA LC 15 II - CNC Slant Bed Lathe

Operating House 35.000 hrs / Spindel 15.000 hrs

Technical Data

- Okuma OSP 5020 L Control
- Diameter x Length D250 x 230mm

- toolchanger positions 12
- spindle bore 40 mm
- turning speed range 4500 rpm
- rapid travel range 15/20 m/min
- total power requirement 18 kW

Technical Data:

Technical Data:

Control:

[OSP 5020L](#)

Machine Hours:

35000.00 hrs.

Spindle Hours:

15000.00 hrs.

Turning length:

230.00 mm

Turning diameter:

250.00 mm

Spindle Speed:

4500.00 rpm

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Height:

1778 mm

Length:

2667 mm

Width:

1854 mm

Weight:

4880 kg

Buyer Information:

Condition:

[Normal wear](#)

Available:

[Immediately](#)

Sold as:

[Free Loaded on Truck \(LOT\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



1









OKUMA

LB15II

定格電圧	200 V
相数	3 P
周波数	60 Hz
定格容量	23.2 kVA
定格電流	67 A
主モーター定格電流	72 A
主しゃ断器のしゃ断容量	25 kA
電気図面番号	75000-555-011
製造番号	7392

オークマ株式会社
MADE IN JAPAN

注意

コネクタの増設は、主電源を切
行なって下さい。電源ケーブルが
使用しない時は、必ず電源を切
下さい。

TAPE READER



6



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de




Web.: <https://www.asset-trade.de/en>

Ref. No.:
739-08251443

Overview and Technical Data:

OKUMA - LB 15-II CNC Lathe under Power

OKUMA



Year of Build:
Jan 1995

Description:

Used OKUMA LC 15 II - CNC Slant Bed Lathe

Operating House 35.000 hrs / Spindel 15.000 hrs

Technical Data

- Okuma OSP 5020 L Control
- Diameter x Length D250 x 230mm
- toolchanger positions 12
- spindle bore 40 mm
- turning speed range 4500 rpm
- rapid travel range 15/20 m/min
- total power requirement 18 kW

Technical Data:

Technical Data:

Control:

[OSP 5020L](#)

Machine Hours:

35000.00 hrs.

Spindle Hours:
15000.00 hrs.
Turning length:
230.00 mm
Turning diameter:
250.00 mm
Spindle Speed:
4500.00 rpm
Tool Capacity:
12 x
Tailstock:
No
Bezel:
No

Dimensions and Weight:

Height:
1778 mm
Length:
2667 mm
Width:
1854 mm
Weight:
4880 kg

Buyer Information:

Condition:
[Normal wear](#)
Available:
[Immediately](#)
Sold as:
[Free Loaded on Truck \(LOT\)](#)
VAT:
[19 %](#)
Location:
Germany

Images:



1









OKUMA

LB15II

定格電圧	200 V
相数	3 P
周波数	60 Hz
定格容量	23.2 kVA
定格電流	67 A
主モーター定格電流	72 A
主しゃ断器のしゃ断容量	25 kA
電気図面番号	75000-555-011
製造番号	7392

オークマ株式会社
MADE IN JAPAN

注意

コネクタの増設は、主電源を切
行なって下さい。電源ケーブルは、
使用しない時は、必ず電源を切
下さい。

TAPE READER



6



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 30.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page