

Image not found or type unknown



Ref. No.:

736-09091033

Overview and Technical Data:

INDEX - G 300 L Mill-Turn Center

INDEX

INDEX

Year of Build:

Jan 2000

Description:

Used INDEX G300L CNC turning / milling center

- Control Siemens 840 C
- Max. Turning length: 1250 mm
- Main spindle:
 - Spindle hollow collet: 90 mm
 - Spindle diameter in front bearing: 140 mm
 - Chuck diameter 250 mm
 - Max. Swing diameter: 590 mm
 - Max. Nominal Diameter 270mm
 - Speed: 3500 min-1
 - Engine power: 28/40 kW
- Counter spindle:
 - Spindle hollow collet: 90 mm
 - Spindle diameter in front bearing: 140 mm
 - Chuck diameter 250 mm
 - Speed: 3500 min-1
 - Engine power: 28/40 kW

- toolholder
 - Rotating drive in turret 1 and 2
 - per 12 position
 - Driven tools: speed: 6000 min-1
 - Engine power: 15 kW
- other
 - C-axis
 - Hydraulic system 90 bar
 - Large coolant system 300l - 3 bar (2012 has been completely overhauled)
 - Coolant line through the work spindle
 - Cross slide rapid traverse X / Z: 20 x 20 mm / min
 - Workpiece depositing device
 - chip conveyor
- dimensions:
 - Floor area approx 10.5 m²
 - Height 2150mm
 - Rotation center above ground 1100mm

Technical Data:

Technical Data:

Control:

[C200-4](#)

Turning length:

1250.00 mm

Turning diameter:

590.00 mm

Spindle Speed:

3500.00 rpm

Driven Tools:

12.00

Tool Capacity:

12 x

Tailstock:

Yes

Bezel:

No

Dimensions and Weight:

Height:

2150 mm

Weight:

8500 kg

Buyer Information:

Condition:


[Very good condition](#)

Available:

Sold
Sold as:
EXW (Ex Works - Incoterm)
VAT:
19 %
Buyers Premium:
16 %
Location:
Germany


Images:
































INDEX

Aufbau d

Systembau

INDEX

Koordinaten

n möglich.

Transport
Abladen der

Transportgesch

shinen mit Grund
llängen im

INDEX-Werke Gm
Hahn & Tessky

Postfach 10 03 54, D-73

Plochinger Str. 92, D-73

INDEX-CORPORA

SHELTON CT. USA

INDEX-TORNOSA

SOROCABA-SP / B

Gültigkeitsvermerk:

**INDEX-Werke GmbH &
Hahn & Tessky**

Postfach 10 03 54, D-73726 E

Plochingen Str. 92, D-73730 E

**INDEX-CORPORATION
SHELTON CT. USA**

**INDEX-TORNOS AUTO
SOROCABA-SP / BRAS**

Gültigkeitsvermerk:

**INDEX-Werke GmbH
Hahn & Tessky**

Postfach 10 03 54, D-7373

Plochinger Str. 92, D-7373

INDEX-CORPORATION
SHELTON CT. USA

INDEX-TORNOS AU
SOROCABA-SP / BR

Gültigkeitsvermerk:

Kreuzschlitten



INDEX-Werke GmbH &
Hahn & Tessky

Postfach 10 03 54, D-73726


Plochinger Str. 92, D-73730

INDEX-CORPORATION
SHELTON CT. USA

INDEX-TORNOS AUTO
SOROCABA-SP / BRA

Gültigkeitsvermerk:

KL9401.00011



Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
736-09091033

Overview and Technical Data:

INDEX - G 300 L Mill-Turn Center

INDEX

INDEX

Year of Build:
Jan 2000

Description:

Used INDEX G300L CNC turning / milling center

- Control Siemens 840 C
- Max. Turning length: 1250 mm
- Main spindle:
 - Spindle hollow collet: 90 mm
 - Spindle diameter in front bearing: 140 mm
 - Chuck diameter 250 mm

- Max. Swing diameter: 590 mm
- Max. Nominal Diameter 270mm
- Speed: 3500 min-1
- Engine power: 28/40 kW
- Counter spindle:
 - Spindle hollow collet: 90 mm
 - Spindle diameter in front bearing: 140 mm
 - Chuck diameter 250 mm
 - Speed: 3500 min-1
 - Engine power: 28/40 kW
- toolholder
 - Rotating drive in turret 1 and 2
 - per 12 position
 - Driven tools: speed: 6000 min-1
 - Engine power: 15 kW
- other
 - C-axis
 - Hydraulic system 90 bar
 - Large coolant system 300l - 3 bar (2012 has been completely overhauled)
 - Coolant line through the work spindle
 - Cross slide rapid traverse X / Z: 20 x 20 mm / min
 - Workpiece depositing device
 - chip conveyor
- dimensions:
 - Floor area approx 10.5 m²
 - Height 2150mm
 - Rotation center above ground 1100mm

Technical Data:

Technical Data:

Control:

[C200-4](#)

Turning length:

1250.00 mm

Turning diameter:

590.00 mm

Spindle Speed:

3500.00 rpm

Driven Tools:

12.00

Tool Capacity:

12 x

Tailstock:

Yes

Bezel:

No

Dimensions and Weight:

Height:

2150 mm

Weight:

8500 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:


Germany

Images:





1





























INDEX

Aufbau d

Systembau

INDEX

Koordinaten

n möglich.

INDEX

Transport
Abladen der

Shinen mit Grund-
allängen

Transportgesch

INDEX-Werke Gm
Hahn & Tessky

Postfach 10 03 54, D-73

Plochinger Str. 92, D-73

INDEX-CORPORA

SHELTON CT. USA

INDEX-TORNOSA

SOROCABA-SP / B

Gültigkeitsvermerk:

**INDEX-Werke GmbH &
Hahn & Tessky**

Postfach 10 03 54, D-73726 E

Plochingen Str. 92, D-73730 E

**INDEX-CORPORATION
SHELTON CT. USA**

**INDEX-TORNOS AUTO
SOROCABA-SP / BRAS**

Gültigkeitsvermerk:

**INDEX-Werke GmbH
Hahn & Tessky**

Postfach 10 03 54, D-7373

Plochinger Str. 92, D-7373

INDEX-CORPORATION
SHELTON CT. USA

INDEX-TORNOS AU
SOROCABA-SP / BR

Gültigkeitsvermerk:

Kreuzschlitten



INDEX-Werke GmbH &
Hahn & Tessky

Postfach 10 03 54, D-73726


Plochinger Str. 92, D-73730

INDEX-CORPORATION
SHELTON CT. USA

INDEX-TORNOS AUTO
SOROCABA-SP / BRA

Gültigkeitsvermerk:

KL9401.00011



Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 01.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page