

Image not found or type unknown



Ref. No.:

837-09111045

Overview and Technical Data:

TOYODA - FH 800 SX Horizontal Machining Center 4 Axis

[TOYODA](#)

TOYODA

Year of Build:

Apr 2007

Description:

Used TOYODA FH 800 SX Horizontal Machining Center

Operating Hours about 4000/year

Spindel Hours about 3000/year

Technical Data:

- Control Fanuc 31i-A
- Travel distances
- X-way 1,250 mm
- Y-way 1.100 mm
- Z-way 1.050 mm
- Rapid traverse 48 m / min
- Tool holder HSK 100
- Table size 800 x 800 mm
- Number of pallets 2
- Max table load 1,300 kg.
- Spindle speed 8,000 rpm
- Spindle power 30 kW
- Spindle torque 600
- Number of tools 120 pcs.
- KNOLL high pressure system IKZ 70 bar
- Dimensions 7.450 x 4.200 x 4.100 mm.

Technical Data:

Technical Data:

Control:

[Series 31i](#)

Machine Hours:

36.000 hrs.

Spindle Hours:

27.000 hrs.

Spindle Speed:

8.000 rpm

Tool Capacity:

120 x

Travels:

X-Axis:

1.250 mm

Y-Axis:

1.100mm
Z-Axis:
1.050 mm

Dimensions and Weight:

Height:
4.100 mm
Width:
4.200 mm
Length:
7.450 mm
Weight:
28.000 kg

Buyer Information:

Condition:
[Very good condition](#)
Availability:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Germany

Images:



1



CONTROL SYSTEM

JTEKT CORPORATION

MACH. No.	NS2222	TYPE	FH80
SUPPLY VOLTAGE	AC380 V	FREQ.	50
PHASE	3	FULL LOAD AMP.	82
I.C. OF CIRCUIT BREAKER			25
AMP. OF LARGEST LOAD			97
MAX. BREAKER SIZE			175
ELECTRICAL DIAGRAM No.			29-95517001
DATE	2007.4		

1-1, Asahimachi, Kariya, Aichi, Japan

FANUC Series 31i-MODEL A

1ST-POSITION

07025 N

ABSOLUT

X	40.000
Y _H	59.800
Z _H	-80.891
B	270.000

F

VST-ZÄHLER
LAUFZEIT
ZYKLUS-ZEIT

BEDIENER-MELDUNG

OPBS AUFNAHMETYP SPAENEFO
T

MODAL

G01	G80	G15	F	8.029	M	3
G17	G90	G40.1	H	33	M	909
G98	G50	G25	D		M	
G22	G67	G160			HD. T	33
G95	G97	G13.1	S	2500	MX. T	: 0
G21	G52	G50.1	REPEAT	0/0		
G40	G64	G54.2				
G43	G69	G80.5				
S	2499	SLM	1			

MEH STRT MIN +++ | 07:3

ABS

REL

ALLE

ALARM

MELDG.

ARCHIV

MELD

OVERRIDE



RESET

HELP

POS

PROG


STOP

?


SEARCH

EDIT

EXEC













10





12







15







18

Video:



Asset-Trade
Assessment & Sales of Used Assets



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
837-09111045

Overview and Technical Data:

TOYODA - FH 800 SX Horizontal Machining Center 4 Axis

TOYODA

TOY

Year of Build:
Apr 2007

Description:

Used TOYODA FH 800 SX Horizontal Machining Center

Operating Hours about 4000/year
Spindel Hours about 3000/year

Technical Data:

- Control Fanuc 31i-A

- Travel distances
- X-way 1,250 mm
- Y-way 1.100 mm
- Z-way 1.050 mm
- Rapid traverse 48 m / min
- Tool holder HSK 100
- Table size 800 x 800 mm
- Number of pallets 2
- Max table load 1,300 kg.
- Spindle speed 8,000 rpm
- Spindle power 30 kW
- Spindle torque 600
- Number of tools 120 pcs.
- KNOLL high pressure system IKZ 70 bar
- Dimensions 7.450 x 4.200 x 4.100 mm.

Technical Data:

Technical Data:

Control:

[Series 31i](#)

Machine Hours:

36.000 hrs.

Spindle Hours:

27.000 hrs.

Spindle Speed:

8.000 rpm

Tool Capacity:

120 x

Travels:

X-Axis:

1.250 mm

Y-Axis:

1.100mm

Z-Axis:

1.050 mm

Dimensions and Weight:

Height:

4.100 mm

Width:

4.200 mm

Length:

7.450 mm

Weight:

28.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:



1



CONTROL SYSTEM

JTEKT CORPORATION

MACH. No.	NS2222	TYPE	FH80
SUPPLY VOLTAGE	AC380 V	FREQ.	50
PHASE	3	FULL LOAD AMP.	82
I.C. OF CIRCUIT BREAKER			25
AMP. OF LARGEST LOAD			97
MAX. BREAKER SIZE			175
ELECTRICAL DIAGRAM No.			29-95517001
DATE	2007.4		

1-1, Asahimachi, Kariya, Aichi, Japan

FANUC Series 31i-MODEL A

1ST-POSITION

07025 N

ABSOLUT

X 40.000
Y_H 59.800
Z_H -80.891
B 270.000

F

WST-ZÄHLER
LAUFZEIT
ZYKLUS-ZEIT

BEDIENER-MELDUNG

OPBS AUFNAHMETYP SPAENEFO
T

MODAL

G01	G80	G15	F	8.029	M	3
G17	G90	G40.1	H	33	M	909
G98	G50	G25	D		M	
G22	G67	G160			HD. T	33
G95	G97	G13.1	S	2500	MX. T	: 0
G21	G52	G50.1	REPEAT	0/0		
G40	G64	G54.2				
G43	G69	G80.5				
S	2499	SLM	1			

MEH STRT MIN +++ 07:3

ABS

REL

ALLE

ALARM

MELDG.

ARCHIV

MELD

OVERRIDE



RESET

HELP

POS

PROG

STOP


?

SEARCH


EDIT

DELETE

RECALL













10





12













18

Video:



Asset-Trade
Assessment & Sales of Used Assets



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 03.03.2026

© Copyright 2026 - [Asset-Trade](#)

Page