Image not found or type unknown

Ref. No.:
848-11301747

Overview and Technical Data:

DECKEL - FP4A universal milling machine

DMG DECKEL

Year of Build:
Jan 1987

Description:

Used DMG DECKEL FP4A universal milling machine with Grundig control from apprentice workshop

Control: Grundig Contour 2 (circuit board changed about 2 years ago)

- Tool holder: SK40, DIN2080
- Travels (X-Y-Z): 580 x 400 x 380mm
- Speed: 50 - 2500 rpm
- Feed (X / Y; Z): 10/1000 mm / min
- Rapid traverse: (X / Y; Z): 2000 mm / min
- Universal table
- Vertical head rotatable +/- 90 °
- Table surface 460x800mm.
- Electronic handwheel
- Central lubrication
- Coolantsystem

- work light
- Maschinenfuesse
- documentation
- Power 400 volts 4KW
- Mass (LxWxH): 3 x 2. 3 x 1. 9 m
- Machine is sold without vise
- Basic equipment for tool holders is included.

Machine is dismantled and ready for pickup.

Technical Data:

Technical Data:

Control:
Dialog 3 / Contour 2
Spindle Speed:
2.500 rpm

Travels:

X-Axis:
580 mm
Y-Axis:
400mm
Z-Axis:
380 mm

Dimensions and Weight:

Height:
19.000 mm
Width:
2.300 mm
Length:
3.000 mm
Weight:
2.300 kg

Buyer Information:

Condition:
Very good condition
Availability:
Immediately
Sold as:
EXW (Ex Works - Incoterm)
VAT:
19 %
Buyers Premium:
16 %

Location:
Germany

Images:

Funktionen einer Kreiselpump

1

Wellenabdichtung
Motor
Laufrad
Motorwelle
SCHUNK
TYP KSG

h
quarz

Wellenabdichtung
Motor
Laufrad
Motorwelle
SCHUNK
TYP KSG

DECKEL
SCHUNK
TYP KSG

GRUNDIG
X
Z
DECKEL

X
Z
DECKEL

GRUNDIG
electronic

Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://www.asset-trade.de/en

Ref. No.:
848-11301747

Overview and Technical Data:

DECKEL - FP4A universal milling machine

DMG DECKEL

Year of Build:
Jan 1987

Description:

Used DMG DECKEL FP4A universal milling machine with Grundig control from apprentice workshop

Control: Grundig Contour 2 (circuit board changed about 2 years ago)

- Tool holder: SK40, DIN2080
- Travels (X-Y-Z): 580 x 400 x 380mm
- Speed: 50 - 2500 rpm
- Feed (X / Y; Z): 10/1000 mm / min
- Rapid traverse: (X / Y; Z): 2000 mm / min
- Universal table
- Vertical head rotatable +/- 90 °
- Table surface 460x800mm.
- Electronic handwheel
- Central lubrication
- Coolantsystem
- work light
- Maschinenfuesse
- documentation
- Power 400 volts 4KW
- Mass (LxWxH): 3 x 2. 3 x 1. 9 m
- Machine is sold without vise
- Basic equipment for tool holders is included.

Machine is dismantled and ready for pickup.

Technical Data:

Technical Data:

Control:
Dialog 3 / Contour 2
Spindle Speed:
2.500 rpm

Travels:

X-Axis:
580 mm
Y-Axis:
400mm
Z-Axis:
380 mm

Dimensions and Weight:

Height:
19.000 mm
Width:
2.300 mm
Length:
3.000 mm
Weight:
2.300 kg

Buyer Information:

Condition:
Very good condition
Availability:
Immediately
Sold as:
EXW (Ex Works - Incoterm)
VAT:
19 %
Buyers Premium:
16 %
Location:
Germany

Images:

Funktionen einer Kreiselpump

1

Wellenabdichtung
Motor
Laufrad
Motorwelle
SCHUNK
TYP KSG

h
quarz

Wellenabdichtung
Motor
Laufrad
Motorwelle
SCHUNK
TYP KSG

DECKEL
SCHUNK
TYP KSG

GRUNDIG
X
Z
DECKEL

X
Z
DECKEL

GRUNDIG
electronic

Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://www.asset-trade.de/en

© Copyright 2026 - Asset-Trade