

Image not found or type unknown






Ref. No.:  
903-1221035

## Overview and Technical Data:

# OKUMA - LB12 CNC lathe with Bar leader

## OKUMA



Year of Build:  
Jan 1988

## Description:

### Used OKUMA LB12 CNC lathe with Sameca Barloader

Operating hours AN 80339 / Spindle 36400 hours

CNC lathe with tailstock and bar loader and part catcher

- Spindle speed 65 - 3500 rpm
- Turning diameter over bed 350mm

- Spindle passage 42mm
- Longitudinal travel (Z-axis) 370mm
- Revolver with 8 tool places
- Touchsetter (tools measuring system)
- Main spindle drive motor 7,5kW 5,5kW (30min / nominal continuous power)
- Sameca Stangelader for 3m bars up to Ø42mm
- hydraulic 3 jaw chuck Ø200mm (Kitagawa)
- Hydraulic collet chuck up to diameter 42
- Extraction (oil mist separator)
- Serial interface for data transmission to the machine
- Interactive programming
- Dimensions 1570 x 2310 x 1670 mm

## **Technical Data:**

## **Technical Data:**

Control:

[OKUMA](#)

Machine Hours:

80339.00 hrs.

Spindle Hours:

36400.00 hrs.

Turning lenght:

370.00 mm

Turning diameter:

350.00 mm

Spindle Speed:

3500.00 rpm

Tailstock:

No

Bezel:

No

## **Dimensions and Weight:**

Height:

1670 mm

Length:

1570 mm

Width:

2310 mm

Weight:

3500 kg

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

## Images:




















- AC INPUT
- OVER TEMP
- UNDERVOLT
- OVER VOLT
- ISO 24V
- +24V
- +12V
- +5V
- POWER
- RUN
- BUS ERROR
- ECC ERROR
- DIA ERROR
- LOOP ERROR
- CYCLE ERROR
- WPRT ERROR

OKUMA  
CPU5 9000  
CPU IF PACK 1MB  
ET191-090-003  
SER. NO. \_\_\_\_\_  
DATE \_\_\_\_\_

VAC-DRIVE UNIT


8



9









PARAMETEREING. AM999631-2,MIN

SEITE 0  
00007

\* BETRIEBSSTUNDENZAHLER \*

	COUNT	SET
1 HAUPTSCHALTER EIN	80339:48:25	0: 0:
2 NC-BETRIEBSART	41543: 4: 5	0: 0:
3 HAUPTSPINDEL EIN	36400:48:46	0: 0:
4 HAUPTZEIT	26422:47:37	0: 0:
5 EXTERNE SIGNALE	0: 0: 0	0: 0:

=IB  
=IB  
=IB  
=

DATEN EINGABE	DATEN ZUFÜGEN	DATEN RECHNEN		O-PUNKT ZURÜCK↑	O-PUNKT VOR↓
------------------	------------------	------------------	--	--------------------	-----------------

14



Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>




Ref. No.:

903-1221035

**Overview and Technical Data:**

**OKUMA - LB12 CNC lathe with Bar leader**

**OKUMA**



Year of Build:  
Jan 1988

### **Description:**

## **Used OKUMA LB12 CNC lathe with Sameca Barloader**

Operating hours AN 80339 / Spindle 36400 hours

CNC lathe with tailstock and bar loader and part catcher

- Spindle speed 65 - 3500 rpm
- Turning diameter over bed 350mm
- Spindle passage 42mm
- Longitudinal travel (Z-axis) 370mm
- Revolver with 8 tool places
- Touchsetter (tools measuring system)
- Main spindle drive motor 7,5kW 5,5kW (30min / nominal continuous power)
- Sameca Stangelader for 3m bars up to Ø42mm
- hydraulic 3 jaw chuck Ø200mm (Kitagawa)
- Hydraulic collet chuck up to diameter 42
- Extraction (oil mist separator)
- Serial interface for data transmission to the machine
- Interactive programming
- Dimensions 1570 x 2310 x 1670 mm

### **Technical Data:**

## Technical Data:

Control:

[OKUMA](#)

Machine Hours:

80339.00 hrs.

Spindle Hours:

36400.00 hrs.

Turning length:

370.00 mm

Turning diameter:

350.00 mm

Spindle Speed:

3500.00 rpm

Tailstock:

No

Bezel:

No

## Dimensions and Weight:

Height:

1670 mm

Length:

1570 mm

Width:

2310 mm

Weight:

3500 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

## Images:



1


















- AC INPUT
- OVER TEMP
- UNDERVOLT
- OVER VOLT
- ISO 24V
- +24V
- +12V
- +5V
- POWER
- RUN
- BUS ERROR
- ECC ERROR
- DIA ERROR
- LOOP ERROR
- CYCLE ERROR
- WPRT ERROR

MOKA  
NP001  
Power Supply Unit

OKUMA  
OPUS 9000  
CPU IF RACK 1.0A  
ET19T-090-003  
SER. NO. \_\_\_\_\_  
DATE \_\_\_\_\_

VAC-DRIVE UNIT

Okuma  
山洋電機株式会社


8



9









PARAMETEREING. AM999631-2,MIN

SEITE 0  
00007

\* BETRIEBSSTUNDENZAHLER \*

	COUNT	SET
1 HAUPTSCHALTER EIN	80339:48:25	0: 0:
2 NC-BETRIEBSART	41543: 4: 5	0: 0:
3 HAUPTSPINDEL EIN	36400:48:46	0: 0:
4 HAUPTZEIT	26422:47:37	0: 0:
5 EXTERNE SIGNALE	0: 0: 0	0: 0:

=IB  
=IB  
=IB  
=

DATEN EINGABE	DATEN ZUFÜGEN	DATEN BECHEINEN		O-PUNKT ZURÜCK↑	O-PUNKT VOR↓
------------------	------------------	--------------------	--	--------------------	-----------------

14



## Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 30.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page