

Image not found or type unknown





Ref. No.:
903-1221035

Overview and Technical Data:

OKUMA - LB12 CNC lathe with Bar leader

OKUMA



Year of Build:
Jan 1988

Description:

Used OKUMA LB12 CNC lathe with Sameca Barloader

Operating hours AN 80339 / Spindle 36400 hours

CNC lathe with tailstock and bar loader and part catcher

- Spindle speed 65 - 3500 rpm
- Turning diameter over bed 350mm

- Spindle passage 42mm
- Longitudinal travel (Z-axis) 370mm
- Revolver with 8 tool places
- Touchsetter (tools measuring system)
- Main spindle drive motor 7,5kW 5,5kW (30min / nominal continuous power)
- Sameca Stangelader for 3m bars up to Ø42mm
- hydraulic 3 jaw chuck Ø200mm (Kitagawa)
- Hydraulic collet chuck up to diameter 42
- Extraction (oil mist separator)
- Serial interface for data transmission to the machine
- Interactive programming
- Dimensions 1570 x 2310 x 1670 mm

Technical Data:

Technical Data:

Control:

[OKUMA](#)

Machine Hours:

80339.00 hrs.

Spindle Hours:

36400.00 hrs.

Turning lenght:

370.00 mm

Turning diameter:

350.00 mm

Spindle Speed:

3500.00 rpm

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Height:

1670 mm

Length:

1570 mm

Width:

2310 mm

Weight:

3500 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:
















- AC INPUT
- OVER TEMP
- UNDERVOLT
- OVER VOLT
- ISO 24V
- +24V
- +12V
- +5V
- POWER
- RUN
- BUS ERROR
- ECC ERROR
- DIA ERROR
- LOOP ERROR
- CYCLE ERROR
- WPRT ERROR

MOKA
NP001
Power Supply Unit

OKUMA
OPUS 9000
CPU IF RACK 1.0A
ET19T-090-003
SER. NO. _____
DATE _____

VAC-DRIVE UNIT

Okuma
山洋電機株式会社

8



9









PARAMETEREING. AM999631-2,MIN

SEITE 0
00007

* BETRIEBSSTUNDENZAHLER *

	COUNT	SET
1 HAUPTSCHALTER EIN	80339:48:25	0: 0:
2 NC-BETRIEBSART	41543: 4: 5	0: 0:
3 HAUPTSPINDEL EIN	36400:48:46	0: 0:
4 HAUPTZEIT	26422:47:37	0: 0:
5 EXTERNE SIGNALE	0: 0: 0	0: 0:

=IB
=IB
=IB
=

DATEN EINGABE	DATEN ZUFÜGEN	DATEN RECHNEN		O-PUNKT ZURÜCK↑	O-PUNKT VOR↓
------------------	------------------	------------------	--	--------------------	-----------------

14



Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>



Ref. No.:

903-1221035

Overview and Technical Data:

OKUMA - LB12 CNC lathe with Bar leader

OKUMA



Year of Build:
Jan 1988

Description:

Used OKUMA LB12 CNC lathe with Sameca Barloader

Operating hours AN 80339 / Spindle 36400 hours

CNC lathe with tailstock and bar loader and part catcher

- Spindle speed 65 - 3500 rpm
- Turning diameter over bed 350mm
- Spindle passage 42mm
- Longitudinal travel (Z-axis) 370mm
- Revolver with 8 tool places
- Touchsetter (tools measuring system)
- Main spindle drive motor 7,5kW 5,5kW (30min / nominal continuous power)
- Sameca Stangelader for 3m bars up to Ø42mm
- hydraulic 3 jaw chuck Ø200mm (Kitagawa)
- Hydraulic collet chuck up to diameter 42
- Extraction (oil mist separator)
- Serial interface for data transmission to the machine
- Interactive programming
- Dimensions 1570 x 2310 x 1670 mm

Technical Data:

Technical Data:

Control:

[OKUMA](#)

Machine Hours:

80339.00 hrs.

Spindle Hours:

36400.00 hrs.

Turning length:

370.00 mm

Turning diameter:

350.00 mm

Spindle Speed:

3500.00 rpm

Tailstock:

No

Bezel:

No

Dimensions and Weight:

Height:

1670 mm

Length:

1570 mm

Width:

2310 mm

Weight:

3500 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

Images:



1
















- AC INPUT
- OVER TEMP
- UNDERVOLT
- OVER VOLT
- ISO 24V
- +24V
- +12V
- +5V
- POWER
- RUN
- BUS ERROR
- ECC ERROR
- DIA ERROR
- LOOP ERROR
- CYCLE ERROR
- WPRT ERROR

MOKA
NP001
Power Supply Unit

OKUMA
OPUS 9000
CPU IF RACK 1.0A
ET19T-090-003
SER. NO. _____
DATE _____

VAC-DRIVE UNIT

Okuma
山洋電機株式会社


8



9









PARAMETEREING. AM999631-2,MIN

SEITE 0
00007

* BETRIEBSSTUNDENZAHLER *

	COUNT	SET
1 HAUPTSCHALTER EIN	80339:48:25	0: 0:
2 NC-BETRIEBSART	41543: 4: 5	0: 0:
3 HAUPTSPINDEL EIN	36400:48:46	0: 0:
4 HAUPTZEIT	26422:47:37	0: 0:
5 EXTERNE SIGNALE	0: 0: 0	0: 0:

=IB
=IB
=IB
=

DATEN EINGABE	DATEN ZUFÜGEN	DATEN RECHNEN		O-PUNKT ZURÜCK↑	O-PUNKT VOR↓
------------------	------------------	------------------	--	--------------------	-----------------

14



Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 01.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page