



Asset-Trade

Assessment & Sale of Used Assets

Ref. No.: 1021-05241052

Overview and Technical Data:

**SPINNER - TTC 300 - 52 SMMCY F twin
Revolver**

SPINNER

SPINNER



Asset-Trade

Assessment & Sale of Used Assets



Description:

Reference Specification Sheet: The high-precision turning center **SPINNER TTC 300 - 52 SMMC Y F** by **SPINNER** features dual tool turrets, driven tool stations, Y-axis, and counter-spindle, enabling simultaneous front- and back-end machining with decisive cycle-time savings. This unit was successfully brokered via Asset-Trade. The verified technical specifications, engineering performance data, and photo documentation serve as an authoritative market and valuation benchmark for buyers and sellers.

Technical Key Facts & Specifications

Manufacturer	SPINNER Machine Tools
Model / Series	TTC 300 - 52 SMMC Y F
Category	CNC Lathes
CNC Control	Series 31i
Year of Build	2013
Spindle Speed max.	7.000 RPM
Tool Magazine	24 Pockets
Spindle Hours	9.850 hrs
Machine Weight approx.	4.600 kg

Status: Brokered & Sold (Asset-Trade Archive & Valuation Benchmark)

Used SPINNER TTC300-52-SMMC Y Fanuc with 2 Revolver

CNC Control Fanuc 31i

Operating Hours : 23040 / Spindel Hours 9850 (Date Feb 2020)

Technical specifications:

- Swinging diameter max. 400 mm
- Turning diameter max. 200 mm
- Turning length max 400 mm
- Track (X1/ X2 / Zaxis) 180 / 110 / 450 mm
- Longitudinal path (z) 600 mm



- Speed ??range Main spindle 7,000 rpm
- Rapid traverse (x, z axis) 15/24 m / min
- Spindle 1:
 - 0-5,000 rpm; Power 23 KW, torque 150Nm;
 - C-axis operation
 - Hollow clamping cylinder
 - Bar passage 52mm
- Spindle 2:
 - 0-7,000 rpm; Power 13,8 KW, torque 189Nm:
 - C-axis operation
 - Can be moved to take over spindle 1 with hydraulic hollow clamping cylinder.
- Revolver 1:
 - 12 tool stations for turning, VOI25 radial version
 - Travel X1 = 180mm Z = 450mm
 - 12 stations of the revolver can be driven 0-6000 rpm / 16,5KW / 35Nm, with Y-axis additionally + -40 mm vertically movable for external transverse machining in drilling and milling
- Revolver 2:
 - 12 tool stations for turning, VDI25 radial version
 - Travel X2 = 110mm Z = 450mm
 - 12 stations of the revolver are drivable 0-6000 rpm / 16,5KW / 35Nm,, each individually coupling in working position
- Dimentions (LxWxH) 2500x 1900 x 2165 mm

All linear axes with vibration damping

All linear axes with absolute measuring systems.

No approach of a reference point required after switching on.

Electrical interface for connection of bar feeders according to SPINNER-UNIMAG standard.

Frequently Asked Questions (Buyers & Sellers) about SPINNER TTC 300 - 52 SMMCY F

Is this used SPINNER TTC 300 - 52 SMMCY F currently still available?

This specific **SPINNER TTC 300 - 52 SMMCY F** has been successfully brokered by Asset-Trade and is already sold. However, we continuously source equivalent machinery. Submit a non-binding sourcing inquiry – our global dealer network will promptly locate identical or comparable equipment for your facility.

How does dual-turret technology on the SPINNER TTC 300 - 52 SMMCY F boost turned-part production?



The **SPINNER TTC 300 - 52 SMMCY F** provides simultaneous balanced machining across main and counter-spindles with dual turrets and full Y-axis travel, maximizing tool engagement and cutting precision.

What is a used SPINNER TTC 300 - 52 SMMCY F worth in today's market?

The residual market value of a used **SPINNER TTC 300 - 52 SMMCY F** (built 2013) is determined by operating hours, spindle condition, geometric tolerances, tooling options, and the installed Series 31i control. Asset-Trade delivers a certified, complimentary valuation based on real global transaction data. Request your free machine valuation now. I want to sell a SPINNER machine or complete manufacturing line – how does Asset-Trade help?

Asset-Trade provides complete turnkey asset disposal: We purchase well-maintained **SPINNER** machinery directly for cash or broker it globally to over 100,000 vetted industrial buyers. We handle professional electrical/mechanical decommissioning, heavy industrial rigging, customs clearance, and clean-floor site handovers.

Looking to sell a used SPINNER machine or production line?

Asset-Trade purchases high-quality **SPINNER** machine tools directly for cash or markets full **plant liquidations** and **workshop closures** globally to 100,000+ verified industrial buyers. Request your complimentary **machinery valuation** today!

[Request Valuation & Sell Now »](#)



Technical Data:

Technical Data:

Control: Series 31i
Machine Hours: 23040.00 hrs.
Spindle Hours: 9850.00 hrs.
Turning length: 400.00 mm
Turning diameter: 200.00 mm
Spindle Speed: 7000.00 rpm
Driven Tools: 24.00
Tool Capacity: 24 x
Tailstock: Yes
Bezel: No

Dimensions and Weight:


Height: 2165 mm
Length: 2500 mm
Width: 1900 mm
Weight: 4600 kg

Buyer Information:

Condition: Very good condition
Available: Sold
Sold as:
EXW (Ex Works - Incoterm)
VAT: 19 %
Buyers Premium: 16 %
Location: Turkey



Images:



2



4

3

5



As

e
Assets



9



8

AYAR(ZAMANL YCI)	
PARCA TOPL	175501
PARCA GEREKL I	3500
PARCA SAY	1583
GUC AC	23040 H 23 M
YRT SURE	9850 M 28 M 43 S
KESIM ZAMANI	9307 M 33 M 10 S
SRBST AHAC	0 M 0 M 0 S
CURM ZANI	0 M 0 M 0 S
TARH	2020 / 02 / 25
ZAMN	17 : 23 : 55
M/HIN	1583
SM435	
DM 05	

10





Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets

QR Code for <https://www.asset-trade.de/en/print/pdf/node/6319>

Asset-Trade

**Assessment and Sale of Used Assets world
wide**

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>