

Ref. No.:

1109-02251941

## Overview and Technical Data:

# HEBROCK - AKV 3003 DK-F Edge banding machine with joining unit

## HEBROCK



ALTENDORF GROUP

Year of Build:

Jan 2011

### Description:

## Used HEBROCK AKV 3003 DK-F edge banding machine with joining unit.

- The glue tank was cleaned and all relevant parts replaced.
- All milling cutters are new (DIA joining cutters sharpened), as well as a complete set of new cutters (incl. DIA joining cutters) as replacements.
- A reinforcement of the inlet ruler (heatable) was also installed last year.

Technical specifications:

- Max. Edge thickness 3/8 mm
- min / max. Workpiece thickness 8/40 \* mm
- Min. Workpiece length: 200 mm
- Min. Workpiece width: 80 mm
- Feed speed approx. 10 m / min.
- Suction connection Ø: 120 mm
- Workpiece height: 10-40 mm
- Chop saw unit: Yes
- Radius scraper unit: Yes
- Surface scraper: yes
- Flush and radius milling unit: Yes
- Joining milling unit: Yes
- Corner rounding unit: Yes
- Ready for operation in about 5 minutes
- Working table height: approx. 880 mm
- Motor power: 13.5 kW

- Motor voltage: 3x 400 V.
- Motor frequency: 50 Hz
- Dimensions (LxWxH): 4300 x 1400 x 1620 mm

---

The model for more comfort

The tried-and-tested machine with the optional additional units, surface scraper and corner milling machine, offers high-performance complete machining for the carpentry trade.

The AKV 3003 DK-F offers a variety of configuration options so that all essential tasks of modern edge processing can be fulfilled one hundred percent. As with all Hebrock models in the 3000 series, only diamond-tipped jointing cutters are used for excellent processing quality and a long service life.

## **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

### **Dimensions and Weight:**

Height:

1.620 mm

Length:

4.300 mm

Width:

1.400 mm

Weight:

1.250 kg

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

## **Images:**




**Hebrock**













**Maschinenbau H**

D-32257 Bünde - Tel. +

Bez. **Kantenanleimmasch**

Typ **AKV 3003 DK-F**

400 V 50 Hz 32

Baujahr **2011**

**C**

**Maschinen-Bau-**

Neustadt 33-35, D-



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1109-02251941

**Overview and Technical Data:**

# HEBROCK - AKV 3003 DK-F Edge banding machine with joining unit

## HEBROCK



ALTENDORF GROUP

Year of Build:

Jan 2011

### Description:

## Used HEBROCK AKV 3003 DK-F edge banding machine with joining unit.

- The glue tank was cleaned and all relevant parts replaced.
- All milling cutters are new (DIA joining cutters sharpened), as well as a complete set of new cutters (incl. DIA joining cutters) as replacements.
- A reinforcement of the inlet ruler (heatable) was also installed last year.

Technical specifications:

- Max. Edge thickness 3/8 mm
- min / max. Workpiece thickness 8/40 \* mm
- Min. Workpiece length: 200 mm
- Min. Workpiece width: 80 mm
- Feed speed approx. 10 m / min.
- Suction connection Ø: 120 mm
- Workpiece height: 10-40 mm
- Chop saw unit: Yes
- Radius scraper unit: Yes
- Surface scraper: yes
- Flush and radius milling unit: Yes
- Joining milling unit: Yes
- Corner rounding unit: Yes
- Ready for operation in about 5 minutes
- Working table height: approx. 880 mm
- Motor power: 13.5 kW
- Motor voltage: 3x 400 V.
- Motor frequency: 50 Hz
- Dimensions (LxWxH): 4300 x 1400 x 1620 mm

---

The model for more comfort

The tried-and-tested machine with the optional additional units, surface scraper and corner milling machine, offers high-performance complete machining for the carpentry trade.

The AKV 3003 DK-F offers a variety of configuration options so that all essential tasks of modern edge processing can be fulfilled one hundred percent. As with all Hebrock models in the 3000 series, only diamond-tipped jointing cutters are used for excellent processing quality and a long service life.

## **Technical Data:**

### **Technical Data:**

Control:

CNC

### **Dimensions and Weight:**

Height:

1.620 mm

Length:

4.300 mm

Width:

1.400 mm

Weight:

1.250 kg

### **Buyer Information:**

Condition:

Very good condition

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

16 %

Location:

Germany

### **Images:**




**Hebrock**













**Maschinenbau H**

D-32257 Bünde - Tel. +

Bez. **Kantenanleimmasch**

Typ **AKV 3003 DK-F**

400 V 50 Hz 32

Baujahr **2011**

**C**

**Maschinen-Bau-**

Neustadt 33-35, D-



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 18.01.2026

© Copyright 2026 - [Asset-Trade](#)

Page