

Image not found or type unknown




Ref. No.:  
1125-06160944

## Overview and Technical Data:

### WEILER - UD24 CNC Lathe

### WEILER



Year of Build:  
Jan 1987

### Description:

### Used WEILER UD 24 CNC lathe

Control: Siemens

### Technical specifications:

- Travel paths: X = 190mm, Z = 225mm
- Turning diameter: 190mm
- Turning length: 180mm
- Tip height: 130mm
- Speed range: 50-6000 1 / min
- Tool holder: VDI 20
- Tool turret: 8-fold
- Bar passage: 24mm
- Tailstock: MK2, pneumatic
- Dimensions: L x W x H = 1750x 1700 x 1650 mm

The machine can be checked under power on site.

## **Technical Data:**

## **Technical Data:**

Control:

[SIEMENS](#)

Turning length:

180.00 mm

Turning diameter:

190.00 mm

Spindle Speed:

6000.00 rpm

Tool Capacity:

8 x

Tailstock:

Yes

Bezel:

No

## **Dimensions and Weight:**

Height:

1650 mm

Length:

1750 mm

Width:

1700 mm

Weight:

1600 kg

## **Buyer Information:**

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

## **Images:**



**WEILER**

SINUMERIK


SIEMENS





WEILER CNC

SINUMERIK



① ② ③ ④ ⑤ ⑥ ⑦ ⑧ ⑨ ⑩ ⑪ ⑫ ⑬ ⑭ ⑮ ⑯ ⑰ ⑱ ⑲ ⑳ ㉑ ㉒ ㉓ ㉔ ㉕ ㉖ ㉗ ㉘ ㉙ ㉚ ㉛ ㉜ ㉝ ㉞ ㉟ ㊱ ㊲ ㊳ ㊴ ㊵ ㊶ ㊷ ㊸ ㊹ ㊺ ㊻ ㊼ ㊽ ㊾ ㊿















BKW GmbH

D7448 WOLFSCHLUGEN W.-Germany

Modell

SK05E - 20100

Bauj. 1987

Nr.

27115284

F. Gew. kg

0,23

R

12

zul. Betriebsüberdr.

24

bar

Eigensicher gegen Drucküberschr.!

kW/cosφ

3,56/0,75

V

207-253~

Hz

50-60

A

3,0

Sicher.

10

Schutz innen

54

Schutz außen

44

Steuerung Nr.

1819-20100

Dichtheit geprüft!

9911045

**ACHTUNG - CAUTION - ATTENTION!**

Vor Aufstellung und Inbetriebnahme sind die Hinweise in der Bedienungsanleitung zu beachten!

See operating instructions before setting up and starting!

Avant mise en route, veuillez consulter les instructions s.v.p.!

Vor dem Abnehmen des Deckels Aggregat stromlos machen.


Before taking of the lid make the machine powerless.

Couper le courant avant de retirer le couvercle de l'appareil.

Gerät nur bei geschlossener Schaltschranktür betreiben!

Switch-cabinet door must be closed when air

5



6



















Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:  
1125-06160944

**Overview and Technical Data:**

**[WEILER - UD24 CNC Lathe](#)**

**WEILER**



Year of Build:  
Jan 1987

**Description:**

**Used WEILER UD 24 CNC lathe**

Control: Siemens

Technical specifications:

- Travel paths: X = 190mm, Z = 225mm
- Turning diameter: 190mm
- Turning length: 180mm
- Tip height: 130mm
- Speed range: 50-6000 1 / min
- Tool holder: VDI 20
- Tool turret: 8-fold
- Bar passage: 24mm
- Tailstock: MK2, pneumatic
- Dimensions: L x W x H = 1750x 1700 x 1650 mm

The machine can be checked under power on site.

**Technical Data:**

**Technical Data:**

Control:

**SIEMENS**

Turning length:

180.00 mm

Turning diameter:

190.00 mm

Spindle Speed:  
6000.00 rpm  
Tool Capacity:  
8 x  
Tailstock:  
Yes  
Bezel:  
No

### **Dimensions and Weight:**

Height:  
1650 mm  
Length:  
1750 mm  
Width:  
1700 mm  
Weight:  
1600 kg

### **Buyer Information:**

Condition:  
[Normal wear](#)  
Available:  
[Sold](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Buyers Premium:  
[16 %](#)  
Location:  
Germany

### **Images:**



**WEILER**

SINUMERIK

SIEMENS

















BKW GmbH

D7448 WOLFSCHLUGEN W.-Germany

Modell

SK05E - 20100

Bauj. 1987

Nr.

27115284

F. Gew. kg

0,23

R

12

zul. Betriebsüberdr.

24

bar

Eigensicher gegen Drucküberschr.!

kW/cosφ

3,56/0,75

V

207-253~

Hz

50-60

A

3,0

Sicher.

10

Schutz innen

54

Schutz außen

44

Steuerung Nr.

1819-20100

Dichtheit geprüft!

9911045

**ACHTUNG - CAUTION - ATTENTION!**

Vor Aufstellung und Inbetriebnahme sind die Hinweise in der Bedienungsanleitung zu beachten!

See operating instructions before setting up and starting!

Avant mise en route, veuillez consulter les instructions s.v.p.!

Vor dem Abnehmen des Deckels Aggregat stromlos machen.


Before taking of the lid make the machine powerless.

Couper le courant avant de retirer le couvercle de l'appareil.

Gerät nur bei geschlossener Schaltschranktür betreiben!

Switch-cabinet door must be closed when air


5



6



















Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 04.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page