

Image not found or type unknown



Ref. No.:

1214-04062204

Overview and Technical Data:

MORA - Primus 10128 Brand New + Unused

[MORA](#)

Year of Build:

Oct 2019

Description:

Used MORA Primus 10128 - Portal measuring machine

NEW still in Original wooden box ready for immediate installation

Highlights:

- Bridge measuring machine for CNC operation
- hard stone measuring plate with extra high accuracy
- high precision guides made of hard stone
- wear-free precision air bearings smooth and low-vibration movements
- non-contact scale system on all axes, resolution 0.1 μ m
- mounting holes M10 in 250x250mm grid on the surface of the measuring plate within the measuring range

Measuring ranges:

- X-axis (width) : 1000 mm
- Y-axis (length) : 1200 mm
- Z-axis (height) : 800 mm
- vectorial acceleration : 1732 mm/s²
- vectorial velocity : 519 mm/s
- max. workpiece weight : 1500 kg

Outer Dimensions:

- width : 2005 mm x length : 2320 mm x height : 3325 mm

Packaging Dimensions:

1. width : 2222 mm x length : 2650 mm x height : 2480 mm about, 3.400 kg
2. width : 1620 mm x length : 2100 mm x height : 700mm, about 350kg

Accuracies:

- Accuracy with TP20: MPE_e= 2,3+L/300 / MPE_p= 2,3
- Accuracy with TP200: MPE_e= 2,1+L/300 / MPE_p= 2,1
- Accuracy with SP25: MPE_e= 1.9+L/300 / MPE_p= 1.9 / MPE THP= 3.3? / 68s

Further:

- Universal 5-axis scanning
- REVO Base Kit
- REVO MRS2 Storage Kit #2: Simple support rail for changing probes.
- RCP2 change port kit for easy change of probe RSP2 V2, RSP3,
- RSH175 REVO stylus holder kit
- RSP3-3 3D touch probe kit
- 2x ruby ball styli M2 & M3
- Styli set 14 pieces
- Software INCA 3D Premium Edition CNC Measuring Machine

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

0

Dimensions and Weight:

Height:
3.325 mm
Length:
2.320 mm
Width:
2.005 mm
Weight:
3.350 kg

Buyer Information:

Condition:
[Like New](#)
Available:
[Immediately](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Germany

Images:










HP

hp

100 M2

Group

RENISHAW



P/0/28 G

1760 D



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1214-04062204

Overview and Technical Data:

MORA - Primus 10128 Brand New + Unused

MORA

Year of Build:
Oct 2019

Description:

Used MORA Primus 10128 - Portal measuring machine

NEW still in Original wooden box ready for immediate installation

Highlights:

- Bridge measuring machine for CNC operation
- hard stone measuring plate with extra high accuracy
- high precision guides made of hard stone
- wear-free precision air bearings smooth and low-vibration movements
- non-contact scale system on all axes, resolution 0.1 µm
- mounting holes M10 in 250x250mm grid on the surface of the measuring plate within the measuring range

Measuring ranges:

- X-axis (width) : 1000 mm
- Y-axis (length) : 1200 mm
- Z-axis (height) : 800 mm
- vectorial acceleration : 1732 mm/s²
- vectorial velocity : 519 mm/s
- max. workpiece weight : 1500 kg

Outer Dimensions:

- width : 2005 mm x length : 2320 mm x height : 3325 mm

Packaging Dimensions:

1. width : 2222 mm x length : 2650 mm x height : 2480 mm about, 3.400 kg
2. width : 1620 mm x length : 2100 mm x height : 700mm, about 350kg

Accuracies:

- Accuracy with TP20: $MPE_e = 2,3 + L/300$ / $MPE_p = 2,3$
- Accuracy with TP200: $MPE_e = 2,1 + L/300$ / $MPE_p = 2,1$
- Accuracy with SP25: $MPE_e = 1.9 + L/300$ / $MPE_p = 1.9$ / MPE THP= 3.3? / 68s

Further:

- Universal 5-axis scanning
- REVO Base Kit
- REVO MRS2 Storage Kit #2: Simple support rail for changing probes.
- RCP2 change port kit for easy change of probe RSP2 V2, RSP3,
- RSH175 REVO stylus holder kit
- RSP3-3 3D touch probe kit
- 2x ruby ball styli M2 & M3
- Styli set 14 pieces
- Software INCA 3D Premium Edition CNC Measuring Machine

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

0

Dimensions and Weight:

Height:

3.325 mm

Length:

2.320 mm

Width:

2.005 mm

Weight:

3.350 kg

Buyer Information:

Condition:

[Like New](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:





RENISHAW
PH20
SERVO ● PROBE
-◀ B ▶+

+
▲
A
▼
-

RENISHAW

RENISHAW






HP

hp

100 M2

Group

RENISHAW



P/0/28 G

1760 D



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 11.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page