

Image not found or type unknown



Ref. No.:

121-905141016

Overview and Technical Data:

KRAUSS MAFFEI - KM 50 - 220 C Win for Sale

KRAUSSMAFFEI

Year of Build:

Mar 2002

Description:

Used KRAUS MAFFEI - KM 50 - 220 C Win Injection moulding machine

Operating 01.04.21: 60.053 hrs

C-Baureihe MC4 Control

Technical details

- Clamping unit
 - Clamping force: 500 kN

- Mould opening force, max.: 40 kN
- Travel force movable platen Opening: 22 kN
- Travel force movable platen Closing: 15 kN
- Size of mould platens (h x v): 540 mm x 540 mm
- Distance between tie bars (h x v): 321 mm x 321 mm
- Mould opening stroke: 350 mm
- Mould height min.: 200 mm
- Max daylight: 550 mm
- Hydraulic ejector - stroke: 100 mm
- Ejector force forward/backward: 22/10 kN
- Injection unit
 - Screw diameter: 30 mm
 - Ls/D ratio: 23
 - Injection pressure: 2025 bar
 - Stroke volume: 106 ccm
 - Shot weight, PS: 96,5 g
 - Injection rate: 91 ccm/s
 - Screw speed: 281 1/min
 - Plasticising rate max.: 10,8 g/s
 - Nozzle pressure: 50 kN
- Electric and Hydraulic Equipment
 - Nominal capacity of pump motor: 11 kW
 - Installed heating capacity: 8 kW
 - Adjustable barrel heating zones: 5
 - Dry cycle number: 3050 1/h
 - Reservoir capacity: 150 ltr.
- Dimensions and weights
 - Dimensions of the machine ca.: 3,40 m x 1,30 m x 1,82 m
 - Total machine weight: 2300 kg
 - Max. mould weight: 400 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

60053

Dimensions and Weight:

Weight:

2.300 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

121-905141016

Overview and Technical Data:

KRAUSS MAFFEI - KM 50 - 220 C Win for Sale

KRAUSSMAFFEI

Year of Build:
Mar 2002

Description:

Used KRAUS MAFFEI - KM 50 - 220 C Win Injection moulding machine

Operating 01.04.21: 60.053 hrs

C-Baureihe MC4 Control

Technical details

- Clamping unit
 - Clamping force: 500 kN
 - Mould opening force, max.: 40 kN
 - Travel force movable platen Opening: 22 kN
 - Travel force movable platen Closing: 15 kN
 - Size of mould platens (h x v): 540 mm x 540 mm
 - Distance between tie bars (h x v): 321 mm x 321 mm
 - Mould opening stroke: 350 mm
 - Mould height min.: 200 mm
 - Max daylight: 550 mm
 - Hydraulic ejector - stroke: 100 mm

- Ejector force forward/backward: 22/10 kN
- Injection unit
 - Screw diameter: 30 mm
 - Ls/D ratio: 23
 - Injection pressure: 2025 bar
 - Stroke volume: 106 ccm
 - Shot weight, PS: 96,5 g
 - Injection rate: 91 ccm/s
 - Screw speed: 281 1/min
 - Plasticising rate max.: 10,8 g/s
 - Nozzle pressure: 50 kN
- Electric and Hydraulic Equipment
 - Nominal capacity of pump motor: 11 kW
 - Installed heating capacity: 8 kW
 - Adjustable barrel heating zones: 5
 - Dry cycle number: 3050 1/h
 - Reservoir capacity: 150 ltr.
- Dimensions and weights
 - Dimensions of the machine ca.: 3,40 m x 1,30 m x 1,82 m
 - Total machine weight: 2300 kg
 - Max. mould weight: 400 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

60053

Dimensions and Weight:

Weight:

2.300 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 26.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page