

Image not found or type unknown



Ref. No.:

1240-09020900

Overview and Technical Data:

Trumpf TruBend 7036 Bending Machine low hours

TRUMPF

TRUMPF



Year of Build:

Oct 2015

Rebuild year:

May 2019

Description:

Used Trumpf TruBend 7036 CNC Bending Machine with 6 Axis for Sale

Build 10/2015 Operation Hours :ON 8352h / running time 619h

Sold Build 02/2011 Operating Hours : 19463 h / 2064 h

Bought in first class condition in 2019 overhauled by Trumpf!!!

AMADA Toolholder !! Wila only with Adapter

Technical data:

- Tonnage approx.: 360 kN
- Bending length approx.: 1020 mm
- Stroke Max.: 120 mm
- Distance between side frames approx.: 932 mm
- Eff. open height approx.: 300 mm
- Rapid speed: 220mm/s
- Max. working speed. 10-25 mm/s
- Space requirement approx.: 1805 x 1330 x 2380 mm

- Electrical connected load approx.: 5 kVA

Standard equipment machine

- Stable machine frame
- Press beam
- Highly dynamic, electromech. Direct drive (torque motor)
- Inductive length measuring system with temperature compensation
- Control cabinet air conditioning
- Ergonomic machine design Fence system
- Backgauge system 3-axis X1, R1, Z1-axis Tool clamping
- Upper tool holder, self-centering, manual clamping
- Lower tool holder, manual clamping, hardened

Control system

- TRUMPF TASC 6000 integrated - SW Version 4.6.4.0
- Numerical workshop programming
- Windows XPe (embedded), Pentium M with 1.1 GHz clock frequency
- 1 GB RAM memory
- 15-inch touch screen
- Network capable
- Teleservice via modem

Safety

- Side hinged safety doors
- Rear safety cover
- 2-button foot switch, for standing and seated operation

- CE marking

Advanced features Machine

- Ergonomics package
 - Backgauge: 6-axis backgauge (X1, X2, R1, R2, Z1 and Z2 axes)
 - **Tool clamping: AMADA tooling system**
 - Control : Graphic shop programming
 - Operation:
 - Rear work area lighting
 - Bend line laser
 - Safety: BendGuard
-

Trumpf 7036 CNC press brakes are one of the fastest press brake machines in the world designed specifically for CNC bending small sheet metal work components and assemblies. These small format CNC press brakes offer not only fast manufacturing bending speeds through their twin electric motor operation but quick set up times enabling small batches of sheet metal work to be manufactured just as efficiently as larger batches. Accuracy and efficiency are increased through the use of a 6-axis CNC back gauge system allowing the most complicated sheet metal work to be bent in one machine set-up and processing cycle repeatably and without delay.

TRUMPF bending machines represent a wealth of experience and pioneering innovation. The extensive portfolio includes machines for die and panel bending technologies as well as large format bending machines and fully automated solutions. There is a wide range of options available for each bending technology to suit your specific application. Use TruBend machines to produce simple and complex parts in any format precisely and cost-effectively. You always benefit from high-quality parts, increased flexibility, innovative tools, sophisticated automation solutions and intelligent software all from a single source. We focus on operability and ergonomics to ensure the machine supports operators in their work.

Technical Data:

Technical Data:

Control:

[TASC 6000](#)

Machine Hours:

8352

Dimensions and Weight:

Height:

2.380 mm

Length:

1.805 mm

Width:

1.330 mm

Weight:

2.600 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:

TRUMPF



TruBend 7036

Kantere



CNC →

Wartungs-
übersicht

Ma
Kon


LAUFZEIT >

Zeit Maschine Ein [h

8352.7



V40 6,4
V50 8,3
V63 10,5
V80 13,3
V22 3,6
V35 5,8
↑ ↑
Mohite 1R




120
110
100

150
1000000
1800000








max.	F1011E
max.	360 kN
max	120.0 mm
max	90 ms
max	12.0 mm
min	180.0 mm

Masse der Presse
Nennstrom
Spannung
Frequenz
Anschlussleistung
Steuerspannung
Reinjahr

2.600 kg
8.7 A
3x400 V
50 Hz
6.0 kVA
24 V=
02-2017



Name: 2019
 Machine no. 607029
 Signature: [Signature]
 Technician: [Signature]



schienen Austria GmbH & Co KG
 Industriepark 24, Austria
 3-0

01esse

CE

Masse der Presse	2.600 kg
Nennstrom	8,7 A
Spannung	3x400 V
Frequenz	50 Hz
Anschlussleistung	6,0 kVA
Steuerspannung	24 V=
Baujahr	10-2015

TRUMPF

08-05-2019

Datum / Date Name Techniker / name technician

G. Hendrich

Unterschrift Techniker / signature technician

Maschinennummer / Machine no. 007024/1555

CNC



9:38:08
AM

613904

Wartungs-
übersicht

Mas-
Konfi

LAUFZEIT >

Zeit Maschine Ein

19463.



TRUMPF

TruBend 7036

Kanten klein

7 8 9
4 5 6
1 2 3
0 . -











TruBend 7036

Kanten kle









TRUMPF

OW-Klein

15

H=

1000

155

LASER dur

S.Nr.:0073



CNC

Werkzeug-
gruppen

Material-
verwaltung

Verkürzungs-
werte

E-Shop

Remote
Desktop

BELEUCHTUNG VORNE >

☒ Ein

Lichtstärke

25 %

BELEUCHTUNG HINTEN >

☒ Ein

Lichtstärke

15 %

☒ Automatisch nachfahren

Position

49

Offset [mm]

0.00

Position

4

LINIENLASER >

☒ Ein

- Helligkeit

+ Helligkeit







Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1240-09020900

Overview and Technical Data:

Trumpf TruBend 7036 Bending Machine low hours

TRUMPF

TRUMPF



Year of Build:

Oct 2015

Rebuild year:

May 2019

Description:

Used Trumpf TruBend 7036 CNC Bending Machine with 6 Axis for Sale

Build 10/2015 Operation Hours :ON 8352h / running time 619h

Sold ~~Build 02/2011 Operating Hours : 19463 h / 2064 h~~

Bought in first class condition in 2019 overhauled by Trumpf!!!

AMADA Toolholder !! Wila only with Adapter

Technical data:

- Tonnage approx.: 360 kN
- Bending length approx.: 1020 mm
- Stroke Max.: 120 mm
- Distance between side frames approx.: 932 mm
- Eff. open height approx.: 300 mm
- Rapid speed: 220mm/s
- Max. working speed. 10-25 mm/s
- Space requirement approx.: 1805 x 1330 x 2380 mm
- Electrical connected load approx.: 5 kVA

Standard equipment machine

- Stable machine frame
- Press beam
- Highly dynamic, electromech. Direct drive (torque motor)
- Inductive length measuring system with temperature compensation
- Control cabinet air conditioning
- Ergonomic machine design Fence system
- Backgauge system 3-axis X1, R1, Z1-axis Tool clamping
- Upper tool holder, self-centering, manual clamping
- Lower tool holder, manual clamping, hardened

Control system

- TRUMPF TASC 6000 integrated - SW Version 4.6.4.0
- Numerical workshop programming
- Windows XPe (embedded), Pentium M with 1.1 GHz clock frequency
- 1 GB RAM memory
- 15-inch touch screen
- Network capable
- Teleservice via modem

Safety

- Side hinged safety doors
- Rear safety cover
- 2-button foot switch, for standing and seated operation
- CE marking

Advanced features Machine

- Ergonomics package
 - Backgauge: 6-axis backgauge (X1, X2, R1, R2, Z1 and Z2 axes)
 - **Tool clamping: AMADA tooling system**
 - Control : Graphic shop programming
 - Operation:
 - Rear work area lighting
 - Bend line laser
 - Safety: BendGuard
-

Trumpf 7036 CNC press brakes are one of the fastest press brake machines in the world designed specifically for CNC bending small sheet metal work components and assemblies. These small format CNC press brakes offer not only fast manufacturing bending speeds through their twin electric motor operation but quick set up times enabling small batches of sheet metal work to be manufactured just as efficiently as larger batches. Accuracy and efficiency are increased through the use of a 6-axis CNC back gauge system allowing the most complicated sheet metal work to be bent in one machine set-up and processing cycle repeatably and without delay.

TRUMPF bending machines represent a wealth of experience and pioneering innovation. The extensive portfolio includes machines for die and panel bending technologies as well as large format bending machines and fully automated solutions. There is a wide range of options available for each bending technology to suit your specific application. Use TruBend machines to produce simple and complex parts in any format precisely and cost-effectively. You always benefit from high-quality parts, increased flexibility, innovative tools, sophisticated automation solutions and intelligent software all from a single source. We focus on operability and ergonomics to ensure the machine supports operators in their work.

Technical Data:

Technical Data:

Control:

[TASC 6000](#)

Machine Hours:

8352

Dimensions and Weight:

Height:

2.380 mm

Length:

1.805 mm

Width:

1.330 mm

Weight:

2.600 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:

TRUMPF



TruBend 7036

Kantere



CNC →

Wartungs-
übersicht

Ma
Kon


LAUFZEIT >

Zeit Maschine Ein [h

8352.7



V40 6,4
V50 8,3
V63 10,5
V80 13,3
V22 3,6
V35 5,8
↑ ↑
Mohite 1R



120
110
100

150
1000000
1800780







max.	F1011E
max.	360 kN
max	120.0 mm
max	90 ms
max	12.0 mm
min	180.0 mm

Masse der Presse
Nennstrom
Spannung
Frequenz
Anschlussleistung
Steuerspannung
Reinjahr

2.600 kg
8.7 A
3x400 V
50 Hz
6.0 kVA
24 V=
02-2017



Name: 2019
 Machine no. 607029
 Signature: [Signature]
 Technician: [Signature]



schienen Austria GmbH & Co KG
 Industriepark 24, Austria
 3-0

01esse

CE

Masse der Presse	2.600 kg
Nennstrom	8,7 A
Spannung	3x400 V
Frequenz	50 Hz
Anschlussleistung	6,0 kVA
Steuerspannung	24 V=
Baujahr	10-2015

TRUMPF

08-05-2019

Datum / Date Name Techniker / name technician

G. Hendrich

Unterschrift Techniker / signature technician

Maschinennummer / Machine no. 007024/1555

CNC



9:38:08
AM

613904

Wartungs-
übersicht

Mas-
Konfi

LAUFZEIT >

Zeit Maschine Ein

19463.



TRUMPF

TruBend 7036

Kanten klein

7 8 9
4 5 6
1 2 3
0 . -









TRUMPF



TruBend 7036

Kanten kle









TRUMPF

OW-Klein

15

H=

1000

155

LASER dur

S.Nr.:0073



CNC

Werkzeug-
gruppen

Material-
verwaltung

Verkürzungs-
werte

E-Shop

Remote
Desktop

BELEUCHTUNG VORNE >

☒ Ein

Lichtstärke

25 %

BELEUCHTUNG HINTEN >

☒ Ein

Lichtstärke

15 %

☒ Automatisch nachfahren

Position

49

Offset [mm]

0.00

Position

4

LINIENLASER >

☒ Ein

- Helligkeit

+ Helligkeit







Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 17.12.2025

© Copyright 2025 - [Asset-Trade](#)

Page