

Image not found or type unknown



Ref. No.:

133-08201443

Overview and Technical Data:

BÜTFERING - Steelmaster SPW413 RRTT

BÜTFERING



Year of Build:

Mar 2007

Description:

BUETFERING Steelmaster - SPW413 RRTT - edge rounding machine / wet-grinding machine

Grinding and deburring at the highest level

- **Operating hours approx 2100 h only!!!**
- Working width: 1350 mm
- Table opening: 0.5 - 120 mm
- Abrasive Belt dimensions LxW 1900 x 1370 mm
- Control: TE 14 with touch terminal with 1,000 channels memory
- Dimensions LxWxH 3900 x 2700 x 2100 mm

Equipment

- Grinding unit
 - R1 - Primary grinding
 - R2 - Secondary grinding
- Bush unit
 - T1 - rounding ceramic brushes for edge
 - T2 - Nylon Fleece Brushes

Last DEKRA inspection in 2009

more under <http://www.steelmaster.info/>

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Weight:

6.100 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:

Germany

Images:



1





3















BÜTFFERING

Typ
Type

SPV 413 RRTT DIAMOND

Fabr.Nr.
Serial No.

0413280043

Baujahr
Year

2007

Absicherung der Einspeisung
Amperage

150 A

Betriebsspannung
Voltage

230 V

Gesamtanschlußwert
Total connected Load


85 kW

50 Hz

Max. Betriebsdruck
Max. Air Pressure

8 bar













Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
133-08201443

Overview and Technical Data:

BÜTFERING - Steelmaster SPW413 RRTT

BÜTFERING

 BUETFERING

Year of Build:
Mar 2007

Description:

BUETFERING Steelmaster - SPW413 RRTT - edge rounding machine / wet-grinding machine

Grinding and deburring at the highest level

- **Operating hours approx 2100 h only!!!**
- Working width: 1350 mm
- Table opening: 0.5 - 120 mm
- Abrasive Belt dimensions LxW 1900 x 1370 mm
- Control: TE 14 with touch terminal with 1,000 channels memory
- Dimensions LxWxH 3900 x 2700 x 2100 mm

Equipment

- Grinding unit

- R1 - Primary grinding
- R2 - Secondary grinding
- Bush unit
 - T1 - rounding ceramic brushes for edge
 - T2 - Nylon Fleece Brushes

Last DEKRA inspection in 2009

more under <http://www.steelmaster.info/>

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Weight:

6.100 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:

Germany

Images:



1





3















BÜTFFERING

Typ
Type

SPV 413 RRTT DIAMOND

Fabr.Nr.
Serial No.

0413280043

Baujahr
Year

2007

Absicherung der Einspeisung
Amperage

150 A

Betriebsspannung
Voltage

230 V

Gesamtanschlußwert
Total connected Load


85 kW

50 Hz

Max. Betriebsdruck
Max. Air Pressure


8 bar













Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 04.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page