

Image not found or type unknown



Ref. No.:
1241-10191258

Overview and Technical Data:

DMG/MORI NTX 2000 Mill- /Turn centre

DMG MORI SEIKI



DMG

Year of Build:
Jan 2016

Description:

Used DMG - MORI SEIKI - NTX 2000 Mill / Turn Centre

CNC Control FANUC 31 i

Technical Data:

- Max. workpiece diameter: 660 mm
- Max. workpiece length: 1,538 mm
- Max. bar capacity diameter: 65 mm
- Max. X-Axis: 675 mm
- Max. Y-Axis: 250 mm
- Max. Z-Axis: 1,562 mm
- Toolholder 76x tools HSK 63
- Lower turret 10 tools

- Sub spindle
 - 15 bar spindle through
 - OMP 60 RENISHAW
 - Auto tool length
 - Bar capacity 91 mm
 - Spindle speed milling 12000 rpm
 - Chuck 10' x 2 B axis 0.001
-

DMG MORI's new The NTX 2000 2nd Generation equipped with technologies are capable of integrating various machining processes with high accuracy, superb cutting abilities and wide machining envelopes.

The models enable 6-face machining with Spindle 2 and complete a whole process of part

machining on one machine. With the "CELOS," a user interface, setting of complex integrated machining has become easier than ever.

The 2nd Generation models deliver the highest performance for customers who aim at high-efficiency production processes and cost reduction

Simultaneous 5-axis machining

- Simultaneous 5-axis machining of complex parts with the direct drive motor (DDM) installed in the B axis
- B-axis rotation range: $\pm 120^\circ$, rotational speed: 100 min⁻¹
- Equipped with a Capto C6 tool spindle as standard, max. spindle speed of 12,000 min⁻¹

Ease of operation

- Digital tailstock adopted for the tailstock specifications

High precision

- Thorough suppression of thermal displacement
- Zero-center-displacement spindles employed for spindle 1 and spindle 2

Accuracy

Maximum precision and accuracy duration by thermal stable structure and direct measuring systems

- Highest temperature stability by liquid-cooled main and counter spindles
- Linear scales in the linear axes of the traveling column (X1 / Y1 / Z1)
- Cooling of the X- / Y- / Z-motors

Technical Data:

Technical Data:

Control:

[Series 31i](#)

Machine Hours:

6462.00 hrs.

Spindle Hours:
3502.00 hrs.
Turning length:
1538.00 mm
Turning diameter:
660.00 mm
Spindle Speed:
12000.00 rpm
Tool Holder:
[HSK-A63](#)
Driven Tools:
24.00
Tool Capacity:
76 x
Tailstock:
Yes
Bezel:
Yes

Dimensions and Weight:

Height:
2750 mm
Length:
5825 mm
Width:
2830 mm
Weight:
15270 kg


Buyer Information:

Condition:
[Very good condition](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Israel

Images:






















| | | | | | | |
|-------------|------|---------------------|----|---|----|-----|
| | | | | | | 89 |
| T (M02/M30) | 0 | (0:VALID 1:INVALID) | | | | |
| T | | | | | | 417 |
| COUNT | | | | | | 600 |
| TIME | 6462 | H | 47 | M | 11 | S |
| TIME | 2794 | H | 37 | M | 22 | S |


WORK
 WORK
 WORK
 MAX
 OPER
 CUTT

21244 H 30 M

2021 / 9 / 29

12 : 25 : 40







14



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1241-10191258

Overview and Technical Data:

DMG/MORI NTX 2000 Mill- /Turn centre

DMG MORI SEIKI

DMG

Year of Build:
Jan 2016

Description:

Used DMG - MORI SEIKI - NTX 2000 Mill / Turn Centre

CNC Control FANUC 31 i

Technical Data:

- Max. workpiece diameter: 660 mm
- Max. workpiece length: 1,538 mm
- Max. bar capacity diameter: 65 mm
- Max. X-Axis: 675 mm
- Max. Y-Axis: 250 mm
- Max. Z-Axis: 1,562 mm
- Toolholder 76x tools HSK 63
- Lower turret 10 tools
- Sub spindle
- 15 bar spindle through
- OMP 60 RENISHAW
- Auto tool length
- Bar capacity 91 mm
- Spindle speed milling 12000 rpm
- Chuck 10' x 2 B axis 0.001

DMG MORI's new The NTX 2000 2nd Generation equipped with technologies are capable of integrating various machining processes with high accuracy, superb cutting abilities and wide machining envelopes.

The models enable 6-face machining with Spindle 2 and complete a whole process of part

machining on one machine. With the "CELOS," a user interface, setting of complex integrated machining has become easier than ever.

The 2nd Generation models deliver the highest performance for customers who aim at high-efficiency production processes and cost reduction

Simultaneous 5-axis machining

- Simultaneous 5-axis machining of complex parts with the direct drive motor (DDM) installed in the B axis
- B-axis rotation range: $\pm 120^\circ$, rotational speed: 100 min⁻¹
- Equipped with a Capto C6 tool spindle as standard, max. spindle speed of 12,000 min⁻¹

Ease of operation

- Digital tailstock adopted for the tailstock specifications

High precision

- Thorough suppression of thermal displacement
- Zero-center-displacement spindles employed for spindle 1 and spindle 2

Accuracy

Maximum precision and accuracy duration by thermal stable structure and direct measuring systems

- Highest temperature stability by liquid-cooled main and counter spindles
- Linear scales in the linear axes of the traveling column (X1 / Y1 / Z1)
- Cooling of the X- / Y- / Z-motors

Technical Data:

Technical Data:

Control:

[Series 31i](#)

Machine Hours:

6462.00 hrs.

Spindle Hours:

3502.00 hrs.

Turning length:

1538.00 mm

Turning diameter:

660.00 mm

Spindle Speed:

12000.00 rpm

Tool Holder:

[HSK-A63](#)

Driven Tools:

24.00

Tool Capacity:

76 x

Tailstock:

Yes

Bezel:

Yes

Dimensions and Weight:

Height:
2750 mm
Length:
5825 mm
Width:
2830 mm
Weight:
15270 kg


Buyer Information:

Condition:
[Very good condition](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[16 %](#)
Location:
Israel

Images:






















| | | | | | | |
|-------------|------|---------------------|----|---|----|-----|
| | | | | | | 89 |
| T (M02/M30) | 0 | (0:VALID 1:INVALID) | | | | |
| T | | | | | | 417 |
| COUNT | | | | | | 600 |
| TIME | 6462 | H | 47 | M | 11 | S |
| TIME | 2794 | H | 37 | M | 22 | S |


WORK
 WORK
 WORK
 MAX
 OPER
 CUTT

21244 H 30 M

2021 / 9 / 29

12 : 25 : 40







14



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 30.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page