

Image not found or type unknown



Ref. No.:
1336-09091256

Overview and Technical Data:

WEILER DZ 32 CNC with KUPA LM 1000 Bar loaded

WEILER



Year of Build:
Jan 1992

Description:

Used WEILER DZ32 CNC lathes with KUPA bar feeder LM 1000

Control: Siemens Sinumerik 820 TE

Operating hours 31698 std

Technical data lathe:

- Speed: 5000 rpm.
- Spindle head according to DIN 55026/A5
- Swing diameter over bed way cover: 470mm
- Swing diameter over cross slide: 200mm
- Maximum turning length between centres: 345mm
- Spindle clearance: 32mm
- Travels:
 - X-travel: 200mm

- Z-travel: 300mm
- Rapid traverse
 - X-axis: 24000mm/min
 - Z-axis: 24000mm/min
- 3-axis machining
- VDI turret 16-fold (driven)
- Tailstock
- Parts catcher
- dimensions (LxWxH): 290 x 190 x 170cm
- Weight: 2800Kg

Incl. operating instructions, electrical circuit diagram, programming aid

Technical Data:

Technical Data:

Control:

[SINUMERIK 820](#)

Machine Hours:

31698.00 hrs.

Turning length:

345.00 mm

Turning diameter:

470.00 mm

Spindle Speed:

5000.00 rpm

Tool Holder:

[VDI 30](#)

Driven Tools:

16.00

Tool Capacity:

16 x

Tailstock:

No

Bezel:

Yes

Dimensions and Weight:

Height:

1700 mm

Length:

2901 mm

Width:

1900 mm

Weight:

2800 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:






SIEMENS



Power 1 Power 2








LM1000

kupa






kupa









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1336-09091256

Overview and Technical Data:

WEILER DZ 32 CNC with KUPA LM 1000 Bar loaded

WEILER



Year of Build:
Jan 1992

Description:

Used WEILER DZ32 CNC lathes with KUPA bar feeder LM 1000

Control: Siemens Sinumerik 820 TE

Operating hours 31698 std

Technical data lathe:

- Speed: 5000 rpm.
- Spindle head according to DIN 55026/A5
- Swing diameter over bed way cover: 470mm
- Swing diameter over cross slide: 200mm
- Maximum turning length between centres: 345mm
- Spindle clearance: 32mm
- Travels:
 - X-travel: 200mm
 - Z-travel: 300mm
- Rapid traverse
 - X-axis: 24000mm/min
 - Z-axis: 24000mm/min
- 3-axis machining
- VDI turret 16-fold (driven)
- Tailstock
- Parts catcher
- dimensions (LxWxH): 290 x 190 x 170cm

- Weight: 2800Kg

Incl. operating instructions, electrical circuit diagram, programming aid

Technical Data:

Technical Data:

Control:

[SINUMERIK 820](#)

Machine Hours:

31698.00 hrs.

Turning length:

345.00 mm

Turning diameter:

470.00 mm

Spindle Speed:

5000.00 rpm

Tool Holder:

[VDI 30](#)

Driven Tools:

16.00

Tool Capacity:

16 x

Tailstock:

No

Bezel:

Yes

Dimensions and Weight:

Height:

1700 mm

Length:

2901 mm

Width:

1900 mm

Weight:

2800 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

18 %

Location:

Germany

Images:






SIEMENS












LM1000

kupa






kupa









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 12.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page