

Image not found or type unknown



Ref. No.:

1347-11240953

Overview and Technical Data:

WERTH Video Check IP 400x200 3D CNC Measuring Machine

[WERTH](#)



ww

Messtechnik

Year of Build:
Jan 2004

Description:

Used WERTH Video Check IP 400x200 3D CNC

3D CNC multi-sensor coordinate measuring machine with cross table

Last calibration: September 2021

WINWERTH software version 4.02 with WINDOWS interface and file manager

Technical data:

- Sensor head: Zoom optics MAG stage 9
- Workpiece size: 400 x 200 x 200 mm
- max. workpiece weight: 30kg
- Measuring range X: from -351.00 to 46.00 mm
- Measuring range Y: from -35.00 to 168.30 mm
- Measuring range Z: from -143.70 to 69.60 mm
- Resolution: 0.1 µm
- Voltage: 230 V AC
- Current: max. 10 A
- Frequency: 50 Hz

The WERT VideoCheck-IP has been regularly maintained, including software and sensor head.

Optical measuring device in modular design for non-contact measurement, equipped with three independent infinitely variable illumination modes and fitted with a telecentric measuring lens.

Constant voltage controller for highest accuracy and long-term stability in the production and measuring room

Controller Movement X and Y is generated by magnetic force and gravity. Voltage changes due to expansion are thus avoided by reducing friction and backlash, resulting in very high long-term stability. Applications are e.g. in the tool and machine building, automotive, electrical, pharmaceutical, plastics, rubber or glass industries.

Further advantages

- Low length measurement deviations predestine the unit for multi-probe technology
- WinWerth® measuring software
- Graphical user interface enables efficient and simple operation

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

1.900 mm

Length:

2.000 mm

Width:

950 mm

Weight:

300 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



werth

Anschlüsse und Bedienung

1. Montage - 20 x 10 12-Direk. 800 x 10		
2. Montage - 20 x 10 20-Direk. 800 x 10		
3. Montage - 20 x 10 20-Direk. 800 x 10		

Video-Check-IP

werth

werth







werth

Video-Check-IP

Operating Instructions
1 Step 1 of the test
2 Step 2 of the test
3 Step 3 of the test

Electrical outlet with two sockets

Control panel with a red emergency stop button and various switches



werth

Video-Check-IP

Control panel with various knobs and buttons, including labels like 'ZOOM', 'D', 'Z', and 'ROI'.



Sales
Werth Messtechnik GmbH
Siemensstr. 19
35394 Gießen
Phone: +49-(0)641-7938
Hotline: +49-(0)641-7938
Fax: +49-(0)641-7510
E-Mail: mail@werthmesstech
<http://www.werthmesstech>

Werth Messtechnik GmbH



Typ:
Type:

Video-Check-IP 400x200 3D CNC

Baujahr: 2004
Model:

Seriennr.: 
Serial-Nr.:

Spannung: 230 V AC
Voltage:

Strom: max. 10 A
Current:

Frequenz: 50 Hz
Frequency:

Schaltplan:
Circuit diagram:

Werth Messtechnik GmbH Siemensstraße 19 D-35394 Gleßen
Made in Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1347-11240953

Overview and Technical Data:

WERTH Video Check IP 400x200 3D CNC Measuring Machine

[WERTH](#)



ww

Messtechnik

Year of Build:
Jan 2004

Description:

Used WERTH Video Check IP 400x200 3D CNC

3D CNC multi-sensor coordinate measuring machine with cross table

Last calibration: September 2021

WINWERTH software version 4.02 with WINDOWS interface and file manager

Technical data:

- Sensor head: Zoom optics MAG stage 9
- Workpiece size: 400 x 200 x 200 mm
- max. workpiece weight: 30kg
- Measuring range X: from -351.00 to 46.00 mm
- Measuring range Y: from -35.00 to 168.30 mm
- Measuring range Z: from -143.70 to 69.60 mm
- Resolution: 0.1 μ m
- Voltage: 230 V AC
- Current: max. 10 A
- Frequency: 50 Hz

The WERT VideoCheck-IP has been regularly maintained, including software and sensor head.

Optical measuring device in modular design for non-contact measurement, equipped with three independent infinitely variable illumination modes and fitted with a telecentric measuring lens.

Constant voltage controller for highest accuracy and long-term stability in the production and measuring room

Controller Movement X and Y is generated by magnetic force and gravity. Voltage changes due to expansion are thus avoided by reducing friction and backlash, resulting in very high long-term stability. Applications are e.g. in the tool and machine building, automotive, electrical, pharmaceutical, plastics, rubber or glass industries.

Further advantages

- Low length measurement deviations predestine the unit for multi-probe technology
- WinWerth® measuring software
- Graphical user interface enables efficient and simple operation

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

1.900 mm

Length:

2.000 mm

Width:

950 mm

Weight:

300 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



werth

Schwenkungen an der Spitze

1. Richtung + 90° / 12-Direk. 90° / 12		
2. Richtung + 90° / 20-Direk. 90° / 20		
3. Richtung + 90° / 30-Direk. 90° / 30		

Video-Check-IP











werth


Video-Check-IP

CONTROL PANEL
ZOOM
Z
FOV



Sales
Werth Messtechnik GmbH
Siemensstr. 19
35394 Gießen
Phone: +49-(0)641-7938
Hotline: +49-(0)641-7938
Fax: +49-(0)641-7510
E-Mail: mail@werthmesstech
<http://www.werthmesstech>

Werth Messtechnik GmbH



Typ:
Type:

Video-Check-IP 400x200 3D CNC

Baujahr: 2004
Model:

Seriennr.:
Serial-Nr.:

Spannung: 230 V AC
Voltage:

Strom: max. 10 A
Current:

Frequenz: 50 Hz
Frequency:

Schaltplan:
Circuit diagram:

Werth Messtechnik GmbH Siemensstraße 19 D-35394 Gleßen
Made in Germany



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 15.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page