

Image not found or type unknown



Ref. No.:

1350-12131222

## **Overview and Technical Data:**

# **DORST DK250 hydraulic press**

**[DORST](#)**



**DOO**

**TECHN**

Year of Build:  
Jan 1976  
Rebuild year:

Jan 2009

## **Description:**

# **Used DORST DK 250 Hydraulic Powder Press**

Was fully overhauled in 2009!!!

Operating Hour: 28975 h

## **Technical Data:**

- Sizing force 2,500 kN
- Upper punch stroke 350 mm
- Die stroke 70 mm
- Positioning accuracy  $\pm 0,01$  mm
- Stroke rate up to  $20 \text{ min}^{-1}$

Still in daily operation.

---

Hydraulic CNC sizing press designed for high productivity while maintaining tight tolerances of the sintered part.

Modular design, available for single-level parts or in multi-level design with the possibility of adding various automation solutions and additional functions.

## **Advantages**

- High mechanical and hydraulic rigidity
- Excellent productivity due to quick cycle rates
- Low energy consumption
- Special Intelligent Program Generator IPG to support the sizing process
- Installation at ground level without pit
- Closed-loop controlled die movement
- Small footprint
- Maximum precision
- Ultra-rigid machine frame
- Central force flow
- Up to 2 upper and 2 lower tool levels

The hydraulic powder press DORST DK 250 is an advanced machine designed to achieve high productivity while maintaining the tolerances of sintered parts. Thanks to its modular structure, it can be used for single or multi-level production, to which various automation solutions and additional functions can be added. The press has several features such as high mechanical and hydraulic rigidity, fast rotation speeds, low energy consumption and a special intelligent program generator (IPG) to support the size. In addition, it has small

dimensions, maximum precision, a very rigid machine frame, centralized power flow and up to 2 upper and 2 lower gear levels. The press was completely renovated in 2009 and is still in daily use, working time 28975h. With a design force of 2500 kN, a top of 350 mm, a stroke of 70 mm, a positioning accuracy of  $\pm 0.01$  mm and a travel speed of up to 20 min<sup>-1</sup>, this press is an excellent choice for any industry that wants it. to optimize its production process.

## **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

Machine Hours:

28975

### **Dimensions and Weight:**

Length:

3.150 mm

Width:

7.100 mm

### **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Slovenia

### **Images:**











PRI ČISTENJU ALI POPRAVILU  
STROJA OBVEZNO  
IZKLOPI GLAVNO STIKALO

GLAVNO STIKALO

-0.59



SE SESAJU V NOTRANJO  
OBMOČJE









**NE SEGAJ V NEVARNO  
OBMOČJE**

- 1
- 2
- 3
- 4
- 5















NE SEGAJ V NEVARNO  
OBMOČJE

- 1
- 2
- 3
- 4
- 5

Technical documents and diagrams, including a schematic diagram and a table of data, are displayed in a blue folder on the right side of the cage.



**PRI ČIŠČENJU ALI POPRAVILU  
STROJA OBVEZNO  
IZKLOPI GLAVNO STIKALO**



**155**

Število hodov  
Na minuto



Hitrost +/-  
Gl. motor



Levo/Desno

Up/Dol

Up/Dol

Up/Dol

Start Stop



Gl. motor

Gor/Dol



Zgornji izbijec

Alarm



Reset



Reset

Izklop



Obratovanje

Vklop



Varnost



Gl. motor

Gor

Gor

Ploča

Dol



Gor

Jedro

Dol

Gor

Izmatac


Dol

Vzmetna glava

Dol

Dol

9



10



11



NE SEGAJ V NEVARNO  
OPREMA JE





















**Video:**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:  
1350-12131222

## **Overview and Technical Data:**

# **DORST DK250 hydraulic press**

**DORST**



DOO

TECHN

Year of Build:  
Jan 1976  
Rebuild year:

Jan 2009

## **Description:**

# **Used DORST DK 250 Hydraulic Powder Press**

Was fully overhauled in 2009!!!

Operating Hour: 28975 h

## **Technical Data:**

- Sizing force 2,500 kN
- Upper punch stroke 350 mm
- Die stroke 70 mm
- Positioning accuracy  $\pm 0,01$  mm
- Stroke rate up to  $20 \text{ min}^{-1}$

Still in daily operation.

---

Hydraulic CNC sizing press designed for high productivity while maintaining tight tolerances of the sintered part.

Modular design, available for single-level parts or in multi-level design with the possibility of adding various automation solutions and additional functions.

## **Advantages**

- High mechanical and hydraulic rigidity
- Excellent productivity due to quick cycle rates
- Low energy consumption
- Special Intelligent Program Generator IPG to support the sizing process
- Installation at ground level without pit
- Closed-loop controlled die movement
- Small footprint
- Maximum precision
- Ultra-rigid machine frame
- Central force flow
- Up to 2 upper and 2 lower tool levels

The hydraulic powder press DORST DK 250 is an advanced machine designed to achieve high productivity while maintaining the tolerances of sintered parts. Thanks to its modular structure, it can be used for single or multi-level production, to which various automation solutions and additional functions can be added. The press has several features such as high mechanical and hydraulic rigidity, fast rotation speeds, low energy consumption and a special intelligent program generator (IPG) to support the size. In addition, it has small

dimensions, maximum precision, a very rigid machine frame, centralized power flow and up to 2 upper and 2 lower gear levels. The press was completely renovated in 2009 and is still in daily use, working time 28975h. With a design force of 2500 kN, a top of 350 mm, a stroke of 70 mm, a positioning accuracy of  $\pm 0.01$  mm and a travel speed of up to 20 min<sup>-1</sup>, this press is an excellent choice for any industry that wants it. to optimize its production process.

## **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

Machine Hours:

28975

### **Dimensions and Weight:**

Length:

3.150 mm

Width:

7.100 mm

### **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Slovenia

### **Images:**







ST-07

ST-07

ST-07

ST-07

ST-07












**NE SEGAJ V NEVARNO  
OBMOČJE**

- 1
- 2
- 3
- 4
- 5















**NE SEGAJ V NEVARNO  
OBMOČJE**


- 1
- 2
- 3
- 4
- 5

Technical drawings and documents in a blue folder, including a diagram and a document with a logo.





9



10



11



NE SEGAJ V NEVARNO  
OPREMA JE





















**Video:**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 13.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page