

Image not found or type unknown



Ref. No.:

1413-03272133

## **Overview and Technical Data:**

# **TRUMPF TrumaBend V50 CNC Press Brake**

[TRUMPF](#)

**TRUMPF**



Year of Build:

Jan 1999

## **Description:**

**Used TRUMPF TrumaBend V50 - CNC press brake hydraulic**

- Control Delem V3.4.2 D
- Operating hours 68270

Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
  - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
  - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
  - 1750 mm x 1500 mm x 2420 mm
  - Weight: 4750 kg

**Technical Data:**

**Technical Data:**

Control:

[CNC](#)

Machine Hours:

68270

**Dimensions and Weight:**

Height:

2.420 mm

Length:

1.750 mm

Width:

1.500 mm

Weight:

4.750 kg

**Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

**Images:**



TrumaBend V50



2

A blue bulletin board mounted on the control cabinet. It contains several items:

- A white paper with a technical drawing of a pipe fitting, secured with a black pushpin.
- A white paper with handwritten text "A7 5m" and a yellow pushpin.
- A white paper with a grid or table, secured with a yellow pushpin.
- A white paper with a technical drawing, secured with a black pushpin.
- A yellow triangular warning sign with a black exclamation mark.
- A blue circular warning sign with a white exclamation mark.
- A small white paper with a blue header, secured with a black pushpin.

- 05
- 06
- 07





Bend V50




130  
1150

4.7

26

2











Y1= 65.18

Y2= 65.87

Status=1

Zyklus

Bieg. 5 v. 6

Pro

Wieder 1

Ze

# AUTOMATIK

Y = 65.52

WINKEL.....= 90.00

Öffnung.....= 10.0

Oberwerkzeug..= 9

Unterwerkzeug.= 11

Länge.....= 54

Anschlag Pos....= 0

BIEGUNG nr....BN= 5

Korrektur  $\alpha$ ...C $\alpha$ = -2.00

Korrektur X...CX= 0.00

BN= 5

vorige  
Biegung

näch.  
Biegung

Funk-  
tionen

graph.  
Vis.




Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

# TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--



K108  
CR108

P35  
HM35

S57  
SS57

0

b 88270 h

NC 31 NC 43 NO 17

**Video:**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:  
1413-03272133

## **Overview and Technical Data:**

# **TRUMPF TrumaBend V50 CNC Press Brake**

**TRUMPF**

**TRUMPF**



Year of Build:  
Jan 1999

## Description:

# Used TRUMPF TrumaBend V50 - CNC press brake hydraulic

- Control Delem V3.4.2 D
- Operating hours 68270

## Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
  - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
  - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
  - 1750 mm x 1500 mm x 2420 mm
  - Weight: 4750 kg

## Technical Data:

## Technical Data:

Control:

[CNC](#)

Machine Hours:

68270

## Dimensions and Weight:

Height:

2.420 mm

Length:

1.750 mm

Width:  
1.500 mm  
Weight:  
4.750 kg

### **Buyer Information:**

Condition:  
[Very good condition](#)  
Available:  
[Immediately](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Buyers Premium:  
[18 %](#)  
Location:  
Germany

### **Images:**



TrumaBend V50



2


A blue bulletin board mounted on the control cabinet. It features several pinned items: a technical drawing of a pipe bend, a document with a table, a warning sign with a lightning bolt, a yellow circular sticker, and a white card with handwritten text "A7 5m".

- 05
- 06
- 07















Y1= 65.18

Y2= 65.87

Status=1

Zyklus

Bieg. 5 v. 6

Pro

Wieder 1

Zeit

# AUTOMATIK

Y = 65.52

WINKEL.....= 90.00

Öffnung.....= 10.0

Oberwerkzeug..= 9

Unterwerkzeug.= 11

Länge.....= 54

Anschlag Pos....= 0

BIEGUNG nr....BN= 5

Korrektur α...Cα= -2.00

Korrektur X...CX= 0.00

BN= 5

vorige  
Biegung

näch.  
Biegung

Funk-  
tionen

graph.  
Vis.




Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

# TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--



K108  
CR108

P35  
HM35

S57  
SS57

0

b 88270 h

NC 31 NC 43 NO 17

**Video:**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 28.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page