

Image not found or type unknown



Ref. No.:

1413-03272133

Overview and Technical Data:

TRUMPF TrumaBend V50 CNC Press Brake

TRUMPF

TRUMPF



Year of Build:

Jan 1999

Description:

Used TRUMPF TrumaBend V50 - CNC press brake hydraulic

- Control Delem V3.4.2 D
- Operating hours 68270

Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
 - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
 - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
 - 1750 mm x 1500 mm x 2420 mm
 - Weight: 4750 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

68270

Dimensions and Weight:

Height:

2.420 mm

Length:

1.750 mm

Width:

1.500 mm

Weight:

4.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



TrumaBend V50



2

A blue bulletin board mounted on the control cabinet. It features several pinned items: a technical drawing of a pipe fitting, a document with a table, a warning sign with a lightning bolt, a yellow circular sticker, and a white card with handwritten text "A7 5m".

- 05
- 06
- 07



Bend V50


Technical diagram and text on a white paper pinned to the blue frame.

Handwritten note on a white paper pinned to the blue frame.

Handwritten markings on metal components, including "4.7" and "26".

Handwritten markings on the blue frame, including "130" and "1150".

Handwritten number "2" on the white panel.





Y1= 65.18 Y2= 65.87 Status=1 Zyklus
AUTOMATIK Bieg. 5 v. 6 Pro
Wieder 1 Zei

Y = 65.52

WINKEL.....=	90.00	X-
Öffnung.....=	10.0	
Oberwerkzeug..=	9	
Unterwerkzeug.=	11	R-
Länge.....=	54	I-
Anschlag Pos....=	0	

BIEGUNG nr....BN=	5	U
Korrektur α...Cα=	-2.00	G
Korrektur X...CX=	0.00	G

BN= 5

vorige Biegung	näch. Biegung	Funktionen	graph. Vis.	
----------------	---------------	------------	-------------	--


Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--



K108
CR108

P35
HM35

S57
SS57

0

b 88270 h

NC 31 NC 43 NO 17

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1413-03272133

Overview and Technical Data:

TRUMPF TrumaBend V50 CNC Press Brake

TRUMPF

TRUMPF



Year of Build:
Jan 1999

Description:

Used TRUMPF TrumaBend V50 - CNC press brake hydraulic

- Control Delem V3.4.2 D
- Operating hours 68270

Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
 - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
 - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
 - 1750 mm x 1500 mm x 2420 mm
 - Weight: 4750 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

68270

Dimensions and Weight:

Height:

2.420 mm

Length:

1.750 mm

Width:
1.500 mm
Weight:
4.750 kg

Buyer Information:

Condition:
[Very good condition](#)
Available:
[Immediately](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:



TrumaBend V50





Bend V50




Handwritten notes and a yellow warning sign on the blue panel.

Handwritten notes on the blue panel.

Handwritten notes on the blue panel.

Handwritten notes on the blue panel.





Y1= 65.18 Y2= 65.87 Status=1 Zyklus
AUTOMATIK Bieg. 5 v. 6 Pro
Wieder 1 Zei

Y = 65.52

WINKEL.....=	90.00	X-
Öffnung.....=	10.0	
Oberwerkzeug..=	9	
Unterwerkzeug.=	11	R-
Länge.....=	54	I-
Anschlag Pos....=	0	

BIEGUNG nr....BN=	5	U
Korrektur α...Cα=	-2.00	G
Korrektur X...CX=	0.00	G

BN= 5

vorige Biegung	näch. Biegung	Funktionen	graph. Vis.	
----------------	---------------	------------	-------------	--

Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--

K108
CR108

P35
HM35

S57
SS57

0

b 88270 h

NC 31 NC 43 NO 17

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 05.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page