

Image not found or type unknown



Ref. No.:


1413-03272133

Overview and Technical Data:

TRUMPF TrumaBend V50 CNC Press Brake

TRUMPF

TRUMPF



Year of Build:

Jan 1999

Description:

Used TRUMPF TrumaBend V50 - CNC press brake hydraulic

- Control Delem V3.4.2 D
- Operating hours 68270

Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
 - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
 - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
 - 1750 mm x 1500 mm x 2420 mm
 - Weight: 4750 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

68270

Dimensions and Weight:

Height:

2.420 mm

Length:

1.750 mm

Width:

1.500 mm

Weight:

4.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



TrumaBend V50




2

A blue bulletin board mounted on the control cabinet. It features several pinned items: a technical drawing of a pipe fitting, a document with a table, a yellow warning triangle, a circular icon, and a handwritten note that says "A7 5m".

- 05
- 06
- 07



Bend V50



Handwritten notes on a white card, including "V50" and "X 35".

Handwritten markings on metal components, including "4.7" and "26".

Handwritten number "2" on the white machine body.

Technical specifications on a green panel: "350 0 00 - 02 0 - 020" and "8 x 8.6".





Y1= 65.18 Y2= 65.87 Status=1 Zyklus
 Bieg. 5 v. 6 Pro
 Wieder 1 Zei

AUTOMATIK

Y = 65.52

WINKEL.....= 90.00
 Öffnung.....= 10.0
 Oberwerkzeug..= 9
 Unterwerkzeug.= 11
 Länge.....= 54
 Anschlag Pos....= 0

BIEGUNG nr....BN= 5
 Korrektur α...Cα= -2.00
 Korrektur X...CX= 0.00

BN= 5

vorige Biegung	näch. Biegung	Funk- tionen	graph. Vis.
-------------------	------------------	-----------------	----------------


Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--



Y1= 76.07 Y2= 75.76 Status=1 Zyklus= 0 99 Leer

PROGRAMMDATEN

WARTUNG

Stunden.....= 13051.4

Hübe.....= 9965351

REGUNG Nr. ... 001
 ...
 ...
 ...

K108
CR108

P35
HM35

S57
SS57

0

b 88270 h

NC 31 NC 43 NO 17 24

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1413-03272133

Overview and Technical Data:

TRUMPF TrumaBend V50 CNC Press Brake

TRUMPF

TRUMPF



Year of Build:
Jan 1999

Description:

Used TRUMPF TrumaBend V50 - CNC press brake hydraulic

- Control Delem V3.4.2 D
- Operating hours 68270

Technical data:

- Connected load: 8 kVA
- Pressing force: 50 tons
- stroke: 215 mm
- Opening height: 385 mm
- Width between the uprights: 1045 mm
- Tool width: 1200 mm
- Hydraulic tool clamping (Wila clamping)
- Follow-up time: 50 ms
- Safety distance: 80 mm
- Operating pressure mx: 290 bar
- Compressed air connection: 6 bar
- Cambering no
- Die offset controllable yes
- Rear stop fingers:
 - Horizontal displacement 2 x CNC Forward/rearward displacement 1 X CNC One front/rearward stop finger
 - Shift upwards/downwards 1 X CNC
- Press beam: 2 X CNC
- Connected load 8.0 kVa
- Dimensions (WTH):
 - 1750 mm x 1500 mm x 2420 mm
 - Weight: 4750 kg

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

68270

Dimensions and Weight:

Height:

2.420 mm

Length:

1.750 mm


Width:
1.500 mm
Weight:
4.750 kg

Buyer Information:

Condition:
[Very good condition](#)
Available:
[Immediately](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:







Y1= 65.18 Y2= 65.87 Status=1 Zyklus
AUTOMATIK Bieg. 5 v. 6 Pro
Wieder 1 Zei

Y = 65.52

WINKEL.....=	90.00	X-
Öffnung.....=	10.0	
Oberwerkzeug..=	9	
Unterwerkzeug.=	11	R-
Länge.....=	54	I-
Anschlag Pos....=	0	

BIEGUNG nr....BN=	5	U
Korrektur α...Cα=	-2.00	G
Korrektur X...CX=	0.00	G

BN= 5

vorige Biegung	näch. Biegung	Funktionen	graph. Vis.	
----------------	---------------	------------	-------------	--


Y1= 65.18 Y2= 65.87 Status=1 Zyklus=

TRUMPF

- PRODUKTEINGABE.....: 1 OBERW
- PRODUKTÄNDERUNG.....: 2 UNTER
- PROGRAMMEINGABE.....: 3 PRESS
- PROGRAMMÄNDERUNG.....: 4 PRESS
- PRODUKTÜBERSICHT.....: 5 PROGR
- PRODUKTSPEICHERN.....: 6 WERKZ

Ihre Wahl: =

--	--	--	--	--



Y1= 76.07 Y2= 75.76 Status=1 Zyklus= 0 99 Leer

PROGRAMMDATEN

WARTUNG

Stunden.....= 13051.4

Hübe.....= 9965351

Länge Einheiten
 Ausschlag Pos. 0

REGUNG	WERT	UNITÄT
V. Direktor	1.00	
G. Knechtler	0.00	

K108
CR108

P35
HM35

S57
SS57

0

b 88270 h

NC 31 NC 43 NO 17

Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 21.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page