

Image not found or type unknown



Ref. No.:

1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

[MITUTOYO](#)



Year of Build:

May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter

- IGES
- VDA-FS
- Automotive Converter
- CAT1000s in MCOSMO-1 V4.2.R2
- PH10M plus
- Taster TP20
- CMMC-35
- Probe Interface PI4
- PHC10-3 plus

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:

Mitutoyo COORDINATE MEASURING MACHINE CHN1612



CHN1612

MEASURING MACHINE

CHN1612

COORDINATE MEASURING MACHINE

Mitsutoyo



CHN1612

MULTIAXIS COORDINATE MEASURING MACHINE








→ R →







CHINIGI
CHINIGI





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1413-03300818

Overview and Technical Data:

MITUTOYO CHN1612-30 Gantry CMM

MITUTOYO

The logo consists of the word "Mitutoyo" in a bold, sans-serif font. The letters are a vibrant orange color. The "M" and "Y" are particularly large and prominent, while the "i", "t", "u", and "o" are of intermediate size. The "y" has a unique design with two parallel diagonal strokes extending from its right side.

Year of Build:
May 1994

Description:

Used MITUTOYO CHN1612 Gantry CMM for sale

Last Calibration 10/2020

Technical Data:

Measuring Range:

- X = 3048.00 mm (120.00 in)
- Y = 1219.20 mm (48.00 in)
- Z = 1625.60 mm (64.00 in)

Options are included.

- MCOSMOS software
- Geopak
- CAT1000S
- Laser Probe Support
- STATPAK
- STEP
- Scanning probes
- Part Program Converter
- IGES
- VDA-FS
- Automotive Converter
- CAT1000s in MCOSMO-1 V4.2.R2
- PH10M plus
- Taster TP20
- CMMC-35
- Probe Interface PI4

- PHC10-3 plus

The unmatched precision of the Mitutoyo Coordinate Measuring Machine solutions help you achieve faster, more accurate inspection and quality assurance. CMMs are suited for up to five-axis measuring and three-dimensional tolerances in a wide array of contact and non-contact applications. For applications like factory intelligence and advanced manufacturing, Mitutoyo coordinate measuring machines integrate seamlessly while delivering the reliable precision you need.

Technical Data:

Technical Data:

Control:

[CNC](#)

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Belgium

Images:

Mitutoyo COORDINATE MEASURING MACHINE CHN1612



CHN1612

MEASURING MACHINE

CHN1612

COORDINATE MEASURING MACHINE

Mitsutoyo



CHN1612

MULTIAXIS COORDINATE MEASURING MACHINE








→ R →







CHINIGI
CHINIGI





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 12.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page