

Image not found or type unknown



Ref. No.:

1429-071910100

Overview and Technical Data:

OTEMANN 26 P/DR Roll Slotting Machine 3m

OTEMANN



SPEZIALMASCHINENFABRIK

Year of Build:

Jan 2019

Description:

Used OTEMANN 26P/DR Automatic programmable slotting machine

PLC Siemens

Technical data:

- Working length: 3.000mm
- Max load: 450 kg
- Max roll diameter: 60 cm
- Power: 14,5 kW
- Connected load: 400V 42 A

The OTEMANN 26P is the answer to the fast and precise slitting of rolls.

Equipped with two steel rollers to support the material, it has been designed to cut the most diverse materials into strips, such as:

Textiles, nonwovens, carpets, synthetic leather, adhesives, fiberglass, PVC, etc.

- PLC controlled
- Programming system of the cut and the widths

- Programmable knife sharpening
- Variable roller speed
- Equipped with two steel rollers to support the material
- Positioning of the cutting head by encoder
- Variator for blade and depth speed
- Reversible roller rotation
- Programmable blade lubricator

Applications:

Agrotech: Soil covering material for horticulture and agriculture, textile drainage systems, woven fabrics and knitted fabrics for providing shade, tarpaulins, temporary agricultural buildings.

Buildtech: Textiles reinforcement for concrete and other precipitation hardening masses, cold, heat or sound insulations, temporary constructions, textile roofings and roofing sheets, sunscreen textiles, textiles and composites for interior fittings and furnishings, tents and tent frames, visual protection systems.

Clothtech: Clothing, shoes.

Homotech: Carpets, awning material, upholstery fabrics.

Indutech: Textiles for the electronics industry and data systems technology, textile-reinforced motor parts, filters/filtration, advertising materials.

Medtech: Hygienic fleeces and dressing material, textile products for surgery, hospital bed linen and blankets, medical pillows.

Mobiltech: Aerospace, rail vehicles, automobiles, ship building, carpets, covering materials and tarpaulin systems, intake air filter and air distribution systems, balloon envelopment material, protective covers for aircraft, water vehicles and land vehicles.

Oekotech: textiles drainage systems, textile noise barrier systems, filter systems for maintaining clean.

Protech: protective clothing, person-protection equipment, equipment for security services and the military.

Sporttech: Textile-reinforced sports equipment, sportswear.

Technical Data:

Technical Data:

Control:
[SIEMENS](#)

Dimensions and Weight:

Weight:
900 kg

Buyer Information:

Condition:
[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



OTEMAN
SPEZIALMASCHINENFABRIK

26 P

Programmable

roll slitting machine





26 P | Programmable roll slitting machine

Technical specifications label with various markings and text.





OTEMAN™

SPEZIALMASCHINENFABRIK

Service



Ctra. NII, km 551,9
P.O. Bcx 205
08700 IGUALADA
Barcelona - SPAIN

Tel. : +34 93 805 0642
Fax.: +34 93 804 3118

sat@oteman.com

http://www.oteman.com

OTEMAN

SPEZIALMASCHINENFABRIK



Ctra. N-II, Km 551,9 - P.O. Box 205, 08700 IGUALADA (Barcelona) SPAIN
Tel:+34 93 805 0642-Fax++34 93 804 3118 E-mail:oteman@oteman.com

Modelo / Model

26 P/DR

Nº de serie / Series number
(NºProjecto / Project)

26PDR18106 (P.14202)

Año de construcción / Year of manufacture

2019

Potencia/Power

14,5 kW

Frecuencia / Frequency

50 Hz

Tensión/Voltage

400 V

Intensidad / Intensity

42 A

Peso / Weight

900 kg

Presión trabajo / pressure

8 bar

Carga máxima / Maximum load

450 kg @ 60 cm

Dimensión cuchilla / Knife dimension

mm Ref: 2614267

Velocidad max.cuchilla / Knife max speed

m/seg

Altura max.de corte / Max. Cutting height

mm

Ancho max. de trabajo / Working width

3000 (max) mm

aplicado a 2000 / 1000 - 500

H6


000117

21

OTEMAN™

SPEZIALMASCHINENFABRIK

Service



Ctra. NII, km 551,
P.O. Bcx 205
08700 IGUALADA
Barcelona - SPAIN

Tel. : +34 93 805 0642

Fax.: +34 93 804 3118

sat@oteman.com

<http://www.oteman.com>

OTEMAN

SPEZIALMASCHINENFABRIK



Ctra. N-II, Km 551,9 - P.O. Box 205, 08700 IGUALADA (Barcelona) SPAIN
Tel++34 93 805 0642-Fax++34 93 804 3118 E-mail:oteman@oteman.com

Modelo / Model

26 P/DR

Nº de serie / Series number
(Nº Proyecto / Project)

26PDR18106 (P-14202)

Año de construcción / Year of manufacture

2019

Potencia/Power

14,5 kW

Frecuencia / Frequency

50 Hz

Tensión/Voltage

400 V

Intensidad / Intensity

42 A

Peso / Weight

900 kg

Presión trabajo / pressure

8 bar

Carga máxima / Maximum load

450 kg Ø 60 cm

Dimensión cuchilla / Knife dimension

mm Ref: 2614287

Velocidad max. cuchilla / Knife max speed

m/seg rpm

Altura max. de corte / Max. Cutting height

mm

Ancho max. de trabajo / Working width

3000 (P14) mm

REPRODUCIDO POR EXHIBITORES Y VENDEDORES

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1429-071910100

Overview and Technical Data:

OTEMANN 26 P/DR Roll Slotting Machine 3m



SPEZIALMASCHINENFABRIK

Year of Build:

Jan 2019

Description:

Used OTEMAN 26P/DR Automatic programmable slotting machine

PLC Siemens

Technical data:

- Working length: 3.000mm
- Max load: 450 kg
- Max roll diameter: 60 cm
- Power: 14,5 kW
- Connected load: 400V 42 A

The OTEMAN 26P is the answer to the fast and precise slitting of rolls.

Equipped with two steel rollers to support the material, it has been designed to cut the most diverse materials into strips, such as:

Textiles, nonwovens, carpets, synthetic leather, adhesives, fiberglass, PVC, etc.

- PLC controlled
- Programming system of the cut and the widths
- Programmable knife sharpening
- Variable roller speed
- Equipped with two steel rollers to support the material
- Positioning of the cutting head by encoder
- Variator for blade and depth speed
- Reversible roller rotation
- Programmable blade lubricator

Applications:

Agrotech: Soil covering material for horticulture and agriculture, textile drainage systems, woven fabrics and knitted fabrics for providing shade, tarpaulins, temporary agricultural buildings.

Buildtech: Textiles reinforcement for concrete and other precipitation hardening masses, cold, heat or sound insulations, temporary constructions, textile roofings and roofing sheets, sunscreen textiles, textiles and composites for interior fittings and furnishings, tents and tent frames, visual protection systems.

Clothtech: Clothing, shoes.

Hometechn: Carpets, awning material, upholstery fabrics.

Indutech: Textiles for the electronics industry and data systems technology, textile-reinforced motor parts, filters/filtration, advertising materials.

Medtech: Hygienic fleeces and dressing material, textile products for surgery, hospital bed linen and blankets, medical pillows.

Mobiltech: Aerospace, rail vehicles, automobiles, ship building, carpets, covering materials and tarpaulin systems, intake air filter and air distribution systems, balloon envelopment material, protective covers for aircraft, water vehicles and land vehicles.

Oekotech: textiles drainage systems, textile noise barrier systems, filter systems for maintaining clean.

Protech: protective clothing, person-protection equipment, equipment for security services and the military.

Sporttech: Textile-reinforced sports equipment, sportswear.

Technical Data:

Technical Data:

Control:

[SIEMENS](#)

Dimensions and Weight:

Weight:

900 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:







26 P | Programmable roll slitting machine






OTEMAN™

SPEZIALMASCHINENFABRIK

Service



Ctra. NII, km 551,9
P.O. Bcx 205
08700 IGUALADA
Barcelona - SPAIN

Tel. : +34 93 805 0642
Fax.: +34 93 804 3118

sat@oteman.com

http://www.oteman.com

OTEMAN

SPEZIALMASCHINENFABRIK



Ctra. N-II, Km 551,9 - P.O. Box 205, 08700 IGUALADA (Barcelona) SPAIN
Tel:+34 93 805 0642-Fax++34 93 804 3118 E-mail:oteman@oteman.com

Modelo / Model

26 P/DR

Nº de serie / Series number
(NºProjecto / Project)

26PDR18106 (P.14202)

Año de construcción / Year of manufacture

2019

Potencia/Power

14,5 kW

Frecuencia / Frequency

50 Hz

Tensión/Voltage

400 V

Intensidad / Intensity

42 A

Peso / Weight

900 kg

Presión trabajo / pressure

8 bar

Carga máxima / Maximum load

450 kg @ 60 cm

Dimensión cuchilla / Knife dimension

mm Ref: 2614267

Velocidad max.cuchilla / Knife max speed

m/seg

Altura max.de corte / Max. Cutting height

mm

Ancho max. de trabajo / Working width

3000 (max) mm

aplicado a 2000 / 1000 - 500

H6


000117

21

OTEMAN™

SPEZIALMASCHINENFABRIK

Service



Ctra. NII, km 551,
P.O. Bcx 205
08700 IGUALADA
Barcelona - SPAIN

Tel. : +34 93 805 0642

Fax.: +34 93 804 3118

sat@oteman.com

<http://www.oteman.com>

OTEMAN

SPEZIALMASCHINENFABRIK



Ctra. N-II, Km 551,9 - P.O. Box 205, 08700 IGUALADA (Barcelona) SPAIN
Tel++34 93 805 0642-Fax++34 93 804 3118 E-mail:oteman@oteman.com

Modelo / Model

26 P/DR

Nº de serie / Series number
(Nº Proyecto / Project)

26PDR18106 (P-14202)

Año de construcción / Year of manufacture

2019

Potencia/Power

14,5 kW

Frecuencia / Frequency

50 Hz

Tensión/Voltage

400 V

Intensidad / Intensity

42 A

Peso / Weight

900 kg

Presión trabajo / pressure

8 bar

Carga máxima / Maximum load

450 kg Ø 60 cm

Dimensión cuchilla / Knife dimension

mm Ref: 2614207

Velocidad max. cuchilla / Knife max speed

m/seg rpm

Altura max. de corte / Max. Cutting height

mm

Ancho max. de trabajo / Working width

3000 (P14) mm

REPRODUCIDO POR EXHIBITORES Y VENDEDORES

Video:





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 10.06.2026

© Copyright 2026 - [Asset-Trade](#)

Page