

Image not found or type unknown



Ref. No.:
1440-10021039

Overview and Technical Data:

TRENS SUI 80/8000 CLASSIC Universal Lathe

TRENS



Year of Build:
Nov 2013

Description:

Used TRENS SUI 80 / 8000 Classic Universal Lathe for Sale

- Digital display
- Parat 4-fold turret
- 2 steady rests passage 30 to 210 mm
- 2 steady rests passage 210 to 370 mm
- Machine bed can be divided for transport
- The feed lever would have to be checked. Here the holding mechanism is probably defective!

Technical data:

- Centre height: 395 mm
- Centre width: 8.000 mm
- Circulation Ø
 - over bed: 800 mm
 - over cross slide: 520 mm
 - in the bend: 870 mm
- Bed width 550 mm
- Slide / Support
 - Cross slide travel: 440 mm
 - Top slide travel: 195 mm
- Spindle bore Ø 92 mm
- Spindle mounting DIN 55027 / B11
- Spindle speeds 14 - 1400 rpm
- Tailstock
 - Taper in tailstock 6 MK
 - Quill Ø: 120 mm
 - Quill stroke: 210 mm

- Feeds
 - Longitudinal: (60) 0.06 - 13 mm
 - Transverse : (60) 0,25 - 6,5 mm
 - Rapid feed
 - Longitudinal : 4800mm/min
 - Transverse : 2400mm/min
 - Thread feeds
 - Metric: (43) 0.5 - 160 Pitch in mm
 - Whitworth: (40) 1/8 - 40 threads to 1'
 - Diametrical: (42) 3/8 - 80 Pitch/DPI
 - Module: (36) 0.25 - 48 Module
 - Drive power 25 kW
 - Dimentions
 - Length 10,060 mm
 - Depth / width 1,570 mm
 - Height 1,700 mm
 - Weight 8,630 kg
-

The universal lathe TRENS SUI 80 CLASSIC VS are the "long" lathes from TRENS.

With a max. turning length of up to 8,000 mm, this lathe is one of the longest conventional lathes you will find on the market.

The large swing diameter of 800 mm makes the SUI 80 CLASSIC the perfect lathe for long, heavy workpieces with large dimensions.

Technical Data:

Technical Data:

Control:

[Conventional](#)

Turning lenght:

8000.00 mm

Turning diameter:

800.00 mm

Spindle Speed:

1400.00 rpm

Tailstock:

Yes

Bezel:

Yes

Dimensions and Weight:

Height:

1700 mm

Length:

10060 mm

Width:

1570 mm

Weight:
8630 kg

Buyer Information:

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



DREHEN


Zuzugsgefahr
Keine Handschuhe
an laufender Maschine



A		B		C		D	
1	1.5	2	2.5	3	3.5	4	4.5
5	6	7	8	9	10	11	12
15	18	20	22	24	26	28	30
35	40	45	50	55	60	65	70
80	90	100	110	120	130	140	150
180	200	220	240	260	280	300	320
360	400	450	500	550	600	650	700
900	1000	1100	1200	1300	1400	1500	1600
1800	2000	2200	2400	2600	2800	3000	3200
3600	4000	4500	5000	5500	6000	6500	7000
9000	10000	11000	12000	13000	14000	15000	16000

A		B		C		D	
1	1.5	2	2.5	3	3.5	4	4.5
5	6	7	8	9	10	11	12
15	18	20	22	24	26	28	30
35	40	45	50	55	60	65	70
80	90	100	110	120	130	140	150
180	200	220	240	260	280	300	320
360	400	450	500	550	600	650	700
900	1000	1100	1200	1300	1400	1500	1600
1800	2000	2200	2400	2600	2800	3000	3200
3600	4000	4500	5000	5500	6000	6500	7000
9000	10000	11000	12000	13000	14000	15000	16000

A		B		C		D	
1	1.5	2	2.5	3	3.5	4	4.5
5	6	7	8	9	10	11	12
15	18	20	22	24	26	28	30
35	40	45	50	55	60	65	70
80	90	100	110	120	130	140	150
180	200	220	240	260	280	300	320
360	400	450	500	550	600	650	700
900	1000	1100	1200	1300	1400	1500	1600
1800	2000	2200	2400	2600	2800	3000	3200
3600	4000	4500	5000	5500	6000	6500	7000
9000	10000	11000	12000	13000	14000	15000	16000

M W

SUI 80

TRENS TREŇČÍN





















Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1440-10021039

Overview and Technical Data:

TRENS SUI 80/8000 CLASSIC Universal Lathe

TRENS



Year of Build:
Nov 2013

Description:

Used TRENS SUI 80 / 8000 Classic Universal Lathe for Sale

- Digital display
- Parat 4-fold turret
- 2 steady rests passage 30 to 210 mm
- 2 steady rests passage 210 to 370 mm
- Machine bed can be divided for transport
- The feed lever would have to be checked. Here the holding mechanism is probably defective!

Technical data:

- Centre height: 395 mm
- Centre width: 8.000 mm
- Circulation Ø
 - over bed: 800 mm
 - over cross slide: 520 mm
 - in the bend: 870 mm

- Bed width 550 mm
- Slide / Support
 - Cross slide travel: 440 mm
 - Top slide travel: 195 mm
- Spindle bore Ø 92 mm
- Spindle mounting DIN 55027 / B11
- Spindle speeds 14 - 1400 rpm
- Tailstock
 - Taper in tailstock 6 MK
 - Quill Ø: 120 mm
 - Quill stroke: 210 mm
- Feeds
 - Longitudinal: (60) 0.06 - 13 mm
 - Transverse : (60) 0,25 - 6,5 mm
- Rapid feed
 - Longitudinal : 4800mm/min
 - Transverse : 2400mm/min
- Thread feeds
 - Metric: (43) 0.5 - 160 Pitch in mm
 - Whitworth: (40) 1/8 - 40 threads to 1'
 - Diametrical: (42) 3/8 - 80 Pitch/DPI
 - Module: (36) 0.25 - 48 Module
- Drive power 25 kW
- Dimentions
 - Length 10,060 mm
 - Depth / width 1,570 mm
 - Height 1,700 mm
 - Weight 8,630 kg

The universal lathe TRENS SUI 80 CLASSIC VS are the "long" lathes from TRENS.

With a max. turning length of up to 8,000 mm, this lathe is one of the longest conventional lathes you will find on the market.

The large swing diameter of 800 mm makes the SUI 80 CLASSIC the perfect lathe for long, heavy workpieces with large dimensions.

Technical Data:

Technical Data:

Control:

[Conventional](#)

Turning lenght:

8000.00 mm

Turning diameter:

800.00 mm

Spindle Speed:

1400.00 rpm

Tailstock:

Yes

Bezel:
Yes

Dimensions and Weight:

Height:
1700 mm
Length:
10060 mm
Width:
1570 mm
Weight:
8630 kg

Buyer Information:

Condition:
[Normal wear](#)
Available:
[Sold](#)
Sold as:
[EXW \(Ex Works - Incoterm\)](#)
VAT:
[19 %](#)
Buyers Premium:
[18 %](#)
Location:
Germany

Images:




Zuzugsgefahr
Keine Handschuhe
auf laufender Maschine



SUI 80

TRENS TRENCÍN





















Video:



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 02.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page