

Image not found or type unknown



Ref. No.:

1452-12231334

## **Overview and Technical Data:**

# **Used KRAUSS MAFFEI KM160/750 CX for Sale**

**KRAUSSMAFFEI**

Year of Build:

Jan 2008

## **Description:**

# **Buy used Krauss Maffei 160/750 CX injection molding machine**

Technical data:

- Clamping force: 1600 KN
- Screw diameter: 50 mm
- Max. Shot weight: 325 g
- Clear tie bar spacing: 560 x 560
- Min. mold installation height: 350 mm
- Max. Mold opening stroke: 700 mm
- Centering ring diameter: 160 mm

- Number of core pulls: 2
- Cascade control: no
- Handling: no
- Hydraulic valve gate nozzle
- Interface: Euromap 67

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

Machine Hours:

27207

## **Dimensions and Weight:**

Height:

2.200 mm

Length:

4.900 mm

Width:

1.610 mm

Weight:

1.862 kg

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

## **Images:**

18

KraussMaffei

ClassiX  
CX 160-750













18



**Krauss Maffei**

Technical specifications and safety information label, including a warning triangle and various icons.

**ClassiX**  
CX 160-750























18





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1452-12231334

**Overview and Technical Data:**

# Used KRAUSS MAFFEI KM160/750 CX for Sale

## KRAUSSMAFFEI

Year of Build:  
Jan 2008

### **Description:**

## **Buy used Krauss Maffei 160/750 CX injection molding machine**

Technical data:

- Clamping force: 1600 KN
- Screw diameter: 50 mm
- Max. Shot weight: 325 g
- Clear tie bar spacing: 560 x 560
- Min. mold installation height: 350 mm
- Max. Mold opening stroke: 700 mm
- Centering ring diameter: 160 mm
- Number of core pulls: 2
- Cascade control: no
- Handling: no
- Hydraulic valve gate nozzle
- Interface: Euromap 67

### **Technical Data:**

## Technical Data:

Control:

[CNC](#)

Machine Hours:

27207

## Dimensions and Weight:

Height:

2.200 mm

Length:

4.900 mm

Width:

1.610 mm

Weight:

1.862 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

## Images:

18

KraussMaffei



ClassiX  
CX 160-750








min. 300 mm



M 18









18



**Krauss Maffei**

Technical specifications and safety information label, including a warning triangle and various icons.

**ClassiX**  
CX 160-750























18





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 14.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page