

Image not found or type unknown



Ref. No.:  
1452-12231400

## **Overview and Technical Data:**

# **Used ENGEL ES 650/155 HL Victory for sale**

**ENGEL**



Year of Build:  
Jan 2001

## **Description:**

**Buy used ENGEL ES 650/155 HL Victory injection molding machine**

Technical data:

- Clamping force: 1500 KN
- Screw diameter: 50 mm
- Max. Shot weight: 440 g
- Clear tie bar spacing: 750 x 750 (tie barless)
- Min. mold installation height: 300 mm
- Max. Mold opening stroke: 600 mm
- Centering ring diameter: 160 mm
- Number of core pulls: 1
- Cascade control: no
- Handling: yes

### **Handling Geiger LR 16 EC**

- X axis: 500 mm
  - Y axis: 1200 mm
  - Z axis: 1900 mm
  - Interface:Euromap 67
  - Protective housing 2000 mm x 2000 mm with safety package
- 

The tie-bar-less victory injection moulding machine is the ideal machine for a wide range of technical injection moulding applications and processes. The proven tie-bar-less technology ensures a particularly even clamping force distribution. For large moulds with low clamping force requirements, you only invest in the clamping force that is actually needed.

### **Technical Data:**

### **Technical Data:**

Control:

[CNC](#)

Machine Hours:

61432

### **Dimensions and Weight:**

Height:

2.200 mm

Length:

5.600 mm

Width:

1.800 mm

Weight:

11.500 kg

### **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

**Images:**













9. Drehen und Schließen an der Flanschverbindung  
 geübt!  
 10. Spindelbereich ... in Öl- und Wasserlecken!  
 11. Aufpassen bei ... einstellen, Ölverlust und  
 auch im Wasser ...  
 12. Bei ... Schalterfunktion  
 13. ... Anzeigen ...  
 14. ... Funktion!

**M 19**  
 Engel  
 E3.00/155 PS. Victory  
 044417

**ENGEL**  
**EC100**  
 SVS-U 2.11-DD184 V2K Tested IPi 132.166.288.188  
 - TEMP  
 ON

ESC F1 F2 F3 F4 F5 F6 F7 F8

7 8 9  
 4 5 6  
 1 2 3  
 +/- 0

ENTER  
 CLEAR

[Navigation icons: Home, Back, Forward, Stop]

[Function icons: Stop, Start, Jog, Feed, etc.]

**ENGEL** [Navigation icons]

[Function icons]

LUFTVENTIL  
 [Buttons]

[Buttons]

START PROGRAMMIERRECHEN  
 AUTOMATISCH WARE

[Green button] [Yellow indicator light] [Silver button]

WERKZEUGE L2/46  
 [Knob]

SICHEREITSTASTE STEUERANWABE NOTER ZILNERSTANGE NOT - AUS

[Knob] [Yellow indicator light] [Knob] [Knob] [Red emergency stop button]





















**GEIGER HANDLING®**  
LR 16®

**GEIGER HANDLING GMBH**  
Geiger Handling GmbH & Co.  
Ludwig-Geiger-Str. 11  
D-72771  
Tel.: 07143 9222-0  
Fax: 07143 9222-11  
mailto:info@geiger-handling.de  
www.geiger-handling.de





**GEIGER HANDLING®**  
LR 16

**GEIGER HANDLING**  
Güterstraße 14  
D-72173 Metzingen  
Tel: 07146 971-0  
Fax: 07146 971-100  
info@geiger-handling.de  
www.geiger-handling.de



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1452-12231400

**Overview and Technical Data:**

# Used ENGEL ES 650/155 HL Victory for sale

[ENGEL](#)



Year of Build:  
Jan 2001

## **Description:**

## **Buy used ENGEL ES 650/155 HL Victory injection molding machine**

Technical data:

- Clamping force: 1500 KN
- Screw diameter: 50 mm
- Max. Shot weight: 440 g
- Clear tie bar spacing: 750 x 750 (tie barless)
- Min. mold installation height: 300 mm
- Max. Mold opening stroke: 600 mm
- Centering ring diameter: 160 mm
- Number of core pulls: 1

- Cascade control: no
- Handling: yes

## Handling Geiger LR 16 EC

- X axis: 500 mm
  - Y axis: 1200 mm
  - Z axis: 1900 mm
  - Interface:Euromap 67
  - Protective housing 2000 mm x 2000 mm with safety package
- 

The tie-bar-less victory injection moulding machine is the ideal machine for a wide range of technical injection moulding applications and processes. The proven tie-bar-less technology ensures a particularly even clamping force distribution. For large moulds with low clamping force requirements, you only invest in the clamping force that is actually needed.

## Technical Data:

### Technical Data:

Control:

[CNC](#)

Machine Hours:

61432

## Dimensions and Weight:

Height:

2.200 mm

Length:

5.600 mm

Width:

1.800 mm

Weight:

11.500 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

**Images:**











Wofthner GEE 300



9. Drehen und Schließen an der Handbremse  
 gesichert?  
 10. Spindelbremse in Öl- und Wasserlocken?  
 11. Aufwärtzlauf freigegeben, Ölstand und  
 nach im Wasser prüfen?  
 12. Bei Wasserleitung, Schalterfunktion  
 ist B. Angeordnet angeschlossen?  
 13. Lichtschranken / Notstopps funktionstüchtig?

**M 19**  
 Engel  
 E3.00/155 PS. Victory  
 044417

**ENGEL**  
**EC100**  
 SVS-V 2.11-DD184 V2K Tested IPi 132.188.288.188  
 - TEMP  
 ● ON

ESC F1 F2 F3 F4 F5 F6 F7 F8

7 8 9  
 4 5 6  
 1 2 3  
 +/- 0

ENTER  
 CLEAR

(Navigation icons)

(Function icons)

**ENGEL** (Navigation icons)

(Function icons)

LUFTVENTILS

(Function icons)

STABT PROGRAMMIERRECHEN AUTOMATISCH WARE

(Green button, Yellow indicator light, Silver knob)

WERKZEUGE L200

SICHHEITSTASTE STEUERANWAB NOTER ZILNER

(Yellow indicator light, Silver knob, Red emergency stop button)





















**GEIGER HANDLING®**  
LR 16®

**GEIGER HANDLING GMBH**  
Geiger Handling GmbH  
Ludwig-Geiger-Str. 1  
D-72771  
Tel.: 07143 9222-0  
Fax: 07143 9222-11  
mailto:info@geiger-handling.de  
www.geiger-handling.de





**GEIGER HANDLING®**  
LR 16

**GEIGER HANDLING**  
Güterstraße 14  
D-72173 Metzingen  
Tel: 07146 9711-0  
Fax: 07146 9711-10  
info@geiger-handling.de  
www.geiger-handling.de



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 15.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page