

Image not found or type unknown



Ref. No.:
1505-02051100

Overview and Technical Data:

Used MAZAK Quick Turn Nexus 200 II MY

MAZAK

Year of Build:
Jan 2011

Description:

Used MAZAK Quick Turn Nexus 200 II MY

The used MAZAK Quick Turn Nexus 200 II MY is a state-of-the-art CNC lathe with the advanced Mazatrol Matrix Nexus 2 CNC control. This machine tool offers excellent productivity and precision for your manufacturing processes.

With only 8065 operating hours and a last service of only 392 hours, this used CNC lathe is in excellent condition. It is ideal for companies looking for a reliable lathe that offers the highest precision and efficiency.

- CNC control Mazatrol Matrix Nexus 2
- Spindle hours: 8065 h
- Since last maintenance: 392 h

- Maintenance interval: 1500 h

Technical data:

- Max. machining length: 511 mm
 - Max. swing diameter: 675 mm
 - Max. machining diameter: 380 mm
 - Max. main spindle bar diameter: 65 mm
 - Main spindle Max. speed: 5,000 min⁻¹
 - Motor power 30 min. operation: 26.0 kW
 - Turret number of tools: 12 (driven tools can be used in all stations)
 - Milling spindle power (10 min. operation): 5.5 kW
 - Features Chuck diameter main spindle: 8 "
 - Feed speeds
 - Travel range X-axis: 230 mm
 - Travel range Y-axis: 100 mm
 - Travel range Z-axis: 575 mm
 - Machine dimensions Length: 2,665 mm x Width: 1,860 mm
-

The "QUICK TURN NEXUS II series" combines the latest technology, productivity and increased value. By using the 6th generation CNC control, the MAZATROL MATRIX NEXUS, these CNC turning centers are characterized by improved processing, safer operation and high user-friendliness.

Technical Data:

Technical Data:

Control:

[CNC](#)

Spindle Hours:

8065.00 hrs.

Turning length:

538.00 mm

Turning diameter:

380.00 mm

Spindle Speed:

5000.00 rpm

Driven Tools:

12.00

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Buyer Information:

Condition:

Very good condition

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

Images:



Ma
QUICK TURN




Symbol	Symbol	Symbol	Symbol	Symbol	Symbol
1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30



SICHERHEITSAUWEISUNGEN

Lesen Sie diese Anweisungen sorgfältig durch, bevor Sie das Gerät in Betrieb nehmen. Diese Anweisungen sind ein wichtiger Bestandteil der Sicherheit und können dazu beitragen, Verletzungen zu vermeiden.

1. Das Gerät darf nur von qualifiziertem Personal bedient werden.
2. Vor dem Start des Geräts muss die Stromversorgung überprüft werden.
3. Das Gerät darf nicht in einem feuchten oder explosionsgefährdeten Bereich eingesetzt werden.
4. Das Gerät darf nicht in der Nähe von brennbaren Materialien verwendet werden.
5. Das Gerät darf nicht in der Nähe von Wasser oder anderen Flüssigkeiten verwendet werden.
6. Das Gerät darf nicht in der Nähe von Gasen oder anderen gefährlichen Stoffen verwendet werden.
7. Das Gerät darf nicht in der Nähe von Hochspannungslinien verwendet werden.
8. Das Gerät darf nicht in der Nähe von anderen elektrischen Geräten verwendet werden.
9. Das Gerät darf nicht in der Nähe von anderen Maschinen verwendet werden.
10. Das Gerät darf nicht in der Nähe von anderen Personen verwendet werden.
11. Das Gerät darf nicht in der Nähe von Kindern verwendet werden.
12. Das Gerät darf nicht in der Nähe von Tieren verwendet werden.
13. Das Gerät darf nicht in der Nähe von Pflanzen verwendet werden.
14. Das Gerät darf nicht in der Nähe von anderen Objekten verwendet werden.
15. Das Gerät darf nicht in der Nähe von anderen Oberflächen verwendet werden.
16. Das Gerät darf nicht in der Nähe von anderen Materialien verwendet werden.
17. Das Gerät darf nicht in der Nähe von anderen Substanzen verwendet werden.
18. Das Gerät darf nicht in der Nähe von anderen Dingen verwendet werden.
19. Das Gerät darf nicht in der Nähe von anderen Sachen verwendet werden.
20. Das Gerät darf nicht in der Nähe von anderen Gegenständen verwendet werden.
21. Das Gerät darf nicht in der Nähe von anderen Verräten verwendet werden.
22. Das Gerät darf nicht in der Nähe von anderen Werkzeugen verwendet werden.
23. Das Gerät darf nicht in der Nähe von anderen Instrumenten verwendet werden.
24. Das Gerät darf nicht in der Nähe von anderen Utensilien verwendet werden.
25. Das Gerät darf nicht in der Nähe von anderen Gegenständen verwendet werden.
26. Das Gerät darf nicht in der Nähe von anderen Sachen verwendet werden.
27. Das Gerät darf nicht in der Nähe von anderen Dingen verwendet werden.
28. Das Gerät darf nicht in der Nähe von anderen Objekten verwendet werden.
29. Das Gerät darf nicht in der Nähe von anderen Materialien verwendet werden.
30. Das Gerät darf nicht in der Nähe von anderen Substanzen verwendet werden.









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1505-02051100

Overview and Technical Data:

Used MAZAK Quick Turn Nexus 200 II MY

MAZAK

Year of Build:
Jan 2011

Description:

Used MAZAK Quick Turn Nexus 200 II MY

The used MAZAK Quick Turn Nexus 200 II MY is a state-of-the-art CNC lathe with the advanced Mazatrol Matrix Nexus 2 CNC control. This machine tool offers excellent productivity and precision for your manufacturing processes.

With only 8065 operating hours and a last service of only 392 hours, this used CNC lathe is in excellent condition. It is ideal for companies looking for a reliable lathe that offers the highest precision and efficiency.

- **CNC control Mazatrol Matrix Nexus 2**
- Spindle hours: 8065 h
- Since last maintenance: 392 h
- Maintenance interval: 1500 h

Technical data:

- Max. machining length: 511 mm
- Max. swing diameter: 675 mm
- Max. machining diameter: 380 mm
- Max. main spindle bar diameter: 65 mm

- Main spindle Max. speed: 5,000 min⁻¹
 - Motor power 30 min. operation: 26.0 kW
 - Turret number of tools: 12 (driven tools can be used in all stations)
 - Milling spindle power (10 min. operation): 5.5 kW
 - Features Chuck diameter main spindle: 8 "
 - Feed speeds
 - Travel range X-axis: 230 mm
 - Travel range Y-axis: 100 mm
 - Travel range Z-axis: 575 mm
 - Machine dimensions Length: 2,665 mm x Width: 1,860 mm
-

The "QUICK TURN NEXUS II series" combines the latest technology, productivity and increased value. By using the 6th generation CNC control, the MAZATROL MATRIX NEXUS, these CNC turning centers are characterized by improved processing, safer operation and high user-friendliness.

Technical Data:

Technical Data:

Control:

[CNC](#)

Spindle Hours:

8065.00 hrs.

Turning length:

538.00 mm

Turning diameter:

380.00 mm

Spindle Speed:

5000.00 rpm

Driven Tools:

12.00

Tool Capacity:

12 x

Tailstock:

No

Bezel:

No

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

18 %

Location:

Germany

Images:







Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 19.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page