

Image not found or type unknown



Ref. No.:
1505-02061500

Overview and Technical Data:

Used SALVAGNIN P4-1812 CNC Panel Bending Machine

[SALVAGNINI](#)

salva

Year of Build:
Feb 1998

Description:

Second-hand SALVAGNIN P4-1812 + HTP 2015 + R51 CNC panel bender/CNC folding machine

Build 1998

Technical data:

- Maximum edge length: 1850mm
- Maximum edge height: 127mm
- Maximum plate thickness at 400N/mm²: 2.0 mm (standard version)
- Maximum bending angle: +/- 135° (depending on tool)
- Maximum diagonal of the blank and the panel: 2150 mm
- Maximum length of the blank: 1995 mm
- Maximum width of the blank and panel: 1500 mm
- Minimum distance of the notch on the long side: 265 mm
- Working height: 1090 mm
- Compressed air consumption at 6 bar: approx. 2 l/min
- Cooling water requirement: approx. 2 m³/h

- Cooling water inlet temperature: max. 20 °C
 - Mains voltage 400V 30 KW
 - Mass without oil filling: approx. 16,000 kg
 - Hydraulic oil filling: approx. 600 litres
 - Sound pressure level at the operator station: 80 dB(A)
 - Space requirement LxWxH: 7055 x 6845 x 2500 mm
-

Are you looking for a reliable and precise CNC bending machine that will take your production to the next level? Then the SALVAGNIN P4-1812 is exactly the right machine for you!

Benefit from the advantages of the SALVAGNIN P4-1812:

- **Increased productivity:** Increase your throughput and reduce your production costs.
- **Improved quality:** Achieve precise and repeatable results with minimal waste.
- **Increased flexibility:** Process a wide range of materials and sheet thicknesses with just one machine.
- **Increased safety:** The machine complies with all current safety standards.
- **Versatile processing options:** suitable for different materials and sheet thicknesses
- **Precise control:** CNC control for maximum precision and repeatable results
- **Efficient operation:** short set-up times and high production output
- **Convenient operation:** user-friendly control interface
- **Durable and reliable:** robust design for a long service life

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

2.500 mm

Length:

7.055 mm

Width:

6.845 mm

Weight:

16.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

Images:



salvagnini





salvagnini

SAFETY INSTRUCTIONS
READ CAREFULLY
BEFORE USING THE MACHINE



DE ZWART CEMENTEN



alvagnini

GEFÄHRDUNG
DURCH
SCHNEIDEN







salvagnini

5

Verriegelung Treher


Hubbegrenzer Manipulator

Manipulator


Spannfuß

Werkzeug

Zylinder



sch





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1505-02061500

Overview and Technical Data:

Used SALVAGNIN P4-1812 CNC Panel Bending Machine

SALVAGNINI

salva

Year of Build:
Feb 1998

Description:

Second-hand SALVAGNIN P4-1812 + HTP 2015 + R51 CNC panel bender/CNC folding machine

Build 1998

Technical data:

- Maximum edge length: 1850mm
 - Maximum edge height: 127mm
 - Maximum plate thickness at 400N/mm²: 2.0 mm (standard version)
 - Maximum bending angle: +/- 135° (depending on tool)
 - Maximum diagonal of the blank and the panel: 2150 mm
 - Maximum length of the blank: 1995 mm
 - Maximum width of the blank and panel: 1500 mm
 - Minimum distance of the notch on the long side: 265 mm
 - Working height: 1090 mm
 - Compressed air consumption at 6 bar: approx. 2 l/min
 - Cooling water requirement: approx. 2 m³/h
 - Cooling water inlet temperature: max. 20 °C
 - Mains voltage 400V 30 KW
 - Mass without oil filling: approx. 16,000 kg
 - Hydraulic oil filling: approx. 600 litres
 - Sound pressure level at the operator station: 80 dB(A)
 - Space requirement LxWxH: 7055 x 6845 x 2500 mm
-

Are you looking for a reliable and precise CNC bending machine that will take your production to the next level? Then the SALVAGNIN P4-1812 is exactly the right machine for you!

Benefit from the advantages of the SALVAGNIN P4-1812:

- **Increased productivity:** Increase your throughput and reduce your production costs.
- **Improved quality:** Achieve precise and repeatable results with minimal waste.
- **Increased flexibility:** Process a wide range of materials and sheet thicknesses with just one machine.
- **Increased safety:** The machine complies with all current safety standards.
- **Versatile processing options:** suitable for different materials and sheet thicknesses
- **Precise control:** CNC control for maximum precision and repeatable results
- **Efficient operation:** short set-up times and high production output
- **Convenient operation:** user-friendly control interface
- **Durable and reliable:** robust design for a long service life

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

2.500 mm

Length:

7.055 mm

Width:

6.845 mm

Weight:

16.000 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



salvagnini





salvagnini

SAFETY INSTRUCTIONS
READ CAREFULLY
BEFORE USING THE MACHINE



DE ZWART CEMENTEN



alvagnini

GEFÄHRDUNG
DURCH
SCHNEIDEN







salvagnini

5

Vertieglung Treher


Hubbegrenzer Manipulator

Manipulator


Spannfuß

Werkzeug

Zylinder



sch





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 28.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page