

Image not found or type unknown



Ref. No.:
1409-02271223

Overview and Technical Data:

Used AMADA HFE-100-3 Hydraulic press brake

[AMADA](#)



Year of Build:
Jun 2006

Description:

Used AMADA press brake HFE-100-3 for sale – Ideal for precise sheet metal processing!

This hydraulic press brake offers outstanding performance and precision for your metalworking needs. The AMADA HFE-100-3 press brake used comes with an AMADA OP 2000 control and has been carefully maintained to ensure the highest quality and efficiency in your workshop.

- Control - AMADA OP 2000

Technical data:

- Pressing pressure: 100 tons
- Joint length: 3110 mm
- Distance between columns: 2700 mm
- Controlled axes: 7
- Stroke of the mold: 420 mm
- Maximum stroke: max. 200 mm
- Light height: 470 mm

- Noise level: 75 dB
- Weight of the machine: approx. 6.75 tons

The price of the machine includes:

- Complete set of 3-4 complete upper and lower tools worth approx. 25,000
- Amada DIGIPRO angle measuring system

The machine is in daily use and can be tested at any time.

This press brake for sheet metal processing offers excellent metal processing options and is ideal for processing large workpieces with high precision. You can test the hydraulic press for metal processing at any time in our company.

Don't miss this opportunity to purchase a used AMADA press brake in very good condition at an attractive price!

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

28138

Dimensions and Weight:

Height:

2.700 mm

Length:

4.210 mm

Width:

2.450 mm

Weight:

6.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:
Slovenia

Images:





mm / Mem. HFE V5.02 A 29/01/24

KMIZIENODGAS

PROG-C 111 OZN-DILU: 0

TP | NS | NM | MATRI. | R | RAZNIK | R | MAT. | O

U230 | 0 | 0 | 02100 | 0 | 0150 | 0 | 00000 | 0

CHR. DELKA	UHBL	POZ.-POS	SKUT.-POS
555	Y1	-4.90	20.01
	Y2	-4.90	19.95
OZN-DILU	X1	15.05	13.96
0	X2	15.05	13.97
OHYB c	R1	0	-0.02
	R2	0	-0.02
CELK. OHYBU	Z1	227.50	227.46
	Z2	227.50	227.43

OPAKOVANI	22	CEKANI ZD (#)	0
KROK	0	ODJEZ ZD (mm)	0
LISOVANI (0/1)	0	ZPUS. ZD 0/1/2	0
LIS. SILA (kN)	75	V OHYBU (mm/s)	1.0
ZP. ZD. (#)	0	Z OHYBU (mm/s)	1.0
POH. FUNKCE	000000	OТВЕРНИ (mm)	2.0
VNJS/VNI (1/0)	1		

125: MOTOR NASTARTOVAT & ZADNI DVERE ZAVRIT

UVOLNIT STROJ

0

MI

TEST

0

0 1

← ↑ FIN

→ ↓ END

← →

INS DEL MIR

+

-

0 7 8 9

4 5 6

0 1 2 3

←

+

0

4



5

AMADA

...cativo unicamente/Quick reference only/Nur Cirka-Werte/Valore indicativo unicamente



PLIAGE EN L'AIR
AIR BENDING
FREIES ABKANTEN
PLEGADO EN AIRE

±Nmm10

	6	8	10	12	16	20	25	32	40	50	63	80	100	125	160	200	250	320	400	500
1	1.3	1.6	2	2.6	3.3	4	5	6.3	8	10	13	16	20	26	33	41	53	65	83	
1.5																				
2																				
2.5																				
3																				
4																				
5																				
6																				
8																				
10																				
12																				
16																				
20																				
25																				
32																				
40																				
50																				
63																				
80																				
100																				
125																				
160																				
200																				
250																				
320																				
400																				
500																				



Zariadenie smie
obsluhovať
len poverený
pracovník



Čisti - opravuj
- nastavuj





7



8









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1409-02271223

Overview and Technical Data:

Used AMADA HFE-100-3 Hydraulic press brake



Year of Build:
Jun 2006

Description:

Used AMADA press brake HFE-100-3 for sale – Ideal for precise sheet metal processing!

This hydraulic press brake offers outstanding performance and precision for your metalworking needs. The AMADA HFE-100-3 press brake used comes with an AMADA OP 2000 control and has been carefully maintained to ensure the highest quality and efficiency in your workshop.

- Control - AMADA OP 2000

Technical data:

- Pressing pressure: 100 tons
- Joint length: 3110 mm
- Distance between columns: 2700 mm
- Controlled axes: 7
- Stroke of the mold: 420 mm
- Maximum stroke: max. 200 mm
- Light height: 470 mm
- Noise level: 75 dB
- Weight of the machine: approx. 6.75 tons

The price of the machine includes:

- Complete set of 3-4 complete upper and lower tools worth approx. 25,000
- Amada DIGIPRO angle measuring system

The machine is in daily use and can be tested at any time.

This press brake for sheet metal processing offers excellent metal processing options and is ideal for processing large workpieces with high precision. You can test the hydraulic press for metal processing at any

time in our company.

Don't miss this opportunity to purchase a used AMADA press brake in very good condition at an attractive price!

Technical Data:

Technical Data:

Control:

[CNC](#)

Machine Hours:

28138

Dimensions and Weight:

Height:

2.700 mm

Length:

4.210 mm

Width:

2.450 mm

Weight:

6.750 kg

Buyer Information:

Condition:

[Very good condition](#)

Available:

[On Request](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Slovenia

Images:



1





! Zadržte své oči během provozu

! Čistěte - nastavte - nastavte své oči v pokoji



VÝBĚH TYP000

PŘEDSTAVENÍ
VÝBĚH
PŘI PRÁCI S MAŠINOU
MUSÍ BÝT POUŽITO

mm / Mem. HFE V5.02 A 29/01/24

KMZIENOVAC


PROG-C 111 OZN-DILU: 0

TP | NS | NM | MATRI. | R | RAZNIK | R | MAT. | O
 0000 | 0 | 0 | 00000 | 0 | 0000 | 0 | 00000 | 0000

	UHBL	POZ.-POS	SKUT.-POS
OHR. DELKA			
555	Y1	-4.90	20.01
	Y2	-4.90	19.95
OZN. DILU	X1	15.05	13.96
0	X2	15.05	13.97
	R1	0	-0.02
OHYB c	R2	0	-0.02
	Z1	227.50	227.46
CELK. OHYBU	Z2	227.50	227.43

OPAKOVANI	22	CEKANI ZD (#)	0
KROK	0	ODJEZ ZD (mm)	0
LISOVANI (0/1)	0	ZPUS. ZD 0/1/2	0
LIS. SILA (kN)	75	V OHYBU (mm/s)	1.0
ZP. ZD. (#)	0	Z OHYBU (mm/s)	1.0
POH. FUNKCE	000000	OТВEŘENI (mm)	2.0
VNJS/VNI (1/0)	1		

125: MOTOR NASTARTOVAT & ZADNI DVERE ZAVRIT
 UVOLNIT STROJ



4



5

AMADA

...cativo unicamente/Quick reference only/Nur Cirka-Werte/Valore indicativo unicamente



PLIAGE EN L'AIR
AIR BENDING
FREIES ABKANTEN
PLEGADO EN AIRE

±Nmm10

	6	8	10	12	16	20	25	32	40	50	63	80	100	125	160	200	250	320	400	500
1	1,3	1,6	2	2,6	3,3	4	5	6,3	8	10	13	16	20	26	33	41	53	65	83	
1,5																				
2																				
2,5																				
3																				
4																				
5																				
6																				
8																				
10																				
12																				
16																				
20																				
25																				
30																				
40																				
50																				
60																				
80																				
100																				
120																				
150																				
200																				
250																				
300																				
400																				
500																				
600																				
800																				
1000																				



Zariadenie smie
obsluhovať
len poverený
pracovník



Čisti - opravuj
- nastavuj






7



8









Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 14.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page