

Image not found or type unknown



Ref. No.:

1444-10311534

## Overview and Technical Data:

### Used MITUTOYO CRYSTA-Apex V9208 - 3-axle

MITUTOYO

# Mitutoyo

Year of Build:

Jan 2020

## Description:

### Buy used MITUTOYO CRYSTA-Apex V9208 - 3-axis coordinate measuring machine

Sell a used MITUTOYO CRYSTA-Apex V9208 coordinate measuring machine that is in excellent condition. With only around 500 hours of operation, this 3-axis coordinate measuring machine offers excellent precision and speed. Perfect for quality control in the aerospace industry, especially when checking tools for Airbus aircraft.

Operating/spindle hours : 500

#### Technical data of the MITUTOYO CRYSTA-Apex V9208 used:

- **Measuring range:** X: 900 mm, Y: 2000 mm, Z: 800 mm
- **Length measurement deviation:** from E0,MPE:  $(1.7+3L/1000)$   $\mu$ m
- **Dimensions (WxDxH):** 1670 x 3220 x3130mm
- **Travel speed:** 519 mm/s
- **3D acceleration:** 2,309 mm/s<sup>2</sup>
- **Workpiece weight:** 1,800 kg
- **Workpiece height:** 1,000 mm
- **Digit step value:** 0.1  $\mu$ m
- **Bearing:** air bearings on all axes

- **Area of application:** Quality control of tools for Airbus aircraft
- **Condition:** Very good, little used

The Mitutoyo CRYSTA-Apex V9208 CMM was used in the quality control of tools for Airbus aircraft.

The machine is in very good working condition, fairly new and has been used for a few hours every month to check the tools we supplied to the aircraft industry.

---

The latest generation of the CRYSTA-Apex coordinate measuring machines, the new CRYSTA-Apex V series, packed with the latest technology for carrying out precise measurements at high speed and acceleration. The newly developed "Absolute" scales are extremely resistant to production-related contamination. This new development in the CMM sector means that a one-time setting of the zero position is sufficient for all future measurements. Reference runs, for example when restarting, are no longer necessary, which saves valuable time.

The SMS functionality enables status and service monitoring, ready for use in the Smart Factory environment.

The investment in CRYSTA-Apex V is future-proof because measuring head systems and measuring software can be easily changed if required or the entire measuring system can be expanded.

- Lightweight materials and an innovative device structure ensure high movement stability, precision and cost-effectiveness
- Low length measurement deviation
- High speed and acceleration
- Integrated thermal error compensation (16°C to 26°C)
- including workpiece using 2 contact temperature sensors  
Newly developed ABS scales make reference runs unnecessary and are particularly resistant to environmental influences
- New controller with SMS functionality (Smart Measuring System)

## Core improvements of the V-series compared to the V9208

The new CRYSTA-Apex V-series represents a significant development compared to the V9208. The most important innovations are:

- **"Absolute" scales:** Eliminate the need for reference runs and increase measurement speed and reliability.
- **SMS functionality:** Enables intelligent monitoring and control of the system, which facilitates integration into smart factory environments.
- **Higher speed and acceleration:** Reduce measurement time and increase productivity.
- **Integrated thermal error compensation:** Ensures higher measurement accuracy over a wider temperature range.
- **Lightweight construction:** Improves motion stability and reduces operating costs.
- **Expandability:** Enables future adaptations to new measurement requirements.

## Technical details and advantages

The specified technical data underline the performance of the V series:

- **High measuring range:** Enables the measurement of large workpieces.

- High accuracy: The length measurement deviation is in the range of a few micrometers.
- Fast traversing speed: Reduces the measuring time considerably.
- High acceleration: Allows fast position changes.
- Robust design: Suitable for use in industrial environments.

## Areas of application and target groups

The CRYSTA-Apex V series is ideal for companies that require the highest precision and speed in coordinate measurement. Typical areas of application are

- Aerospace industry: measurement of complex components such as turbine blades or fuselage segments.
- Automotive industry: Quality control of precision parts such as engine blocks or transmission components.
- Toolmaking: checking the accuracy of precision tools.
- Research and development: carrying out measurements on prototypes and test parts.

## Technical Data:

### Technical Data:

Control:

[CNC](#)

Machine Hours:

500

### Dimensions and Weight:

Height:

3.130 mm

Length:

1.670 mm

Width:

3.220 mm

Weight:

3.942 kg

### Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

**Images:**



1



2

..... R .....

**Mitutoyo**

STATUS

4470

EMERGENCY

SPEED

LEFT

BACK

RIGHT

X-FUNC

Y-FUNC

Z-FUNC

X-LOCK

Y-LOCK

Z-LOCK

STOP

MEAS

FINE

START

CANCEL

T.S

R.I

GO TO

..... X .....

JSBOX-W2本体組立 (UR24 / 8M) (RoHS II -10対応)  
806AGK975  
第2生産  
Mitutoyo











Mitutoyo

RENISHAW®

PH10MQ

RENISHAW  
SP25M

RENISHAW  
SM25-2





Mitutoyo

RENISHAW®

PH10MQ

RENISHAW  
SP25M

RENISHAW  
SM25-2





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:  
1444-10311534

**Overview and Technical Data:**

**Used MITUTOYO CRYSTA-Apex V9208 - 3-axle**



Year of Build:  
Jan 2020

**Description:**

**Buy used MITUTOYO CRYSTA-Apex V9208 - 3-axis coordinate measuring machine**

Sell a used MITUTOYO CRYSTA-Apex V9208 coordinate measuring machine that is in excellent condition. With only around 500 hours of operation, this 3-axis coordinate measuring machine offers excellent precision and speed. Perfect for quality control in the aerospace industry, especially when checking tools for Airbus aircraft.

Operating/spindle hours : 500

**Technical data of the MITUTOYO CRYSTA-Apex V9208 used:**

- **Measuring range:** X: 900 mm, Y: 2000 mm, Z: 800 mm
- **Length measurement deviation:** from E0,MPE:  $(1.7+3L/1000)$   $\mu\text{m}$
- **Dimensions (WxDxH):** 1670 x 3220 x 3130mm
- **Travel speed:** 519 mm/s
- **3D acceleration:** 2,309 mm/s<sup>2</sup>
- **Workpiece weight:** 1,800 kg
- **Workpiece height:** 1,000 mm
- **Digit step value:** 0.1  $\mu\text{m}$
- **Bearing:** air bearings on all axes
- **Area of application:** Quality control of tools for Airbus aircraft
- **Condition:** Very good, little used

The Mitutoyo CRYSTA-Apex V9208 CMM was used in the quality control of tools for Airbus aircraft.

The machine is in very good working condition, fairly new and has been used for a few hours every month to check the tools we supplied to the aircraft industry.

---

The latest generation of the CRYSTA-Apex coordinate measuring machines, the new CRYSTA-Apex V series, packed with the latest technology for carrying out precise measurements at high speed and acceleration. The newly developed "Absolute" scales are extremely resistant to production-related contamination. This new development in the CMM sector means that a one-time setting of the zero position is sufficient for all future measurements. Reference runs, for example when restarting, are no longer



necessary, which saves valuable time.

The SMS functionality enables status and service monitoring, ready for use in the Smart Factory environment.

The investment in CRYSTA-Apex V is future-proof because measuring head systems and measuring software can be easily changed if required or the entire measuring system can be expanded.

- Lightweight materials and an innovative device structure ensure high movement stability, precision and cost-effectiveness
- Low length measurement deviation
- High speed and acceleration
- Integrated thermal error compensation (16°C to 26°C)
- including workpiece using 2 contact temperature sensors  
Newly developed ABS scales make reference runs unnecessary and are particularly resistant to environmental influences
- New controller with SMS functionality (Smart Measuring System)

## Core improvements of the V-series compared to the V9208

The new CRYSTA-Apex V-series represents a significant development compared to the V9208. The most important innovations are:

- **"Absolute" scales:** Eliminate the need for reference runs and increase measurement speed and reliability.
- **SMS functionality:** Enables intelligent monitoring and control of the system, which facilitates integration into smart factory environments.
- **Higher speed and acceleration:** Reduce measurement time and increase productivity.
- **Integrated thermal error compensation:** Ensures higher measurement accuracy over a wider temperature range.
- **Lightweight construction:** Improves motion stability and reduces operating costs.
- **Expandability:** Enables future adaptations to new measurement requirements.

## Technical details and advantages

The specified technical data underline the performance of the V series:

- High measuring range: Enables the measurement of large workpieces.
- High accuracy: The length measurement deviation is in the range of a few micrometers.
- Fast traversing speed: Reduces the measuring time considerably.
- High acceleration: Allows fast position changes.
- Robust design: Suitable for use in industrial environments.

## Areas of application and target groups

The CRYSTA-Apex V series is ideal for companies that require the highest precision and speed in coordinate measurement. Typical areas of application are

- Aerospace industry: measurement of complex components such as turbine blades or fuselage segments.
- Automotive industry: Quality control of precision parts such as engine blocks or transmission components.
- Toolmaking: checking the accuracy of precision tools.
- Research and development: carrying out measurements on prototypes and test parts.

## Technical Data:

## Technical Data:

Control:

[CNC](#)

Machine Hours:

500

## Dimensions and Weight:

Height:

3.130 mm

Length:

1.670 mm

Width:

3.220 mm

Weight:

3.942 kg

## Buyer Information:

Condition:

[Very good condition](#)

Available:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## Images:



1



2

..... R .....

**Mitutoyo**

STATUS

4470

EMERGENCY

SPEED

LEFT

BACK

RIGHT

X-FUNC

Y-FUNC

Z-FUNC

X-LOCK

Y-LOCK

Z-LOCK

STOP

MEAS

FINE

START

CANCEL

T.S

R.I

GO TO

..... X .....

JSBOX-W2本体組立 (UR24 / 8M) (RoHS II -10対応)  
806AGK975  
第2生産  
Mitutoyo













Mitutoyo

RENISHAW®

PH10MQ

RENISHAW  
SP25M

RENISHAW  
SM25-2





Mitutoyo

RENISHAW®

PH10MQ

RENISHAW  
SP25M

RENISHAW  
SM25-2





Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 05.01.2026

© Copyright 2026 - [Asset-Trade](#)

Page