

Image not found or type unknown



Ref. No.:  
1452-12211624

## Overview and Technical Data:

# Used DMG DECKEL MAHO DMU 50T universal milling machine

## DMG DECKEL



# DMG

Year of Build:  
Jan 1998

## Description:

## Used Deckel Maho DMU 50 T universal milling machine - High precision and flexibility

Are you looking for a reliable used Deckel Maho DMU 50 T for your machining requirements? These used precision machining centers offer exceptional performance and flexibility. With the Heidenhein TNC 426 CNC control, the DMU 50 T is a first-class choice for demanding machining tasks.

CNC control: Modern Heidenhein TNC 426

## Technical data:

- Travel: X - 500 mm / Y - 400 mm / Z - 400 mm
- Rapid traverse 12 m/min
- Speed range: 20 - 9,000 rpm, infinitely variable
- Swivel rotary table:
  - Table diameter 700 x 500 mm

- swiveling:
    - B axis : 105° (-10°/+95) °
    - C axis: 360 ° rotatable
  - max. table load 200 kg
  - Number of T-slots 7
  - T-slots - distance 63 mm
  - T-slots - width 14H7 mm
  - Centering bore 30H6 mm
  - Tool changer
    - Tool holder: 16x
    - Tool holder SK 40
    - max. tool length: 290 mm
    - max. tool weight: 6.0 kg
    - max. total weight: 80 kg
- 

## Why buy DMG DMU 50 T?

1. Used universal machining centers Germany offer you a cost-effective solution without compromising on quality.
2. This used Deckel Maho DMU 50 T is ideal for companies looking for precision and flexibility in machining.
3. Benefit from the versatility of the used precision machining centers, which are characterized by high performance and robustness.
4. As part of the DMU 50 T industrial machine trade, we offer you a machine that is suitable for a wide range of applications.

This Deckel Maho DMU 50 T universal milling machine is the perfect choice to expand your production line with a used precision machining center. See the quality and benefits of this machine for yourself.

Contact us today to find out more about buying the DMU 50 T or to arrange a viewing.

## Technical Data:

### Technical Data:

Control:

[TNC 426](#)

Machine Hours:

60.500 hrs.

Spindle Hours:

30.692 hrs.

Spindle Speed:

9.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

16 x

## Travels:

X-Axis:

500 mm  
Y-Axis:  
400mm  
Z-Axis:  
400 mm

### **Dimensions and Weight:**

Height:  
2.500 mm  
Width:  
4.000 mm  
Length:  
4.000 mm  
Weight:  
3.200 kg

### **Buyer Information:**

Condition:  
[Repairs required](#)  
Availability:  
[Sold](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Buyers Premium:  
[18 %](#)  
Location:  
Germany

### **Images:**



**DMÜ 50 T**

**DECKEL MAHO**





DMU 50 T

DECKEL MAHO





**DMU 50 T**

**DECKEL MAHO**



HEIDENHAIN

Manueller Betrieb

PGM-Name

IST	X	+50.530
	Y	-35.007
	Z	+256.821
	D	+0.000
	B	+0.000

S 263.0

Z S 2000 F 2000

X	Y	Z	4	5	S	POWER
0	0	0	0	0	0	[?]

M S F ANTRAB-FUNKTION BEZUGS-PUNKT SETZEN SCHRITT-MASS 0.001/EIN WERKZEUG TABELLE

QWERTY keyboard and numeric keypad (X 7 8 9, Y 4 5 6, Z 1 2 3, IV O . /%, V + Q, CE DEL P I, END ENT)

Control buttons: PGM MIT, CALC, MOD, HELP, APPEL, FK, CHG, TOUCH PROBE, CYS DEF, CYL CALL, LBL SET, LBL CALL, STOP, TOOL DEF, TOOL CALL, PGM CALL, GOTO, ENT, END

Emergency stop (red button), power (V), ground (Z), IV+, IV-, FCT, and other function buttons



NHAIN

Manueller Betrieb

Prog  
Eins

Steuerung ein	=	60550:31:40
Maschine ein	=	88584:04:04
Programmlauf	=	30692:04:41

ENDE





DECKEL MAH

AVVERTENZE  
Per informazioni sui rischi e sui pericoli  
relativi a questo prodotto, leggere attentamente  
il manuale di istruzioni e il manuale di  
sicurezza. Il presente documento è  
fornito separatamente con il prodotto.  
Per il resto, leggere attentamente il manuale  
di istruzioni e il manuale di sicurezza.

















**DECK**

Fabrik Nr.  
serial number  
N° de fabrication  
numero di serie  
N° de serie  
ЗАВОДСКОЙ НОМЕР

DECKEL MAHO GmbH  
D-87459 Pfronten



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1452-12211624

**Overview and Technical Data:**

# Used DMG DECKEL MAHO DMU 50T universal milling machine

## DMG DECKEL

The image shows the logo for DMG, consisting of the letters 'DMG' in a bold, white, sans-serif font. The letters are set against a dark teal background that has rounded corners on the left side.

Year of Build:  
Jan 1998

### Description:

## Used Deckel Maho DMU 50 T universal milling machine - High precision and flexibility

Are you looking for a reliable used Deckel Maho DMU 50 T for your machining requirements? These used precision machining centers offer exceptional performance and flexibility. With the Heidenhein TNC 426 CNC control, the DMU 50 T is a first-class choice for demanding machining tasks.

CNC control: Modern Heidenhein TNC 426

### Technical data:

- Travel: X - 500 mm / Y - 400 mm / Z - 400 mm
- Rapid traverse 12 m/min
- Speed range: 20 - 9,000 rpm, infinitely variable
- Swivel rotary table:
  - Table diameter 700 x 500 mm
  - swiveling:
    - B axis : 105° (-10°/+95) °
    - C axis: 360 ° rotatable
  - max. table load 200 kg
  - Number of T-slots 7
  - T-slots - distance 63 mm
  - T-slots - width 14H7 mm
  - Centering bore 30H6 mm
- Tool changer

- Tool holder: 16x
  - Tool holder SK 40
  - max. tool length: 290 mm
  - max. tool weight: 6.0 kg
  - max. total weight: 80 kg
- 

## Why buy DMG DMU 50 T?

1. Used universal machining centers Germany offer you a cost-effective solution without compromising on quality.
2. This used Deckel Maho DMU 50 T is ideal for companies looking for precision and flexibility in machining.
3. Benefit from the versatility of the used precision machining centers, which are characterized by high performance and robustness.
4. As part of the DMU 50 T industrial machine trade, we offer you a machine that is suitable for a wide range of applications.

This Deckel Maho DMU 50 T universal milling machine is the perfect choice to expand your production line with a used precision machining center. See the quality and benefits of this machine for yourself.

Contact us today to find out more about buying the DMU 50 T or to arrange a viewing.

## Technical Data:

### Technical Data:

Control:

[TNC 426](#)

Machine Hours:

60.500 hrs.

Spindle Hours:

30.692 hrs.

Spindle Speed:

9.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

16 x

### Travels:

X-Axis:

500 mm

Y-Axis:

400mm

Z-Axis:

400 mm

### Dimensions and Weight:

Height:

2.500 mm

Width:

4.000 mm

Length:

4.000 mm

Weight:

3.200 kg

## **Buyer Information:**

Condition:

[Repairs required](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## **Images:**



**DMÜ 50 T**

**DECKEL MAHO**





DMU 50 T

DECKEL MAHO





**DMU 50 T**

**DECKEL MAHO**



HEIDENHAIN

Manueller Betrieb

IST	X	+50.530
	Y	-35.007
	Z	+256.821
	D	+0.000
	B	+0.000

PGM-Name

PGM CALL

CYC DEF

CC

V.26.21

00:00:34

S 263.0

Z S 2000 F 2000

X	Y	Z	4	5	S	POWER
0	0	0	0	0	0	[?]

M S F ANTRAB-FUNKTION BEZUGS-PUNKT SETZEN SCHRITT MASS 0.01/0.05/0.1/0.2/0.5/1/2/5/10/20/50/100/200/500/1000/2000/5000/10000 LERKZEUG TABELLE

Navigation buttons: left arrow, right arrow, home, power, and other function keys.

QWERTY keyboard and numeric keypad.

Control panel with various function buttons: PGM MIT, CALC, MOD, HELP, APPE DEF, FK, CHG, etc.

Emergency stop button (red), power button, and additional function keys like IV+, IV-, and FCT.



NHAIN

Manueller Betrieb

Progr  
Einsp

Steuerung ein	=	60550:31:40
Maschine ein	=	88584:04:04
Programmlauf	=	30692:04:41

ENDE





DECKEL MAH

AVVERTENZE  
Per l'uso di questo strumento  
è necessario leggere attentamente  
il manuale di istruzioni  
e le avvertenze di sicurezza  
presenti nel manuale di istruzioni  
per il prodotto.

















**DECK**

Fabrik Nr.  
serial number  
N° de fabrication  
numero di serie  
N° de serie  
ЗАВОДСКОЙ НОМЕР

DECKEL MAHO GmbH  
D-87459 Pfronten



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 03.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page