



Ref. No.:

1452-12211624

## Overview and Technical Data:

# Used DMG DECKEL MAHO DMU 50T universal milling machine

**DMG DECKEL**



Year of Build:

Jan 1998

## Description:

# Used Deckel Maho DMU 50 T universal milling machine - High precision and flexibility

**Are you looking for a reliable used Deckel Maho DMU 50 T for your machining requirements? These used precision machining centers offer exceptional performance and flexibility. With the Heidenhein TNC 426 CNC control, the DMU 50 T is a first-class choice for demanding machining tasks.**

CNC control: Modern Heidenhein TNC 426

Technical data:

- Travel: X - 500 mm / Y - 400 mm / Z - 400 mm
- Rapid traverse 12 m/min
- Speed range: 20 - 9,000 rpm, infinitely variable
- Swivel rotary table:
  - Table diameter 700 x 500 mm

- swiveling:
    - B axis : 105° (-10°/+95) °
    - C axis: 360 ° rotatable
  - max. table load 200 kg
  - Number of T-slots 7
  - T-slots - distance 63 mm
  - T-slots - width 14H7 mm
  - Centering bore 30H6 mm
  - Tool changer
    - Tool holder: 16x
    - Tool holder SK 40
    - max. tool length: 290 mm
    - max. tool weight: 6.0 kg
    - max. total weight: 80 kg
- 

## Why buy DMG DMU 50 T?

1. Used universal machining centers Germany offer you a cost-effective solution without compromising on quality.
2. This used Deckel Maho DMU 50 T is ideal for companies looking for precision and flexibility in machining.
3. Benefit from the versatility of the used precision machining centers, which are characterized by high performance and robustness.
4. As part of the DMU 50 T industrial machine trade, we offer you a machine that is suitable for a wide range of applications.

This Deckel Maho DMU 50 T universal milling machine is the perfect choice to expand your production line with a used precision machining center. See the quality and benefits of this machine for yourself.

Contact us today to find out more about buying the DMU 50 T or to arrange a viewing.

## Technical Data:

### Technical Data:

Control:

[TNC 426](#)

Machine Hours:

60.500 hrs.

Spindle Hours:

30.692 hrs.

Spindle Speed:

9.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

16 x

## Travels:

X-Axis:

500 mm  
Y-Axis:  
400mm  
Z-Axis:  
400 mm

## **Dimensions and Weight:**

Height:  
2.500 mm  
Width:  
4.000 mm  
Length:  
4.000 mm  
Weight:  
3.200 kg

## **Buyer Information:**

Condition:  
[Repairs required](#)  
Availability:  
[Sold](#)  
Sold as:  
[EXW \(Ex Works - Incoterm\)](#)  
VAT:  
[19 %](#)  
Buyers Premium:  
[18 %](#)  
Location:  
Germany

## **Images:**









**DMU 50 T**

**DECKEL MAHO**





HEIDENHAIN

Manueller Betrieb

PGM-Name

IST X +50.530  
Y -35.007  
Z +256.821  
D +0.000  
B +0.000

PGM-Name

PGM

CYC

CE

V.26.21

00:00:34

S 263.0

10 2 S 2000 F 2000

X Y Z 4 5 S  
0 0 0 0 0 0

POWER  
C21

M S F ANTRIT- BEZUGS- SCHRIIT- WERKZEUG  
FUNKTION PUNKT MASS RISS- EIN TABELLE

Navigation buttons: left arrow, right arrow, up arrow, down arrow, and a central button.

Alphanumeric keypad with letters A-Z, numbers 0-9, and special characters.

Rotary knob with scale from 0 to 100.

Buttons: PGM MIT, CALC, MOD, HELP.

Buttons: APPR DEF, FK, CHG DEF, CHG DEF, CHG DEF, CHG DEF.

Buttons: CE, DEL, P, I, END, ENT, END.

Rotary knob with scale from 0 to 100.

Buttons: TOUCH PROBE, CYC DEF, CYC DEF, LBL SET, LBL CALL, STOP, TOOL DEF, TOOL DEF, PGM CALL.

Buttons: GOTO, and directional arrows.

Red emergency stop button.

Black emergency stop button.

Buttons: IV+, IV-, and directional arrows.

Buttons: and directional arrows.

Buttons: FCT, and directional arrows.

Buttons: and directional arrows.



NHAIN

Manueller Betrieb

Progr  
Einsp

Steuerung ein	=	60550:31:40
Maschine ein	=	88584:04:04
Programmlauf	=	30692:04:41

ENDE





DECKEL MAHO

**AVVERTENZE**  
Per l'uso sicuro di questo strumento  
è necessario leggere attentamente  
le avvertenze riportate in questo  
libretto. È vietato l'uso dello  
strumento per scopi non previsti  
dal costruttore.  
Il costruttore non si assume  
responsabilità per danni o  
lesioni causate dall'uso improprio  
di questo strumento.

**AUTOMATIC**















**DECK**

Fabrik Nr.  
serial number  
N° de fabrication  
numero di serie  
N° de serie  
ЗАВОДСКОЙ НОМЕР

DECKEL MAHO GmbH  
D-87459 Pfronten



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

1452-12211624

**Overview and Technical Data:**

# Used DMG DECKEL MAHO DMU 50T universal milling machine

## DMG DECKEL



Year of Build:  
Jan 1998

### Description:

## Used Deckel Maho DMU 50 T universal milling machine - High precision and flexibility

Are you looking for a reliable used Deckel Maho DMU 50 T for your machining requirements? These used precision machining centers offer exceptional performance and flexibility. With the Heidenhein TNC 426 CNC control, the DMU 50 T is a first-class choice for demanding machining tasks.

CNC control: Modern Heidenhein TNC 426

### Technical data:

- Travel: X - 500 mm / Y - 400 mm / Z - 400 mm
- Rapid traverse 12 m/min
- Speed range: 20 - 9,000 rpm, infinitely variable
- Swivel rotary table:
  - Table diameter 700 x 500 mm
  - swiveling:
    - B axis : 105° (-10°/+95) °
    - C axis: 360 ° rotatable
  - max. table load 200 kg
  - Number of T-slots 7
  - T-slots - distance 63 mm
  - T-slots - width 14H7 mm
  - Centering bore 30H6 mm
- Tool changer

- Tool holder: 16x
  - Tool holder SK 40
  - max. tool length: 290 mm
  - max. tool weight: 6.0 kg
  - max. total weight: 80 kg
- 

## Why buy DMG DMU 50 T?

1. Used universal machining centers Germany offer you a cost-effective solution without compromising on quality.
2. This used Deckel Maho DMU 50 T is ideal for companies looking for precision and flexibility in machining.
3. Benefit from the versatility of the used precision machining centers, which are characterized by high performance and robustness.
4. As part of the DMU 50 T industrial machine trade, we offer you a machine that is suitable for a wide range of applications.

This Deckel Maho DMU 50 T universal milling machine is the perfect choice to expand your production line with a used precision machining center. See the quality and benefits of this machine for yourself.

Contact us today to find out more about buying the DMU 50 T or to arrange a viewing.

## Technical Data:

### Technical Data:

Control:

[TNC 426](#)

Machine Hours:

60.500 hrs.

Spindle Hours:

30.692 hrs.

Spindle Speed:

9.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

16 x

### Travels:

X-Axis:

500 mm

Y-Axis:

400mm

Z-Axis:

400 mm

## Dimensions and Weight:

Height:

2.500 mm

Width:

4.000 mm

Length:

4.000 mm

Weight:

3.200 kg

## **Buyer Information:**

Condition:

[Repairs required](#)

Availability:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

## **Images:**









**DMU 50 T**

**DECKEL MAHO**





HEIDENHAIN

Manueller Betrieb

PGM-Name

IST X +50.530  
Y -35.007  
Z +256.821  
D +0.000  
B +0.000

PGM-Name

PGM

CYC

CE

V.26.21

00:00:34

S 263.0

10 2 S 2000 F 2000

X Y Z 4 5 S  
0 0 0 0 0 0

POWER  
C21

M S F ANTRIT- BEZUGS- SCHRIIT- WERKZEUG  
FUNKTION PUNKT MASS RISS- EIN TABELLE

Navigation buttons: left arrow, right arrow, up arrow, down arrow, and a central button.

Alphanumeric keypad with letters A-Z, numbers 0-9, and special characters.

Rotary knob with scale from 0 to 100.

Buttons: PGM MIT, CALC, MOD, HELP.

Buttons: APPR DEF, FK, CHG DEF, CHG DEF, CHG DEF, CHG DEF.

Buttons: CE, DEL, P, I, END, ENT, END.

Rotary knob with scale from 0 to 100.

Buttons: TOUCH PROBE, CYC DEF, CYC DEF, LBL SET, LBL CALL, STOP, TOOL DEF, TOOL DEF, PGM CALL.

Buttons: GOTO, and directional arrows.

Red emergency stop button.

Black emergency stop button.

Buttons: IV+, IV-, and directional arrows.

Buttons: and directional arrows.

Buttons: FCT, and directional arrows.

Buttons: and directional arrows.



NHAIN

Manueller Betrieb

Progr  
Einsp

Steuerung ein	=	60550:31:40
Maschine ein	=	88584:04:04
Programmlauf	=	30692:04:41

ENDE




















**DECK**

Fabrik Nr.  
serial number  
N° de fabrication  
numero di serie  
N° de serie  
ЗАВОДСКОЙ НОМЕР

DECKEL MAHO GmbH  
D-87459 Pfronten



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 24.02.2026

© Copyright 2026 - [Asset-Trade](#)

Page