

Image not found or type unknown



Ref. No.:
1504-0124904

Overview and Technical Data:

Buy used DMG DMC 635 V Ecoline 3-axis machining center

[DMG GILDEMEISTER](#)



DMG

Year of Build:
Jan 2012

Description:

Buy used DMG DMC 635 V Ecoline 3-axis machining center

3D CNC control: Heidenhain iTNC 620

Technical data:

- Travel:
 - X-travel: 635 mm
 - Y-travel: 510 mm
 - Z-travel: 460 mm
 - Feed rates X/Y/Z: 30 m/min
 - Displacement measuring system input resolution: 1 μm
 - Positioning uncertainty: < 20 μm
- Table:
 - Tables: 790 x 560 mm
 - T-slot spacing: 100 mm

- Number of chip slots: 4 x H12
 - Alignment slot: 1 x 14 H7
 - Load: max. 600 kg
 - Spindle
 - Max. spindle speeds: 12,000 rpm
 - Tool changer: 20x
 - Spindle taper: SK 40
 - Spindle motor power: 13 kW
 - Dimensions:
 - Length x width x height: 3400 × 2400 × 2800
 - Weight 3900 kg
 - Additional equipment
 - Internal cooling system - 12 bar
 - Heidenhain measuring probe
 - Chip conveyor
-

Technical Data:

Technical Data:

Control:

[TNC 620](#)

Machine Hours:

19.490 hrs.

Spindle Hours:

9.410 hrs.

Spindle Speed:

120.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

20 x

Travels:

X-Axis:

635 mm

Y-Axis:

510mm

Z-Axis:

460 mm

Dimensions and Weight:

Height:

2.800 mm

Width:

2.400 mm

Length:

3.400 mm

Weight:

3.900 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



DMC


ECO LINE

DMG MORI SEKI

FAMOT

A MEMBER OF THE
GILDEMEISTER-GROUP



 **HEIDENHAIN**
TNC620

DMC 635Veco
DMC 1035Veco



ESC F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 F11 F12 INS DEL HOME END PGUP PGDN

1 2 3 4 5 6 7 8 9 0 = + - *

Q W E R T Y U I O P [] \ /

A S D F G H J K L ; ' < >

Z X C V B N M , . / 0

CTRL ALT ALT CTRL

X 7 8 9

Y 4 5 6

Z 1 2 3

IV 0 . -/+

V [+ Q

CE DEL P I

PGM MGT ERR

CALC MOD HELP

APPR DEF FK CHF L

CR RND CT CC C

NO ENT ENT END

HOME ↑ PG UP

← GOTO →



m_{max} > 5 kg G2.5

P_{max} 10000W

P_{max} 8000W

Diagram 1: A schematic diagram of a machine tool with dimensions: 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm.

Diagram 2: A schematic diagram of a machine tool with dimensions: 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm, 1000 mm.









365558 02

Handwritten note on a white paper strip, partially visible at the bottom left of the case.

ENERGIZER
Barcode and other printed information on a label at the bottom right of the case.





737 624-01 V1
ID 61 382 040
SN
FCC ID: YJ-TS-X61 TX8
204 - 36008
11148A - TSX61 TX8
CCAK14LP0260TB
CMIT ID: 2014DJJ0592
MSIP-CRM-DJ-TS480
ANATEL: 0722-16-5341

055611-0

ID 737 629-01
SN 61 382 040

V1

FCC ID: YJKTSX6TTX6

 204 - 360008

IC: 11148A - TSX6TTX6

CCAK14LP0260T8

CMIIT ID: 2014DJ0592

MSIP-CRM-DRJ-TS460

ANAT L: 0722-16-5341





365566-02

365566

Kontaktstift
f. d. ...

Energizer
Ge...
Barcode



1949097 h



0941086 h

BAUSER



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
1504-0124904

Overview and Technical Data:

Buy used DMG DMC 635 V Ecoline 3-axis machining center

DMG GILDEMEISTER



Year of Build:
Jan 2012

Description:

Buy used DMG DMC 635 V Ecoline 3-axis machining center

3D CNC control: Heidenhain iTNC 620

Technical data:

- Travel:
 - X-travel: 635 mm
 - Y-travel: 510 mm
 - Z-travel: 460 mm
 - Feed rates X/Y/Z: 30 m/min
 - Displacement measuring system input resolution: 1 μm
 - Positioning uncertainty: < 20 μm
- Table:
 - Tables: 790 x 560 mm
 - T-slot spacing: 100 mm
 - Number of chip slots: 4 x H12
 - Alignment slot: 1 x 14 H7
 - Load: max. 600 kg
- Spindle
 - Max. spindle speeds: 12,000 rpm
 - Tool changer: 20x
 - Spindle taper: SK 40
 - Spindle motor power: 13 kW
- Dimensions:

- Length x width x height: 3400 × 2400 × 2800
 - Weight 3900 kg
 - Additional equipment
 - Internal cooling system - 12 bar
 - Heidenhain measuring probe
 - Chip conveyor
-

Technical Data:

Technical Data:

Control:

[TNC 620](#)

Machine Hours:

19.490 hrs.

Spindle Hours:

9.410 hrs.

Spindle Speed:

120.000 rpm

Tool Holder:

[SK40](#)

Tool Capacity:

20 x

Travels:

X-Axis:

635 mm

Y-Axis:

510mm

Z-Axis:

460 mm

Dimensions and Weight:

Height:

2.800 mm

Width:

2.400 mm

Length:

3.400 mm

Weight:

3.900 kg

Buyer Information:

Condition:

[Very good condition](#)

Availability:

[Immediately](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[18 %](#)

Location:

Germany

Images:



DMC

ECO LINE

DMG MORI SEKI

FAMOT

A MEMBER OF THE
GILDEMEISTER GROUP



 HEIDENHAIN
TNC620

DMC 635Veco
DMC 1035Veco



ESC F1 F2 F3 F4 F5 F6 F7 F8 F9 F10 F11 F12

Q W E R T Y U I O P [] \ /

A S D F G H J K L ; ' , . /

Z X C V B N M < > _ =

CTRL ALT [] ALT CTRL

X 7 8 9

Y 4 5 6

Z 1 2 3

IV 0 . +/-

V [] + - Q

CE DEL P I

PGM MGT ERR

APPR DEF FK CHF L

CALC MOD HELP

CR RND CT CC C

NO ENT ENT END

HOME ↑ PG UP

GOTO










365558-02



Handwritten text on a white label, possibly identifying the part or its location.





737 624-01 V1
ID 61 382 040
SN
FCC ID: YJ-TS-X61 TX8
204 - 36008
11148A - TSX61 TX8
CCAK14LP0260TB
CMIIT ID:2014DJJ0592
MSIP-CRM-DJ-TS480
ANATEL: 0722-16-5341

055611-0

ID 737 629-01
SN 61 382 040

V1

FCC ID: YJKTSX6TTX6

 204 - 360008

IC: 11148A - TSX6TTX6

CCAK14LP0260T8

CMIIT ID: 2014DJ0592

MSIP-CRM-DRJ-TS460

ANAT L: 0722-16-5341





365566-02

365566

Kontaktstift
f. d. ...

Energizer
Ge
Ge



1949097 h



0941086 h

BAUSER



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 20.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page