

Image not found or type unknown



Ref. No.:

1525-06240220

## **Overview and Technical Data:**

# **2019 - Modern Thermal Oxidizers by DÜRR / LTB & ECOPURE**

**[DÜRR](#)**



Year of Build:  
Jan 2019

**Description:**

## Modern Thermal Oxidizers by Dürr / LTB (Year of Manufacture 2019)

For sale are two modern thermal oxidizers from 2019 for the highly efficient purification of solvent-laden process exhaust air (VOCs). These systems from the global market leader Dürr and its subsidiary LTB are designed to comply with the strictest environmental regulations and offer a reliable solution for air pollution control in various industrial applications such as paint shops, printing plants, or the chemical industry.

*Used thermal oxidizers (RTO/TNV) by Dürr / LTB, YOM 2019. Air pollution control for VOCs and solvents. Models RTK10 and ECOPURE TAR 1118 available.*

---

### 1. Regenerative Thermal Oxidizer (RTO) Dürr / LTB, Type RTK10

This compact regenerative thermal oxidizer (RTO) is ideal for the energy-efficient treatment of process exhaust air with lower solvent loads. By using a regenerative principle with ceramic heat exchangers, the system achieves very high thermal efficiency and minimizes the need for auxiliary fuel.

- **Highlights:**
    - **Like-new Condition:** Year of manufacture 2019
    - **High Energy Efficiency:** Regenerative process for heat recovery.
    - **Compact Design:** Ideal for volumetric flows up to 12,000 m<sup>3</sup>/h.
    - **Leading Manufacturer:** Quality by LTB (Dürr Group).
  - **Technical Data:**
    - **Manufacturer:** Dürr (produced by LTB Lufttechnik Bayreuth)
    - **Type:** RTK10
    - **Year of Manufacture:** 2019
    - **S/N:** 479
    - **Process Gas Volume (Inlet):** 12,000 m<sup>3</sup>/h
    - **Solvent Throughput:** max. 24 kg/h
    - **Max. Inlet Temperature:** 30°C
    - **Max. Temperature Reaction Zone:** 950°C
    - **Fuel:** Natural Gas
- 

### 2. Thermal Afterburner System Dürr, Type ECOPURE TAR 1118

This thermal afterburner system is designed for larger volumetric flows and reliably destroys pollutants at high temperatures. With a combustion power of up to 3,600 kW, it is engineered for demanding industrial processes with higher pollutant loads.

- **Highlights:**
  - **Like-new Condition:** Year of manufacture 2019
  - **High Capacity:** For volumetric flows up to 18,000 Nm<sup>3</sup>/h.
  - **Powerful:** High combustion power for safe pollutant destruction.
  - **Brand Quality:** Proven ECOPURE TAR technology from Dürr.
- **Technical Data:**
  - **Manufacturer:** Dürr
  - **Type:** ECOPURE TAR 1118
  - **Year of Manufacture:** 2019
  - **S/N:** LTP0115
  - **Volumetric Flow (Vn):** max. 18,000 Nm<sup>3</sup>/h

- **Combustion Power:** max. 3,600 kW
- **Combustion Chamber Temp.:** max. 770°C
- **Pressure Loss:** max. 3,600 Pa

**Important Note on Removal:** Please be aware that due to its size and installation site, this system (Dürr ECOPURE TAR 1118) **can only be removed by creating an opening in the building's roof.** The costs for dismantling and removal must be planned accordingly.

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Like New](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:


[18 %](#)

Location:

Germany

## **Images:**

































Eiler Systems AG  
Clean Technology Systems  
D - 74321 Sulzbach-Laufen +49 7142 78

Typ:  
Name: **Ecopure® TARCOM**

Auftr.-Nr.:  
order no.: **DE04-3921850-E1TTT1**

Gasart:  
type of gas: **NG**

Heizwert (H):  
net calorific value (H / LHV): **10**

Gas-Nennwärmeleistung (N):  
Gas burner capacity (N / LHV): **3600**

Gasdruck:  
gas pressure: **100-1**

Druck Frischluft:  
compressed air pressure: **4000**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:  
1525-06240220

**Overview and Technical Data:**

**2019 - Modern Thermal Oxidizers by DÜRR / LTB & ECOPURE**



## Description:

### Modern Thermal Oxidizers by Dürr / LTB (Year of Manufacture 2019)

For sale are two modern thermal oxidizers from 2019 for the highly efficient purification of solvent-laden process exhaust air (VOCs). These systems from the global market leader Dürr and its subsidiary LTB are designed to comply with the strictest environmental regulations and offer a reliable solution for air pollution control in various industrial applications such as paint shops, printing plants, or the chemical industry.

*Used thermal oxidizers (RTO/TNV) by Dürr / LTB, YOM 2019. Air pollution control for VOCs and solvents. Models RTK10 and ECOPURE TAR 1118 available.*

---

#### 1. Regenerative Thermal Oxidizer (RTO) Dürr / LTB, Type RTK10

This compact regenerative thermal oxidizer (RTO) is ideal for the energy-efficient treatment of process exhaust air with lower solvent loads. By using a regenerative principle with ceramic heat exchangers, the system achieves very high thermal efficiency and minimizes the need for auxiliary fuel.

- **Highlights:**
    - **Like-new Condition:** Year of manufacture 2019
    - **High Energy Efficiency:** Regenerative process for heat recovery.
    - **Compact Design:** Ideal for volumetric flows up to 12,000 m<sup>3</sup>/h.
    - **Leading Manufacturer:** Quality by LTB (Dürr Group).
  - **Technical Data:**
    - **Manufacturer:** Dürr (produced by LTB Lufttechnik Bayreuth)
    - **Type:** RTK10
    - **Year of Manufacture:** 2019
    - **S/N:** 479
    - **Process Gas Volume (Inlet):** 12,000 m<sup>3</sup>/h
    - **Solvent Throughput:** max. 24 kg/h
    - **Max. Inlet Temperature:** 30°C
    - **Max. Temperature Reaction Zone:** 950°C
    - **Fuel:** Natural Gas
- 

#### 2. Thermal Afterburner System Dürr, Type ECOPURE TAR 1118

This thermal afterburner system is designed for larger volumetric flows and reliably destroys pollutants at high temperatures. With a combustion power of up to 3,600 kW, it is engineered for demanding industrial processes with higher pollutant loads.

- **Highlights:**
  - **Like-new Condition:** Year of manufacture 2019
  - **High Capacity:** For volumetric flows up to 18,000 Nm<sup>3</sup>/h.
  - **Powerful:** High combustion power for safe pollutant destruction.
  - **Brand Quality:** Proven ECOPURE TAR technology from Dürr.
- **Technical Data:**
  - **Manufacturer:** Dürr
  - **Type:** ECOPURE TAR 1118

- **Year of Manufacture:** 2019
- **S/N:** LTP0115
- **Volumetric Flow (Vn):** max. 18,000 Nm<sup>3</sup>/h
- **Combustion Power:** max. 3,600 kW
- **Combustion Chamber Temp.:** max. 770°C
- **Pressure Loss:** max. 3,600 Pa

**Important Note on Removal:** Please be aware that due to its size and installation site, this system (Dürr ECOPURE TAR 1118) **can only be removed by creating an opening in the building's roof.** The costs for dismantling and removal must be planned accordingly.

## **Technical Data:**

## **Technical Data:**

Control:

[CNC](#)

## **Buyer Information:**

Condition:

[Like New](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:


[18 %](#)

Location:

Germany

## **Images:**

































Eiler Systems AG  
Clean Technology Systems  
D - 74321 Sulzfeld-Sonnenberg +49 7142 78

Typ:  
type: **Ecopure® TARCOM**

Auftr.-Nr.:  
order no.: **DE04-3921850-E1TTT1**

Gasart:  
type of gas: **NG**

Heizwert (H):  
net calorific value (H / LHV): **10**

Gas-Nennwärmeleistung (N):  
Gas burner capacity (H / LHV): **3600**

Gasdruck:  
gas pressure: **100-1**

Druck Frischluft:  
compressed air pressure: **4000**



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 15.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page