

Image not found or type unknown



Ref. No.:

143-10311100

## Overview and Technical Data:

# WAGNER - Z3050x16(I) PRC 50 - Radial Drilling Machine

WAGNER

**W**MASCHINEN  
**WAGNER**

Year of Build:

Jan 1991

## Description:

### Used WAGNER Z3050 x 16 (I) - Radial Drill - PRC 50

- Arm. 1600 mm
- Max shift. 1.300 mm
- Drilling cap. Ø 50 mm
- Tap M 60 x 4 mm
- Spindle. 5 mk
- Spindle Ø + stroke. 70 + 300
- Speed. 12 x 25 min to 2000 rpm.
- Nutrition. 0.025 to 1.38 omdr. / Min
- Distance spindle feet. 400 mm
- Dimensions. 2.4 x 1.0 x 2.7 Mtr

## Technical Data:

## Technical Data:

Control:

Conventional

## Dimensions and Weight:

Weight:

2.800 kg

## **Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

## **Images:**



1








# 23050x16(I)

mm	W x mm / $\phi$	
	钢	铸铁
STEEL CAST IRON		
4	0.06	0.10
5		
6		
8	0.10	0.13
10		
12		
18		
20	0.13	0.20
25		
32	0.25	0.32
40	0.32	0.40
50		
60	0.40	0.50
m/min	18—25	16—24









No.	LUBRICATION POINTS	LUBRICANT	LUBRICATION PERIODS	REMARKS
1	BARREL ASSEMBLY MECHANISM	ISO VG22 OR ISO VG32	RENEW THE OIL EVERY 3 MONTHS	TAKE DOWN THE SCREW PLUG FOR OIL FILLING
2	LOWER OIL TROUGH IN SPINDLE HEAD	DITTO	DITTO	OPEN THE NAME PLATE ON SPINDLE HEAD FOR OIL FILLING
3	SPINDLE SPLINE	DITTO	ONCE A WEEK	DON'T POUR TOO MUCH OIL
4	UPPER OIL TROUGH IN SPINDLE HEAD	DITTO	RENEW THE OIL EVERY 3 MONTHS	OPEN THE TOP COVER OF SPINDLE HEAD FOR OIL FILLING
5	BACKLASH GEAR BOX	DITTO	ONCE A WEEK	DON'T POUR TOO MUCH OIL
6	SPINDLE AND TAPER ATTACHMENT ON SPINDLE	CALCIUM BASE GREASE No. 2	ONCE A MONTH	OPEN THE NAME PLATE ON SPINDLE HEAD FOR OIL FILLING
7	SPINDLE NUT	ISO-NS68	KEEP THEM TO HAVE OIL AT ALL TIMES	
8	SPINDLE NUT	ISO VG22 OR ISO VG32	RENEW THE OIL EVERY 3 MONTHS	REMOVE THE COVER OF ELECTRIC CABINET TO POUR OIL
9	SPINDLE NUT	ISO-NS68	ONCE A WEEK	DON'T POUR TOO MUCH OIL
10	SPINDLE NUT	ISO VG22 OR ISO VG32	KEEP THEM TO HAVE OIL AT ALL TIMES	



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Ref. No.:

143-10311100

**Overview and Technical Data:**

**WAGNER - Z3050x16(I) PRC 50 - Radial Drilling Machine**

**WAGNER**

**WAGNER MASCHINEN**

Year of Build:

Jan 1991

**Description:**

**Used WAGNER Z3050 x 16 (I) - Radial Drill - PRC 50**

- Arm. 1600 mm
- Max shift. 1.300 mm
- Drilling cap. Ø 50 mm
- Tap M 60 x 4 mm
- Spindle. 5 mk
- Spindle Ø + stroke. 70 + 300
- Speed. 12 x 25 min to 2000 rpm.
- Nutrition. 0.025 to 1.38 omdr. / Min
- Distance spindle feet. 400 mm
- Dimensions. 2.4 x 1.0 x 2.7 Mtr

**Technical Data:**

**Technical Data:**

Control:

[Conventional](#)

**Dimensions and Weight:**

Weight:

2.800 kg

**Buyer Information:**

Condition:

[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Location:

Germany

**Images:**



1






3




# 23050x16(I)

mm	W x mm / $\phi$	
	钢	铸铁
STEEL CAST IRON		
4	0.06	0.10
5		
6		
8	0.10	0.13
10		
12		
18	0.13	0.20
20		
25		
32	0.25	0.32
40		
50		
60	0.32	0.40
mm/min	18—25	16—24









No.	LUBRICATION POINTS	LUBRICANT	LUBRICATION PERIODS	REMARKS
1	MAIN BEARING MECHANISM	ISO VG22 OR ISO VG32	RENEW THE OIL EVERY 3 MONTHS	TAKE DOWN THE SCREW PLUG FOR OIL FILLING
2	LOWER OIL TROUGH IN SPINDLE HEAD	DITTO	DITTO	OPEN THE NAME PLATE ON SPINDLE HEAD FOR OIL FILLING
3	SPINDLE SPLINE	DITTO	ONCE A WEEK	DON'T POUR TOO MUCH OIL
4	UPPER OIL TROUGH IN SPINDLE HEAD	DITTO	RENEW THE OIL EVERY 3 MONTHS	OPEN THE TOP COVER OF SPINDLE HEAD FOR OIL FILLING
5	BEARING HOUSING	DITTO	ONCE A WEEK	DON'T POUR TOO MUCH OIL
6	SPINDLE SHAFT	CALCIUM BASE GREASE No. 2	ONCE A MONTH	OPEN THE NAME PLATE ON SPINDLE HEAD FOR OIL FILLING
7	SPINDLE NUT	ISO VG68	KEEP THEM TO HAVE OIL AT ALL TIMES	
8	SPINDLE MOTOR	ISO VG22 OR ISO VG32	RENEW THE OIL EVERY 3 MONTHS	REMOVE THE COVER OF ELECTRIC CABINET TO POUR OIL
9	SPINDLE MOTOR	ISO VG68	ONCE A WEEK	DON'T POUR TOO MUCH OIL
10	SPINDLE MOTOR	ISO VG22 OR ISO VG32	KEEP THEM TO HAVE OIL AT ALL TIMES	



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: [info@asset-trade.de](mailto:info@asset-trade.de)

Web.: <https://www.asset-trade.de/en>

Generated on 07.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page