

Image not found or type unknown



Ref. No.:

146-11151232

Overview and Technical Data:

HAUSER - S40-DR Jig Grinding Machine

HAUSER



Year of Build:

Jan 1988

Description:

HAUSER S 40 - DR Jig Grinding Machine

- x-travel 650 mm
- y-travel 450 mm
- workpiece height mm
- feed range 0 - 1500 mm/min
- table surface area 770 x 630 mm
- table load capacity 500 kg
- distance between columns 750 mm
- concentricity - max to be ground 16 °
- planetary speed 5-250 U/min
- electrics - voltage/frequency 440/60 V/Hz
- vertical adjustment of the crossrail 500 mm
- total power requirement 8 kW
- weight of the machine ca. 4,5 t
- dimensions of the machine ca. 4 x 3,6 x 3,2 m

Technical Data:

Technical Data:

Control:

Conventional

Dimensions and Weight:

Weight:
4.500 kg

Buyer Information:

Condition:
[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)

Location:


Germany

Images:



1





3



HAUSER



MASCHINE
MACHINE No.

S 40-DR

0211

SCHEMA
DIAGRAM No.

9950.40-0089

MASCHINE SPANNUNG
TENSION MACHINE
MACHINE VOLTAGE

3 X 380

V

50

Hz

NETZ
RESEAU
MAINS

*

3 X 380

V

50

Hz

STEUERSPANNUNG
TENSION DE COMMANDE
CONTROL VOLTAGE

110

V

LEISTUNG
PUISSANCE
RATING

7

kW

BEI NICHT-ÜBEREINSTIMMUNG - ANPASSUNG MIT TRANSFORMER
* EN CAS DE DIVERGENCE - ADAPTATION PAR TRANSFORMATEUR
IF NOT CORRESPONDING - ADAPTATION OVER TRANSFORMATOR

19291

HAUSER

Schmierplan
Plan de lubrification
Lubrication chart

Type S40 DR

nach Schmiervorschrift schmieren

alle 6 Monate schmieren

monatlich schmieren


täglich schmieren

lubricate according to prescription

lubricate every 6 months

lubricate once a month

lubricate once a day



Schmierung Lubrication	Schmierstelle Point de lubrification Lubrication point	Schmiermenge Quantité de lubrifiant Quantity of lubricant	Symbol Symbole Symbole	Wartungsintervalle Maintenance intervals
täglich quotidienne daily	1	kleiner Druckknopf bis grünes Licht aufleuchtet petit bouton jusqu'à ce que la lampe verte s'allume press button until green lamp lights up	○	1 Mal pro Tag 1 fois par jour 1 time per day
monatlich mensuelle monthly	2	nachfüllen alle 6 Monate recharger chaque mois at the change of month	○	1 Mal pro Monat 1 fois par mois 1 time per month
alle 6 Monate tous les 6 mois every 6 months	3 - 9	nachfüllen alle 6 Monate recharger tous les 6 mois at the change of 6 months	○	1 Mal alle 6 Monate 1 fois tous les 6 mois 1 time every 6 months
nach Schmier- vorschrift according to prescription	10	nach Schmier- vorschrift according to prescription	○	nach Schmier- vorschrift according to prescription



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
146-11151232

Overview and Technical Data:

HAUSER - S40-DR Jig Grinding Machine

HAUSER



HAUSER

Year of Build:
Jan 1988

Description:

HAUSER S 40 - DR Jig Grinding Machine

- x-travel 650 mm
- y-travel 450 mm
- workpiece height mm
- feed range 0 - 1500 mm/min
- table surface area 770 x 630 mm
- table load capacity 500 kg
- distance between columns 750 mm
- concentricity - max to be ground 16 °
- planetary speed 5-250 U/min
- electrics - voltage/frequency 440/60 V/Hz
- vertical adjustment of the crossrail 500 mm
- total power requirement 8 kW
- weight of the machine ca. 4,5 t
- dimensions of the machine ca. 4 x 3,6 x 3,2 m

Technical Data:

Technical Data:

Control:
[Conventional](#)

Dimensions and Weight:

Weight:
4.500 kg

Buyer Information:

Condition:
[Very good condition](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[15 %](#)


Location:

Germany

Images:







3



HAUSER



MASCHINE
MACHINE No.

S 40-DR

0211

SCHEMA
DIAGRAM No.

9950.40-0089

MASCHINE SPANNUNG
TENSION MACHINE
MACHINE VOLTAGE

3 X 380

V

50

Hz

NETZ
RESEAU
MAINS

*

3 X 380

V

50

Hz

STEUERSPANNUNG
TENSION DE COMMANDE
CONTROL VOLTAGE

110

V

LEISTUNG
PUISSANCE
RATING

7

kW

BEI NICHT-ÜBEREINSTIMMUNG - ANPASSUNG MIT TRANSFORMER
* EN CAS DE DIVERGENCE - ADAPTATION PAR TRANSFORMATEUR
IF NOT CORRESPONDING - ADAPTATION OVER TRANSFORMATOR

19291

HAUSER

Schmierplan
Plan de lubrification
Lubrication chart

Type S40 DR

nach Schmiervorschrift schmieren

alle 6 Monate schmieren

monatlich schmieren


täglich schmieren

lubricate according to prescription

lubricate every 6 months

lubricate once a month

lubricate once a day



Schmierung Lubrication	Schmierstelle Point de lubrification Lubrication point	Schmiermenge Quantité de lubrifiant Quantity of lubricant	Symbol Symbole Symbole	Wartungsintervall Interval Interval
täglich quotidienne daily	1	kleiner Druckknopf bis grünes Licht aufleuchtet petit bouton jusqu'à ce que la lampe verte s'allume press button until green lamp lights up	○	1
monatlich mensuelle monthly	2	schichten mit 2 Minuten Vakuumzeit igniter avec 2 minutes de vide oil change to every 2 minutes	○	2
alle 6 Monate tous les 6 mois every 6 months	3 - 9	nicht verfahren ne pas intervenir do not touch	○	3
nach Schmiervorschrift à prescription	10	nicht verfahren ne pas intervenir do not touch	○	3



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 10.03.2026

© Copyright 2026 - [Asset-Trade](#)

Page