

Image not found or type unknown




Ref. No.:
205-02031201

Overview and Technical Data:

AGIE CHARMILLES - Agiecut 200D Wire-Cut EDM

[AGIE CHARMILLES](#)



Agiecut

Year of Build:
Jan 1989

Description:

AGEI Agiecut 200D - Wire EDM Machine

Technical data

- Maximum workpiece dimensions
 - - Length 860 mm
 - - width 580 mm
 - - Height 250 mm
- Bearing surface
 - - Length 680 mm
 - - width 500 mm
- Workspace
 - - X-axis 400 mm
 - - Y-axis 250 mm
 - - X-axis 256 mm
- Workpiece weight kg max.400
- Conicity max $\pm 30^\circ$ at 12mm height
- Thread
 - - Max Height 250 mm
 - - Min Start hole diameter 0.5 mm to $\pm 30^\circ$ slant
- Supply wire
 - - Wire diameter min.0, 1 mm (0.03 mm)
 - - Automatic Drahtzugreglelung
 - - wire coil weight 16 kg
- Position accuracy 0.005mm
- D. Resolution axis 0.001 mm
- Overall Dimensions (W x D x H) 1600 x 2000 x 2400 mm

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

2.400 mm

Length:

1.600 mm

Width:

2.000 mm

Weight:
3.800 kg

Buyer Information:

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

[EXW \(Ex Works - Incoterm\)](#)

VAT:

[19 %](#)

Buyers Premium:

[16 %](#)

Location:

Germany

Images:





2







038
185

AGIEPULS MM

Typ Type					Type Tipo
Serie Serial		293			Série Serie
Gerät Item		003			Appareil Apparecchio
Baujahr Year		----			Année Anno
Stromaufschema Circuit diagram		624262.2			Schéma développé Schema funzionamento
Gerätefiste Parts list		814624.3			Liste de l'appareil Lista dell'apparecchio
Gewicht Weight	kg	415	kg		Poids Peso
Spannung Voltage	V	3 x 380	V		Tension Tensione
Frequenz Frequency	Hz	50 / 60	Hz		Fréquence Frequenza
Leistung Power	kVA	10	kVA		Puissance Potenza
cos φ		> 0.8			cos φ
Nennstrom Rated current	A	16	A		Courant nominal Corrente nominale
Netzicherung Main line fuse	A		A		Fusible du réseau Fusibile della rete

Made in Switzerland

AG für Industrielle Elektronik, Losone-Locarno, Switzerland **AGIE**

Covered by one or more of the following U.S. patents

3,430,146	3,450,455	3,492,893	3,493,030	3,521,021	3,530,271	3,538,789	3,561,043
3,591,045	3,619,544	3,655,927	3,710,007	3,731,043	3,731,044	3,731,045	3,806,788
3,832,374	3,835,890	3,886,155	3,891,819	3,919,016	3,935,183	3,973,104	3,975,507
3,975,505	3,987,270	4,025,528	4,041,268	4,045,041	4,095,304	4,100,388	4,104,502
4,163,087	4,205,212	4,224,490	4,229,864	4,229,888	4,232,209	4,262,886	4,263,052
4,303,493	4,376,341	4,431,896	4,593,611	4,571,477	4,574,488	4,634,828	

Patents pending

760,163.6



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22


Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:
205-02031201

Overview and Technical Data:

AGIE CHARMILLES - Agiecut 200D Wire-Cut EDM



Agiecut

Year of Build:
Jan 1989

Description:

AGEI Agiecut 200D - Wire EDM Machine

Technical data

- Maximum workpiece dimensions
 - - Length 860 mm
 - - width 580 mm
 - - Height 250 mm
- Bearing surface
 - - Length 680 mm
 - - width 500 mm
- Workspace
 - - X-axis 400 mm
 - - Y-axis 250 mm
 - - X-axis 256 mm
- Workpiece weight kg max.400
- Conicity max $\pm 30^\circ$ at 12mm height
- Thread
 - - Max Height 250 mm
 - - Min Start hole diameter 0.5 mm to $\pm 30^\circ$ slant
- Supply wire
 - - Wire diameter min.0, 1 mm (0.03 mm)
 - - Automatic Drahtzugreglelung
 - - wire coil weight 16 kg
- Position accuracy 0.005mm
- D. Resolution axis 0.001 mm
- Overall Dimensions (W x D x H) 1600 x 2000 x 2400 mm

Technical Data:

Technical Data:

Control:

[CNC](#)

Dimensions and Weight:

Height:

2.400 mm

Length:

1.600 mm

Width:

2.000 mm

Weight:

3.800 kg

Buyer Information:

Condition:

[Normal wear](#)

Available:

[Sold](#)

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

16 %

Location:

Germany

Images:





2





038
185

AGIEPULS MM							
Typ Type		Type Tipo					
Serie Serial	293	Série Serie					
Gerät Item	003	Appareil Apparecchio					
Baujahr Year	----	Année Anno					
Stromaufschema Circuit diagram	624262.2	Schéma développé Schema funzionamento					
Gerätefiste Parts list	814624.3	Liste de l'appareil Lista dell'apparecchio					
Gewicht Weight	kg 415	Poids Peso					
Spannung Voltage	V 3 x 380	Tension Tensione					
Frequenz Frequency	Hz 50 / 60	Fréquence Frequenza					
Leistung Power	kVA 10	Puissance Potenza					
cos φ	> 0.8	cos φ					
Nennstrom Rated current	A 16	Courant nominal Corrente nominale					
Netzicherung Main line fuse	A	Fusible du réseau Fusibile della rete					
Made in Switzerland							
AG für Industrielle Elektronik, Losone-Locarno, Switzerland AGIE							
Covered by one or more of the following U.S. patents							
3,430,146	3,450,455	3,492,893	3,493,030	3,521,021	3,530,271	3,538,789	3,561,043
3,591,045	3,619,544	3,655,927	3,710,007	3,731,043	3,731,044	3,731,045	3,806,788
3,832,374	3,836,890	3,886,155	3,891,819	3,919,016	3,925,183	3,973,104	3,975,507
3,975,505	3,987,270	4,025,528	4,041,268	4,045,041	4,095,304	4,100,388	4,104,502
4,163,087	4,205,212	4,224,490	4,229,864	4,229,888	4,232,209	4,262,886	4,293,052
4,303,493	4,376,341	4,431,896	4,593,611	4,571,477	4,574,488	4,634,828	
Patents pending							
			760,163.6				



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 30.05.2026

© Copyright 2026 - [Asset-Trade](#)

Page