



Asset-Trade

Assessment & Sale of Used Assets

Ref. Nr.: 1013-03251118

Overview and Technical Data:

**MORI SEIKI - NZ-S1500/500 2-Revolver
Wellendrehmaschine**

DMG MORI SEIKI

DMG MORI SEIKI

Baujahr: Jan. 2008



Asset-Trade

Assessment & Sale of Used Assets



Description:

Gebrauchte MORI SEIKI NZ-S1500/500 CNC 2-Revolver Wellendrehmaschine

4 Maschinen verfügbar !!! von Volkswagen

Technische Daten

- Spindelgeschwindigkeit 3500 U / min / 5,5 kW
- Spindeldurchmesser 43 mm
- Revolver 6 Stationen Capto C3
- Revolver-Indizierungszeit 0,18 s
- Bettlänge 530 mm
- Reitstockhub 200 mm
- Reitstockspindel Hub 70 mm
- Verfahrweg X 60 mm, Z 580 mm
- Beschleunigung 0,5 g
- Verfahrgeschwindigkeit 20 m / min

Keine Späneförderer vorhanden



Technical Data:

Technical Data:

Steuerung: Series 32i
Drehlänge: 1500.00 mm
Drehdurchmesser: 500.00 mm
Spindeldrehzahl: 3500.00 U/Min
Angetriebene Werkzeuge: 5.00
Werkzeugkapazität: 5 x
Reitstock: Ja
Lünette: Nein

Dimensions and Weight:

Gewicht: 3000 kg

Buyer Information:

Zustand: Sehr guten Zustand
Verfügbar: Verkauft
Verkauft als:
EXW (ab Werk - Incoterm)
MwSt.: 19 %
Käuferaufgeld: 16 %
Standort: Deutschland



Images:



1



2



3



4



5




AS

e


Assets




6




7




8



9



10



Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
67	ARM GUN	1	PC
68	SPINDLE (I) IN-MACHINE TOOL PRESETTER	AUTOMATIC	PC
69	IN-MACHINE WORK MEASURING (TURRET I)		PC
69	LOADER		PC
61	HYDRAULIC UNIT	HYDRAULIC UNIT WITHOUT MAGNETIC DUST COLLECTOR	PC
62	SIGNAL LIGHT	3-TIER TOWER (RED, YELLOW, WHITE, GREEN)	PC
63	CHUCK FOOTSWITCH	7MM	PC
64	DRY CUTTING	PROVIDED	PC
65	NEST COLLECTOR	INTERFACE (125 MM DIA. DUCT ONLY)	PC
66	STEADY REST	AUTOMATIC CENTERING STEADY REST (PROGRAMMABLE)	PC
67	AUTOMATIC CENTERING STEADY REST TYPE	GRASP RANGE 19 MM - 32 MM/ARM WIDTH 16 MM, FOR CAMESHAFT	PC
68	WORK REST	WORKPIECE PRESENCE DETECTION	PC
69	WORK REST		PC
70	AUTOMATIC DOOR		PC
71	TALSTOCK HIGH/LOW PRESSURE SYSTEM		PC
72	SPINDLE (SPINDLE I) CHUCK HIGH/LOW PRESSURE SYSTEM		PC

11

Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
37	TALSTOCK SPINDLE STROKE (MM)	70 MM	PC
38	TALSTOCK SPINDLE STROKE CHECK	PROVIDED	PC
39	TALSTOCK SPINDLE FOOTSWITCH		PC
40	CHP CONVEYOR	PROVIDED	PC
41	CHP DISPOSAL DIRECTION	REAR DISPOSAL TYPE	PC
42	CHP CONVEYOR TYPE	HINGE	PC
43	OPERATION PANEL OF CHP CONVEYOR		PC
44	SLIP DETECTOR OF CHP CONVEYOR		PC
45	CHP BUCKET		PC
46	COOLANT SYSTEM		PC
47	COOLANT FLOW SWITCH		PC
48	COOLANT FLOAT SWITCH		PC
49	COIL SOLENOID		PC
50	COOLANT GUN		PC
51	CHUCK UPPER SIDE COOLANT SYSTEM		PC
52	CHP FLOW COOLANT SYSTEM		PC
53	SPINDLE (SPINDLE I) CHUCK AIR BLOW	PROVIDED	PC
54	TALSTOCK SPINDLE AIR BLOW	PROVIDED	PC
55	TOOL TIP AIR BLOW		PC
56	AIR BLOW PIPE TYPE	COPPER PIPE	PC

12

Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
73	WORK PULL OUT SYSTEM	TURRET I & TURRET 2 CATCHING TYPE	PC
74	SPECIFICATION FOR EXHIBITION		PC
75	NUMBER OF TOTAL COUNTERS	1	PC
76	NUMBER OF WORK COUNTERS	1	PC
77	NUMBER OF EXTERNAL M CODES	5	PC
78	AUTOMATIC POWER SAUTOFF		PC
79	AC/DC SERVICE OUTLET ON OPERATION PANEL		PC
80	STEP-DOWN TRANSFORMER	UNNECESSARY	PC
81	STEP-DOWN TRANSFORMER CABLE	PROVIDED	PC
82	LEAK BREAKER		PC
83	CONTROL BOX MANUFACTURE	OUTSIDE SUPPLIER	PC
84	LANGUAGE ON NO SCREEN	GERMAN	PC
85	LANGUAGE ON PC SCREEN	GERMAN	PC
86	LANGUAGE ON WARNING SCREEN	GERMAN	PC
87	PROGRAMMING RESOLUTION MULTIPLIED BY 10		PC
88	VARIABLE LEAD THREAD CUTTING		PC
89	FEED STOP		PC
90	PART PROGRAM STORAGE (BYTES)	128 KBYTE (320 M)	PC
91	NUMBER OF STORED PROGRAMS	250	PC
92	REMOTE COMMUNICATION FUNCTION		PC

14

Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
93	PART PROGRAM STORAGE (BYTES)	128 KBYTE (320 M)	PC
94	NUMBER OF STORED PROGRAMS	250	PC
95	REMOTE COMMUNICATION FUNCTION		PC
96	NUMBER OF TOOL OFFSET PARS	92	PC
97	FLOATING ZERO RETURN		PC
98	ADDITION OF OPTIONAL BLOCK SKIP		PC
99	HANDLE FEED INTERRUPTION		PC
99	PROGRAM RESTART		PC
99	SEQUENCE NUMBER COLLATION AND STOP		PC
99	INTERLUCK TYPE CUSTOM MACRO	PROVIDED	PC
100	CUSTOM MACRO	PROVIDED	PC
101	PROGRAMMABLE DATA INPUT	PROVIDED	PC
102	NUMBER OF CUSTOM MACRO COMMON VARIABLES	100	PC
103	EXTERNAL HIGH-SPEED SKIP		PC
104	TOOL LIFE MANAGEMENT	8	PC
105	NUMBER OF TOOL LIFE MANAGEMENT (OK/NO)	MARK 14 PARS * 10	PC
106	LOAD MONITOR	B	PC
107	STORED STROKE CHECK 2S		PC
108	BARRIER (CHUCK/TALSTOCK)		PC

15

Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
19	SPLASH GUARD TYPE	STANDARD TYPE	PC
19	SPINDLE (SPINDLE I) OUTPUT (KW)	HIGH-TORQUE (11/75 KW)	PC
20	SPINDLE (SPINDLE I) SPEED (MIN-1)	2500 MIN-1	PC
21	SPINDLE (SPINDLE I) THROUGH-SPINDLE HOLE DIA. (MM)	43 MM DIA.	PC
22	SPINDLE (SPINDLE I) CHUCK TYPE		PC
23	SPINDLE (SPINDLE I) CHUCK CYLINDER TYPE		PC
24	SPINDLE (SPINDLE I) ORIENTATION	PROVIDED (WITHOUT LOCK)	PC
25	SPINDLE AIR PURGE	PROVIDED	PC
26	SPINDLE ?		PC
27	TURRET (TURRET I) TYPE OF TURRET	8 STATIONS	PC
28	TURRET (TURRET I) MELTING FUNCTION		PC
29	TURRET (TURRET I) TOOL MOUNTING METHOD	CAPTO C3	PC
30	TYPE OF TURRET 2	8 STATIONS	PC
31	TURRET 2 MELTING FUNCTION		PC
32	TURRET 2 TOOL MOUNTING METHOD	CAPTO C3	PC
33	TALSTOCK	PROVIDED	PC
34	MOVEMENT OF TALSTOCK	MANUAL TYPE	PC
35	TALSTOCK STROKE (MM)	200 MM	PC
36	TALSTOCK SPINDLE	BUILT-IN CENTER MTS	PC

16

Model	S/No.	Control	Destination	Remarks
NC-S150/500	NZS1950070	FS-32A	POLAND	
Ship Date	2017/07/25	Completed	2017/07/25	
Factory	NARA PLANT	Customer	VOLKSWAGEN MOTOR POL	

Item	Specification/Product#	Qty.	Section
1	NC SYSTEM	FS-32A	PC
2	VOLTAGE OF CUSTOMERS FACTORY (V)	380 V - 480 V	PC
3	FREQUENCY (HZ)	50 HZ	PC
4	SETTING UNIT	MM	PC
5	DESTINATION	EUROPE	PC
6	STANDARD	EN-COMPATIBLE	PC
7	UL LABEL		PC
8	EXPORT TRADE CONTROL ORDER	APPLIED	PC
9	PROGRAMMABLE SECURITY FUNCTION		PC
10	PAINT COLOR	DESIGNATED COLOR (PLAT)	PC
11	LANGUAGE ON NAME PLATES	POLISH	PC
12	LANGUAGE OF INSTRUCTION MANUAL	GERMAN	PC
13	NC MANUAL AS BOOKLETS		PC
14	SPECIAL PURPOSE MACHINE		PC
15	MINIMAL BED LENGTH	510 MM	PC
16	RASING (MM)	100 MM	PC
17	ANY-ONE		PC

17



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

Assessment & Sale of Used Assets



Asset-Trade

**Bewertung & Vermarktung von
Industrieanlagen weltweit**

Am Sonnenhof 16

47800 Krefeld

Deutschland

Tel.: +49 2151 32500 33