


Ref. Nr.: 1013-03251118





Description:

Gebrauchte MORI SEIKI NZ-S1500/500 CNC 2-Revolver Wellendrehmaschine

4 Maschinen verfügbar !!! von Volkswagen

Technische Daten

- Spindelgeschwindigkeit 3500 U / min / 5,5 kW
- Spindeldurchmesser 43 mm
- Revolver 6 Stationen Capto C3
- Revolver-Indizierungszeit 0,18 s
- Bettlänge 530 mm
- Reitstockhub 200 mm
- Reitstockspindel Hub 70 mmm
- Verfahrweg X 60 mm, Z 580 mm
- Beschleunigung 0,5 g
- Verfahrgeschwindigkeit 20 m / min

Keine Späneförderer vorhanden

Generiert am 30.10.2025 Seite 2



Technical Data:

Technical Data:

Steuerung: Series 32i Drehlänge: 1500.00 mm

Drehdurchmesser: 500.00 mm Spindeldrehzahl: 3500.00 U/Min Angetriebene Werkzeuge: 5.00

Werkzeugkapazität: 5 x

Reitstock: Ja Lünette: Nein

Dimensions and Weight:

Gewicht: 3000 kg

Buyer Information:

Zustand: Sehr guten Zustand

Verfügbar: Verkauft

Verkauft als:

EXW (ab Werk - Incoterm)

MwSt.: 19 %

Käuferaufgeld: 16 % Standort: Deutschland



Images:




















ELECTRICAL RATING	
MACHINE MODEL: NZ-S15007500 SERIAL NO.: NZ-S1500078	
PHASE HZ FREQUENCY HZ	
FULL LOAD CURRENT : A	
CURRENT RATING OF : A A THE SPINDLE MOTOR INTERRUPTING CAPACITY : 5 KA	
SHORT CIRCUIT CURRENT : kA	
RATED POWER : 17 KVA	
MASS OF MACHINE : 3000 kg	
MORI SEIKI CO. LTD. 30516 Meieki, Nakamura-ku,	





ELECTRICAL RATING MACHINE MODEL: NZ-51500/500	
SERIAL NO. : NZS15HHU144	
PHASE : Hz	
VOLTAGE : AC V	
FULL LOAD CURRENT : AS A CURRENT RATING OF THE SPINDLE MOTOR INTERRUPTING CAPACITY : kA	
SHORT CIRCUIT CURRENT : KA LECTRICAL DIAGRAM NO. : RATED POWER : LANGE	
MASS OF MACHINE : 3000 kg	
M SEIKI CO. LTD. 16 Meieki, Nakamura-ku, 2014 City Aichi 450-0002, JAPAN	





Model	NZ-S1500/500	S/No.	NZS15GG1078	Control	FS-32IA		
Ship. Da	e 2007/07/25	Complete	2007/07/25	Destinati	POLAND	Specifica	Remark
Factory	NARA PLANT	Custome	VOLKSWAGEN M	IOTOR POL			
57	AIR GUN						PC
58	(SPINDLE 1) IN-MACHINE TOOL PRESETTER			AUTOMATIC			PC
59	IN-MACHINE WORK MEASURING (TURRET 1)						PC
60	LOADER						PC
61	HYDRAURIC UNIT			HYDRAULIC UNIT WITHOUT MAGNETIC DUST COLLECTOR			PC
62	SIGNAL LIGHT			3-TIER TOWE	PC		
63	CHUCK FOOTSWITCH		TAIN			PC	
	DRY CUTTING			PROVIDED			PC
ίδ	MIST COLLECTOR				125 MM DEA, DUCT C	1481)	PC
66	STEADY REST			AUTOMATIC ((PROGRAMM	CENTERING STEADY ABLE)	REST	PC
67	AUTOMATIC CENTERING STEADY REST TYPE			GRASP RANG FOR CAMSHA	E:15 MM - 32 MM,AF FT	IM WIDTH:16 MM ,	PC
68	WORK REST WORKPIE	CE PRESENCE	DETECTION				PC
69	NORK REST						PC
71	UTO OOR						PC
71		PRESSURE S'					PC
70	PDNE (S DLE 1) O	CHUCK HIGH/I	OW PRESSURE				PC

Model	NZ-S1500/500	S/No.	NZS15GG0078	Control	FS-82IA		
Ship. Date	2007/07/25	Complete	2007/07/25	Destinatio	POLAND	Specifica	Remarks
Factory	NARA PLANT Customer VOLKSWAGEN M			TOR POL			
90 1	LD OTO						110
90 P	ART PROGRAM STR.	AGE (BYTE)		28 KBYTE (\$2	0 M)		PC
91 N				50			PC
92 R	EMOTE COMMUNICA	TION FUNCTIO	N				PC
98 N	UMBER OF TOOL OF	FSET PAIRS		12			PC
94 FI	OATING ZERO RETI	JRN					PC
95 A	DOTTION OF OPTION	AL BLOCK SKIP					PC
96 H	ANDLE FEED INTER	RUPTION					PC
97 PI	ROGRAM RESTART						PC
98 SI	EQUENCE NUMBER	COLLATION AN	D STOP				PC
99 D	ITERRUPTION TYPE	CUSTOM MACE	10				PC
100 C	CUSTOM MACRO			PROVIDED			PC
	PROGRAMMABLE DATA INPUT			ROVIDED			PC
102 N	NUMBER OF CUSTOM MACRO COMMON VARIABLES		100			PC	
	EXTERNAL HIGH-SPEED SKIP					PC	
	TOOL LIFE MANAGEMENT						PC
				MAX 64 PAIRS	* 10		PC
	DAD DATTOR			3			PC
		CK 2,8					PC
108 3	ARRIMAN TUCKETAL	LSTOCK)					PC









Generiert am 30.10.2025 Seite 7





Asset-Trade

Bewertung & Vermarktung von Industrieanlagen weltweit

Am Sonnenhof 16

47800 Krefeld

Deutschland

Tel.: +49 2151 32500 33