

Image not found or type unknown



Ref. No.:

428-07121642

Overview and Technical Data:

AIR LIQUIDE WELDING - Alphotome 20 Plasma Cutting System

[AIR LIQUID](#)

OE

Year of Build:
Jan 2008

Description:

AIR LIQUID Alphasome 20 - Plasma Cutting System

Specifications:

- Cutting table for plasma cutting:
 - Inside: 2.050mmx8.500mm
 - Cutting height: 700 mm
 - Sections 1
- Sheet thickness:
 - Steel cutting thickness [mm] 0.8 (0.4) - 20 (25)
 - Aluminum cutting thickness [mm] 0,8 - 10 results (15)
 - Galvanized sheet metal cutting thickness [mm] from 0.8 (0.4)
- 2 pcs cutting power source Nertajet HP125
- 2 pcs refrigerator W000264716 Friojet 30
- including basic road 2 m and 0.75 m travel length
- Roadway extension to 8 m
- Complete package consisting of camera for remote monitoring, remote control and portable anti-glare covering the bridge
- HPC CNC control with fully automatic integrated database
- Double burner plasma instalation Nertajet 125 HP 150 Digital OCP process
- in addition to 1 burner equipped for Wasservoretex for stainless steel up to 15 mm
- Dust type Downflo DFPRO 6-Cyclopeel

Main functions consist of mainly:

- CNC plasma and process control
- Fully automatic control of plasma power source via Profibus
- Fully automatic control of the gas panel via Profibus
- to use only one tool
- easy-to-use and learn
- high quality touch screen with 15-inch LCD flat panel
- complete, integrated and configurable cutting parameter database
- Mapping of plasma parameters for CNC programs and individual parts
- Defining inner and outer contours of different qualities (parameters)
- Mark with the same burner (OCP 150 and 360 CPM)
- digital synchronization of the drives

Specially developed for the pure plasma cutting of thin sheets up to 20 mm plasma cutting system.

Air Liquide Welding offers you the first high-precision, plasma arc cutting machine equipped with an anti-dazzle device to protect the operator and the immediate environment from the effects of the electric arc used in plasma cutting. ALPHATOME 2 is especially suited for industrial applications requiring high precision, quality cutting: metal cutting, pressure vessels, shipbuilding and railway construction, subcontracting, ventilation, steel plate cutting.

Technical Data:

Technical Data:

Control:
[CNC](#)

Buyer Information:

Condition:
[Bad Condition - Repairs recommended](#)

Available:
[Sold](#)

Sold as:
[EXW \(Ex Works - Incoterm\)](#)

VAT:
[19 %](#)

Buyers Premium:
[15 %](#)

Location:
Germany

Images:





2



3



4



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Ref. No.:

428-07121642

Overview and Technical Data:

AIR LIQUIDE WELDING - Alphasome 20 Plasma Cutting System

[AIR LIQUID](#)

OE

Year of Build:
Jan 2008

Description:

AIR LIQUID Alphasome 20 - Plasma Cutting System

Specifications:

- Cutting table for plasma cutting:
 - Inside: 2.050mmx8.500mm
 - Cutting height: 700 mm
 - Sections 1
- Sheet thickness:
 - Steel cutting thickness [mm] 0.8 (0.4) - 20 (25)
 - Aluminum cutting thickness [mm] 0,8 - 10 results (15)
 - Galvanized sheet metal cutting thickness [mm] from 0.8 (0.4)
- 2 pcs cutting power source Nertajet HP125
- 2 pcs refrigerator W000264716 Friojet 30
- including basic road 2 m and 0.75 m travel length
- Roadway extension to 8 m
- Complete package consisting of camera for remote monitoring, remote control and portable anti-glare covering the bridge
- HPC CNC control with fully automatic integrated database
- Double burner plasma instalation Nertajet 125 HP 150 Digital OCP process
- in addition to 1 burner equipped for Wasservoretex for stainless steel up to 15 mm
- Dust type Downflo DFPRO 6-Cyclopeel

Main functions consist of mainly:

- CNC plasma and process control
- Fully automatic control of plasma power source via Profibus
- Fully automatic control of the gas panel via Profibus
- to use only one tool
- easy-to-use and learn
- high quality touch screen with 15-inch LCD flat panel
- complete, integrated and configurable cutting parameter database
- Mapping of plasma parameters for CNC programs and individual parts
- Defining inner and outer contours of different qualities (parameters)
- Mark with the same burner (OCP 150 and 360 CPM)
- digital synchronization of the drives

Specially developed for the pure plasma cutting of thin sheets up to 20 mm plasma cutting system.

Air Liquide Welding offers you the first high-precision, plasma arc cutting machine equipped with an anti-dazzle device to protect the operator and the immediate environment from the effects of the electric arc used in plasma cutting. ALPHATOME 2 is especially suited for industrial applications requiring high precision, quality cutting: metal cutting, pressure vessels, shipbuilding and railway construction, subcontracting, ventilation, steel plate cutting.

Technical Data:

Technical Data:

Control:
[CNC](#)

Buyer Information:

Condition:
[Bad Condition - Repairs recommended](#)

Available:
[Sold](#)

Sold as:
[EXW \(Ex Works - Incoterm\)](#)

VAT:
[19 %](#)

Buyers Premium:
[15 %](#)

Location:
Germany

Images:





2



3



4



Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: <https://www.asset-trade.de/en>

Generated on 07.04.2026

© Copyright 2026 - [Asset-Trade](#)

Page