

Ref. No.: 1425-06201700

Overview and Technical Data:

Used ULMER SF40 REINECKER End profile grinding machine

ULMER



Year of Build: Jan 2018

Description:

Buy used ULMER SF40 REINECKER | CNC end machining machine

If you are looking for a REINECKER end machining machine for the precise machining of cylindrical tools, then the used ULMER SF40 REINECKER is the ideal choice. Buying this end machining machine means investing in a powerful and reliable machine that efficiently handles a wide range of tool machining tasks. Whether for solid carbide, HSS or ceramics – the ULMER SF40 enables the machining of tips, chamfers and radii with the highest precision.

Technical data:

- Travel paths:
 - o X-axis 450 mm

- o Z-axis 250 mm
- Resolution:
 - o X, Z-axis: 0.001 mm
 - o C-axis: 0.001°
- Rapid traverse X / Z: 15 / 30 m/min.
- Grinding spindle:
 - o Motor spindle ø x length: 140 x 300 mm
 - Drive power S6: 14 kW / 170 Hz
 - o Speed ??continuously variable: 1,000 to 7,500 min-1 / 250 Hz
 - o Torque const.: 27 Nm to 5,000 min-1
 - o Grinding wheel ø max.: 350 mm
 - Cutting speed: <140 m/s
- Workpiece spindle (C-axis):
 - Mounting taper: SK50
 - o Speed ??max.: 3,000 min-1
 - o Max. torque: 28 Nm
- Dimensions WxDxH: 1,900 x 1,900 x 1,900 mm
- Accessories:
 - o Control and software NUMROTO Plus cylindrical grinding, loader, in-process measuring
 - Probe for process-related measuring, including touch cycles
 - 3D collision monitoring
 - Interpolating C-axis
 - o Balancing system for grinding wheel in the machine
 - o Automatic chain loader
 - Automatic bar feed
 - Coolant pressure increase
 - o Oil pan
 - K&B fire extinguishing system including fire damper
 - o Connections for central coolant supply and oil mist extraction
 - o Collet chuck W20 UP
 - Hydro expansion chuck Schunk
- General:
 - The machine is functional, in very good condition and can be inspected by appointment.

The ULMER end machining machine SF 40 REINECKER stands for:

- Creation of tips, chamfers, radii and their combination at the ends of cylindrical tools made of solid carbide, HSS and ceramic.
- Grinding unit with a liquid-cooled motor spindle.
- Variable spindle arrangement of the grinding unit for more flexibility, parallel or vertical.
- Up to four different grinding wheels can be mounted on one holder.
- Use of different chuck clamping systems.
- Measuring probe for recording the axial workpiece position and angular position of the cooling channels.
- Automatic loading devices are available as an option.
- NUM Flexium+ CNC control with powerful NUM DriveX drives and integrated NUM-Safe safety architecture.

Special features:

- The ULMER SF40 REINECKER is a high-precision tool grinding machine that offers high machining quality thanks to its powerful motor spindle and flexible spindle arrangement.
- With the option of mounting up to four different grinding wheels on one holder,

Technical Data:

Technical Data:

Control:

CNC

Dimensions and Weight:

Height:

1.900 mm

Length:

1.900 mm

Width:

1.900 mm

Weight:

4.000 kg

Buyer Information:

Condition:

Very good condition

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

18 %

Location:

Germany

Images:




















Flagger	<u>c</u>		<u>a</u>					
Diverses Ko	0	Diverses		Diverses	Diverses	Diverses	Diverses	HASP-HIL 1800494909 Kunde: 111403428 gullig bis: 3-9 mww.numroto.gom;
	Vorschub	33.0 / 1313		ins (1) 8.0 / 1313	oine (1) 55.0 / 1413			
		Scheibe	SchruppscheibeD91-Pins (1)			Schruppsdreibenstrams (1)		NUMROTOPIUS 3.9.0q Build 15585
			1150		-orm V4)	ge Form V3)		ge Form V5) ahn)









(0)

(0)

ULMER WERKZEUGSCHLEIFTECHNIK GmbH & Co. KG AUGUST-NAGEL-STR. 9, D-89079 ULM


SCHLEIFMASCHINE


Type:

SF40


























Video:







Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://www.asset-trade.de/en

Ref. No.: 1425-06201700

Overview and Technical Data:

Used ULMER SF40 REINECKER End profile grinding machine



Year of Build: Jan 2018

Description:

Buy used ULMER SF40 REINECKER | CNC end machining machine

If you are looking for a REINECKER end machining machine for the precise machining of cylindrical tools, then the used ULMER SF40 REINECKER is the ideal choice. Buying this end machining machine means investing in a powerful and reliable machine that efficiently handles a wide range of tool machining tasks. Whether for solid carbide, HSS or ceramics – the ULMER SF40 enables the machining of tips, chamfers and radii with the highest precision.

Technical data:

- Travel paths:
 - o X-axis 450 mm
 - o Z-axis 250 mm
- Resolution:
 - o X, Z-axis: 0.001 mm
 - o C-axis: 0.001°
- Rapid traverse X / Z: 15 / 30 m/min.
- Grinding spindle:
 - o Motor spindle ø x length: 140 x 300 mm
 - o Drive power S6: 14 kW / 170 Hz
 - o Speed ??continuously variable: 1,000 to 7,500 min-1 / 250 Hz
 - o Torque const.: 27 Nm to 5,000 min-1
 - o Grinding wheel ø max.: 350 mm
 - Cutting speed: <140 m/s
- Workpiece spindle (C-axis):

- Mounting taper: SK50 Speed ??max.: 3,000 min-1
- o Max. torque: 28 Nm
- Dimensions WxDxH: 1,900 x 1,900 x 1,900 mm
- Accessories:
 - o Control and software NUMROTO Plus cylindrical grinding, loader, in-process measuring
 - o Probe for process-related measuring, including touch cycles
 - o 3D collision monitoring
 - Interpolating C-axis
 - o Balancing system for grinding wheel in the machine
 - o Automatic chain loader
 - o Automatic bar feed
 - Coolant pressure increase
 - Oil pan
 - K&B fire extinguishing system including fire damper
 - o Connections for central coolant supply and oil mist extraction
 - o Collet chuck W20 UP
 - Hydro expansion chuck Schunk
- General:
 - The machine is functional, in very good condition and can be inspected by appointment.

The ULMER end machining machine SF 40 REINECKER stands for:

- Creation of tips, chamfers, radii and their combination at the ends of cylindrical tools made of solid carbide, HSS and ceramic.
- Grinding unit with a liquid-cooled motor spindle.
- Variable spindle arrangement of the grinding unit for more flexibility, parallel or vertical.
- Up to four different grinding wheels can be mounted on one holder.
- Use of different chuck clamping systems.
- Measuring probe for recording the axial workpiece position and angular position of the cooling channels.
- Automatic loading devices are available as an option.
- NUM Flexium+ CNC control with powerful NUM DriveX drives and integrated NUM-Safe safety architecture.

Special features:

- The ULMER SF40 REINECKER is a high-precision tool grinding machine that offers high machining quality thanks to its powerful motor spindle and flexible spindle arrangement.
- With the option of mounting up to four different grinding wheels on one holder,

Technical Data:

Technical Data:

Control:

CNC

Dimensions and Weight:

Height:

1.900 mm

Length:

1.900 mm

Width:

1.900 mm

Weight:

4.000 kg

Buyer Information:

Condition:

Very good condition

Available:

Sold

Sold as:

EXW (Ex Works - Incoterm)

VAT:

19 %

Buyers Premium:

<u>18 %</u>

Location:

Germany

Images:



















Flagger	<u>c</u>		<u>a</u>					
Diverses Ko	0	Diverses		Diverses	Diverses	Diverses	Diverses	HASP-HIL 1800494909 Kunde: 111403428 gullig bis: 3-9 mww.numroto.gom;
	Vorschub	33.0 / 1313		ins (1) 8.0 / 1313	oine (1) 55.0 / 1413			
		Scheibe	SchruppscheibeD91-Pins (1)			Schruppsdreibenstrams (1)		NUMROTOPIUS 3.9.0q Build 15585
			1150		-orm V4)	ge Form V3)		ge Form V5) ahn)









(0)

(0)

ULMER WERKZEUGSCHLEIFTECHNIK GmbH & Co. KG AUGUST-NAGEL-STR. 9, D-89079 ULM


SCHLEIFMASCHINE


Type:

SF40


























Video:







Asset-Trade

Assessment and Sale of Used Assets world wide

Am Sonnenhof 16

47800 Krefeld

Germany

Tel.: +49 2151 32500 33

Fax.: +49 2151 65 29 22

Email: info@asset-trade.de

Web.: https://www.asset-trade.de/en

Generated on 10.12.2025 © Copyright 2025 - <u>Asset-Trade</u> Page